
SD-Z225


Key **Features**

- Teradici® Tera2321 CPU with hardware accelerated PCoIP
- True personal PC experience
- Dual display productivity
- Simplified and secure management
- Low total cost of ownership






22"
DISPLAY



PANEL



RESOLUTION



Product **Description**

The ViewSonic SD-Z225 22” (21.5” viewable) Zero Client monitor is based on the Teradici Tera 2321 processor, with hardware accelerated PCoIP support. The SD-Z225 Zero Client is the perfect solution for companies seeking a seamless desktop experience, with ultra-high security and reliability in VMware-based networks. The SD-Z225 is a true Zero Client and features no local memory or moving parts for the ultimate in energy savings and reliability. The VMware-certified design guarantees performance and compatibility in your network. With the additional DVI output, flexible support is provided for dual monitor productivity. The eco-friendly design with LED display uses up to 80% less energy consumption than standard PCs.

Specifications

More Information

Energy Star Compliant	No
UPC	766907692716

CPU Processor Type	Teradici Tera2321
RAM	512MB
Memory Type	DDR3
Protocols	VMware PCoIP
Static Contrast Ratio	1,000:1
Viewing Angles	170º horizontal, 160º vertical
Display Resolution	1920 x 1080
Viewable Area (in.)	21,5
Dynamic Contrast Ratio	20,000,000:1
Response Time (Typical GTG)	5ms
Light Source	LED
Brightness	250 cd/m2
Panel Surface	Anti-glare, hard-coating (3H)
Screen Size	22"
Analog Sync	Separate Sync
USB 2.0 Type A	4
VGA	1
DVI-I Out	1
Ethernet LAN (RJ45)	1
3.5mm Audio In	1
3.5mm Audio Out	1
3.5mm Mic In	1
Internal Speakers	2W (x2)
Voltage	AC 90-240V (universal), 50-60Hz
Physical Controls	PCoIP, 2, Down, Up, 1, Power
Consumption (typical)	24W
On Screen Display	Auto Image Adjust, Contrast/Brightness, Input Select, AudioAdjust, Color Adjust, Information, Manual Image Adjust, SetupMenu, Memory Recall (See user guide for full OSD functionality)
Ethernet LAN	10/100/1000 Mbps
Humidity (non-condensing)	15–90%
Kensington Lock Slot	1
Frequency Horizontal	24~82kHz
Frequency Vertical	50~75Hz
Gross (kg)	6,2
Net (kg)	4,5
Net Without Stand (kg)	3,4

Packaging (in.)	22.5 x 17.4 x 6.2
Packaging (mm)	572 x 442 x 158
Physical (mm)	512.4 x 376.7 x 189.9
Physical Without Stand (mm)	512.4 x 316 x 54
VESA Compatible	100 x 100 mm
Regulations	FCC, CB, cTUVus, WEEE, RoHS Compliant,REACH Compliant
Package Contents	SD-Z225 Zero Client Monitor, power cord, power adapter, VGA cable, Quick Start Guide,ViewSonic Wizard CD
Recycle/Disposal	Please dispose of in accordance with local, state or federal laws.
Part #	SD-Z225_BK_US0
Warranty	Three-year limited warranty on parts and labor
Classification	Discontinued
Physical (in.)	20.2 x 14.8 x 7.5
Physical Without Stand (in.)	20.2 x 12.4 x 2.1
Net (lbs)	9,9
Net Without Stand (lbs)	7,4
Gross (lbs)	13,7

UPC: 766907692716







Contact Sales
ViewSonic.com
888.881.8781
email:
salesinfo@viewsonic.com