


## VG939SM - 19" 1024P ERGONOMIC IPS MONITOR WITH DVI AND VGA


### Key Features

---


- 19 Inch 1024p IPS monitor with 75Hz refresh rate
- Advanced ergonomics (tilt, swivel, rotate and height) for all-day comfort
- Flicker-Free technology and Blue Light Filter for reduced eye fatigue
- Ideal for business-specific legacy applications
- The VG939SM supports laptops, PCs, Macs and more with VGA, DVI-D, and USB inputs



19"  
**DISPLAY**



IPS  
**PANEL**



1280 x 1024  
**RESOLUTION**



### Product Description

---

Designed for legacy and customized applications that require a 5:4 aspect ratio, the ViewSonic VG939Sm 19" LED display delivers stunning screen performance with 1280x1024 resolution and SuperClear IPS panel technology. Versatile connectivity options include DVI and VGA inputs, as well as an integrated USB hub. It also features full ergonomic functionality including tilt, swivel, pivot, and height adjustments for maximum comfort and enhanced productivity. Equipped with ViewSonic's unique ViewMode feature, this display provides intuitive presets that deliver optimized screen performance for different applications. In addition, Flicker-Free technology and a Blue Light Filter help to eliminate eye strain from extended viewing periods. A uniform, matte ID design reduces glare and facilitates easy multiple monitor set up. Additional features include integrated speakers and VESA-mountable design. Featuring ENERGY STAR and EPEAT certification, as well as an energy-saving Eco-mode setting, the VG939Sm offers solid performance while delivering low TCO for a wide range of users.

### Specifications

---

[More Information](#)

UPC

766907769012

<b>Screen Size</b>	19"
<b>Panel Type</b>	IPS
<b>Display Resolution</b>	1280 x 1024
<b>Static Contrast Ratio</b>	1,000:1
<b>Dynamic Contrast Ratio</b>	20,000,000:1
<b>Light Source</b>	LED
<b>Brightness</b>	250 cd/m <sup>2</sup>
<b>Colors</b>	16.7M
<b>Response Time (Typical GTG)</b>	14ms
<b>Viewing Angles</b>	178° horizontal, 178° vertical
<b>Backlight Life (Hours)</b>	30,000
<b>Panel Surface</b>	3H Anti-glare, hard-coating
<b>PC Resolution (max)</b>	1280 x 1024
<b>Mac® Resolution (max)</b>	1280 x 1024
<b>USB Type A</b>	2
<b>USB Type B</b>	1
<b>3.5mm Audio In</b>	1
<b>VGA</b>	1
<b>DVI-D</b>	1
<b>Internal Speakers</b>	3W (x2)
<b>Eco Mode (Conserve)</b>	15W
<b>Eco Mode (optimized)</b>	16W
<b>Consumption (typical)</b>	18W
<b>Consumption (max)</b>	20W
<b>Voltage</b>	AC 100-240V (universal), 50-60Hz
<b>Cable Organization</b>	No
<b>Kensington Lock Slot</b>	1
<b>Physical Controls</b>	1, 2, Down, Up, Power
<b>On Screen Display</b>	Auto Image Adjust, Contrast/Brightness, Input Select, Audio Adjust, Color Adjust, Information, Manual Image Adjust, Setup Menu, Memory Recall (See user guide for complete OSD functionality)
<b>Humidity (non-condensing)</b>	20-90%
<b>VESA Compatible</b>	100 x 100 mm
<b>Frequency Horizontal</b>	24~82kHz
<b>Frequency Vertical</b>	50~75Hz
<b>Analog Sync</b>	Separate Sync, Composite Sync, Sync on Green
<b>Height Adjust</b>	100 mm / 3.9 in

<b>Swivel</b>	360°
<b>Pivot (Right/Left)</b>	90° / 0°
<b>Tilt (Forward/Back)</b>	5° / 25°
<b>Regulations</b>	cULus, FCC-B, ENERGY STAR 7.0, FCC (ICES003), EPEAT Certified, Mexico energy, UL-MX-CoC
<b>Net (lbs)</b>	9.6
<b>Net Without Stand (lbs)</b>	6.1
<b>Gross (lbs)</b>	13.3
<b>Net (kg)</b>	4.3
<b>Net Without Stand (kg)</b>	2.75
<b>Gross (kg)</b>	6
<b>Packaging (in.)</b>	19.02 x 16.5 x 6.7
<b>Physical (in.)</b>	16.4 x 14.8 x 8.0
<b>Physical Without Stand (in.)</b>	16.4 x 13.4 x 2.2
<b>Packaging (mm)</b>	483.0 x 419.0 x 170.0
<b>Physical Without Stand (mm)</b>	416.2 x 341.2 x 54.9
<b>Package Contents</b>	VG939Sm monitor, Power cable, VGA cable, DVI cable, audio cable, Quick Start Guide, ViewSonic Wizard CD (User Guide)
<b>Recycle/Disposal</b>	Please dispose of in accordance with local, state or federal laws.
<b>Warranty</b>	Three-year limited warranty on parts, labor and backlight

UPC: 766907769012



### Contact Sales

[ViewSonic.com](http://ViewSonic.com)

888.881.8781 📞

email:

[salesinfo@viewsonic.com](mailto:salesinfo@viewsonic.com)

