



TD2740-S

## Key Features


---



27"  
DISPLAY



MVA  
PANEL



1920x1080  
RESOLUTION



## Product Description

---

The ViewSonic TD2740 is an ideal solution for both commercial and consumer touch screen applications. With an intuitive 10-point multi-touch display and full 1080p HD resolution, the 27-inch TD2740 delivers a versatile solution for use in the office or at home, as well as for use as an information kiosk in public areas, or as a teaching tool in interactive learning environments. The bookstand support of the TD2740 provides advanced ergonomics and allows the display to be tilted or laid flat on a tabletop for more comfortable use. SuperClear VA technology with ultra-wide viewing angles and 20M:1 MEGA Dynamic Contrast Ratio bring greater definition and clarity to multimedia content. As a complete package, the display also includes a pair of integrated 2W speakers, an HD webcam, and a microphone for video chatting. VGA, HDMI, and DisplayPort inputs provide flexible and future-proof connectivity. Touch the Difference with the ViewSonic TD2740 interactive multi-touch display.

## Specifications

---

More Information

UPC

766907866414

Screen Size

27"

<b>Panel Type</b>	MVA
<b>Display Resolution</b>	1920 x 1080
<b>Static Contrast Ratio</b>	3,000:1
<b>Dynamic Contrast Ratio</b>	50,000,000:1
<b>Light Source</b>	LED
<b>Brightness</b>	260 cd/m2
<b>Response Time (Typical GTG)</b>	12ms
<b>Viewing Angles</b>	178° horizontal, 178° vertical
<b>Backlight Life (Hours)</b>	30,000
<b>Panel Surface</b>	7H Scratch Resistant Surface Hardness
<b>PC Resolution (max)</b>	1920x1080
<b>Mac® Resolution (max)</b>	1920x1080
<b>USB 2.0 Type A</b>	2
<b>3.5mm Audio In</b>	1
<b>3.5mm Audio Out</b>	1
<b>HDMI In</b>	2
<b>VGA</b>	1
<b>HDMI 1.4 In</b>	1
<b>DisplayPort</b>	1
<b>Touch Technology</b>	Capacitive
<b>Touch Points</b>	10-Point Touch
<b>Internal Speakers</b>	2W (x2)
<b>Eco Mode (Conserve)</b>	29W
<b>Eco Mode (optimized)</b>	35W
<b>Consumption (typical)</b>	41W
<b>Voltage</b>	AC 100-240V (universal), 50-60Hz
<b>Cable Organization</b>	No
<b>Kensington Lock Slot</b>	1
<b>Physical Controls</b>	1, 2, Down, Up, Power
<b>On Screen Display</b>	Auto Image Adjust, Contrast/Brightness, Input Select, Audio Adjust, Color Adjust, Information, Manual Image Adjust, Setup Menu, Memory Recall
<b>Temperature</b>	32-104° F (0 - 40° C)
<b>Humidity (non-condensing)</b>	20-90%
<b>VESA Compatible</b>	100 x 100 mm
<b>Frequency Horizontal</b>	24~82kHz
<b>Frequency Vertical</b>	50~75Hz

<b>Analog Sync</b>	Separate Sync
<b>Regulations</b>	cULus, FCC, ICES2003, UL-MX-CoC, Mexico Energy, CE, REACH, WEEE, UkrSEPRO
<b>Net (lbs)</b>	19.4
<b>Gross (lbs)</b>	22.5
<b>Net (kg)</b>	8.2
<b>Gross (kg)</b>	10.2
<b>Packaging (in.)</b>	29.1 x 20.1 x 5.0
<b>Physical (in.)</b>	26.5 x 16.5 x 2.0
<b>Packaging (mm)</b>	739 x 510 x 127
<b>Physical (mm)</b>	672.6 x 418.9 x 49.9
<b>Package Contents</b>	TD2740 display, power cable, audio cable, VGA cable, HDMI cable, USB cable, Quick Start Guide, ViewSonic Wizard CD (available in some countries only)
<b>Recycle/Disposal</b>	Please dispose of in accordance with local, state or federal laws.
<b>Warranty</b>	*Refurbished. 30-day DOA policy for full refund, with a 90-day repair warranty on parts and labor.
<b>Classification</b>	Discontinued

UPC: 766907866414



**Contact Sales**

[ViewSonic.com](http://ViewSonic.com)

888.881.8781

email:

[salesinfo@viewsonic.com](mailto:salesinfo@viewsonic.com)