


TD1656-2K - 16" PORTABLE WQXGA IPS TOUCH MONITOR WITH 65W USB C AND SMART COVER DESIGN


Key Features



16"
DISPLAY



IPS
PANEL



2560 x 1600
RESOLUTION



2-WAY POWERED USB TYPE-C
One cable solution


Product Description

TD1656-2K is a portable 16" 16:10 monitor designed for optimal productivity on the go. Weighing less than 2lbs and under 0.5" thick, with an intuitive smart cover to both provide versatile viewing options and protect the screen in transit, this portable is optimized to take on the road. 10-point capacitive touch allows for intuitive screen control while 2K resolution offers vivid details for crispy and clear imagery. The two way power USB-C connectors provide a one-cable solution for multimedia transfer and 65W power charging, either receiving power from a laptop or power bank, or being able to pass through power to the connected device, when the portable is connected to a power source.


Specifications

UPC	766907030334
Screen Size	16"
Viewable Area (in.)	16"
Panel Type	IPS
Display Resolution	2560 x 1600
Display Resolution	WQXGA (2560x1600)
Static Contrast Ratio	1,500:1
Dynamic Contrast Ratio	50,000,000:1
Light Source	LED
Brightness	330 cd/m2
Colors	16.7M
Color Space Support	8 bit true
Aspect Ratio	16:10
Response Time (Typical GTG)	11.6ms
Viewing Angles	178º horizontal, 178º vertical
Backlight Life (Hours)	15,000
Panel Surface	Anti-Glare type, Hardness ≥6H, Haze 25%
Refresh Rate	60Hz
PC Resolution (max)	2560 x 1600
Mac® Resolution (max)	2560 x 1600
USB Type C	65W x 2
Touch Technology	Projective Capacitive
Touch Points	10-Point Touch
Internal Speakers	2W (x2)
Consumption (typical)	8.8
Consumption (max)	11.8
Voltage	DC 5V/9V/12V/15V/20V
Stand-by	0.5
Power Supply	External
Cable Organization	No
Headphone Hook	No
Physical Controls	Up; Down, Power
On Screen Display	Contrast, Brightness, Volume, Audio Mode, Information, Memory Recall
Temperature	32-104º F (0 - 40º C)
Humidity (non-condensing)	20-90%
Frequency Horizontal	15 ~ 100 KHz

Frequency Vertical	50 ~ 75 Hz
Height Adjust	50mm (with smart cover)
Pivot (Right/Left)	0° / 90° (with smart cover)
Tilt (Forward/Back)	20° - 70° (with smart cover)
Regulations	cTUVus, FCC-B, ICES003, Energy Star, EPEAT, CEC, NOM, Mexico Energy
Net (lbs)	2.8
Net Without Stand (lbs)	1.8
Gross (lbs)	4
Net (kg)	1.3
Net Without Stand (kg)	0.8
Gross (kg)	1.8
Packaging (in.)	17.2 x 11.8 x 2.4
Physical (in.)	14.04 x 9.25 x 0.39
Physical Without Stand (in.)	14.04 x 9.25 x 0.39
Packaging (mm)	438 x 300 x 61
Physical (mm)	357 x 235 x 9.9
Physical Without Stand (mm)	357 x 235 x 9.9
Package Contents	LCD Display, USB-C Cable, Smart Cover, Passive Touch Stylus, Quick Start Guide
Recycle/Disposal	Please dispose of in accordance with local, state or federal laws.
Warranty	*Refurbished. 30-day DOA policy for full refund, with a 90-day repair warranty on parts and labor.
UPC: 766907030334	



ULTRA-PORTABLE DESIGN
Work and entertainment on-the-go



10-POINT MULTI-TOUCH
For smooth and responsive touch capabilities

Contact Sales
[ViewSonic.com](https://www.viewsonic.com)
 888.881.8781
 email:
salesinfo@viewsonic.com