



## VA708A - 17" 1024P MONITOR WITH 100% SRGB COLOR CORRECTION AND 5:4 ASPECT RATIO

### Key Features

---


- 17 Inch 1280 x 1024p monitor with 75Hz refresh rate
- 5:4 aspect ratio ideal for business-specific legacy applications
- sRGB color correction delivers vivid and accurate colors with 100% sRGB color reproduction
- The VA708A supports legacy laptops, PCs, Macs and more with VGA input



17  
DISPLAY



TN  
PANEL



1280 x 1024  
RESOLUTION



### Product Description

---

The ViewSonic® VA708a is a 17" monitor ideal for legacy and customized applications that require a 5:4 aspect ratio. With 1280x1024 resolution, sRGB color correction technology, and a fast 5ms response time, this monitor delivers vivid and accurate colors for incredible front-of-screen performance. Featuring a matte finish design, this 17" monitor can fit on any desktop, while a VESA-compatible mount provides additional convenience and flexibility. In addition, Energy Star, and an energy-saving Eco-mode setting, offers solid performance while delivering low TCO perfect for enterprise and government use.

### Specifications

---

---

[More Information](#)


<b>UPC</b>	766907767117
<b>Screen Size</b>	17
<b>Panel Type</b>	TN
<b>Display Resolution</b>	1280 x 1024
<b>Static Contrast Ratio</b>	1,000:1
<b>Light Source</b>	LED
<b>Brightness</b>	250 cd/m2
<b>Colors</b>	16.7M
<b>Response Time (Typical GTG)</b>	5ms
<b>Viewing Angles</b>	170° horizontal, 160° vertical
<b>Backlight Life (Hours)</b>	30,000
<b>Panel Surface</b>	3H Anti-glare, hard-coating
<b>PC Resolution (max)</b>	1280 x 1024
<b>Mac® Resolution (max)</b>	1280 x 1024
<b>VGA</b>	1
<b>Eco Mode (Conserve)</b>	10W
<b>Eco Mode (optimized)</b>	12W
<b>Consumption (typical)</b>	14W
<b>Consumption (max)</b>	17W
<b>Voltage</b>	AC 100-240V (universal), 50-60Hz
<b>Cable Organization</b>	No
<b>Physical Controls</b>	1, 2, Up, Down, Power
<b>On Screen Display</b>	Auto Image Adjust, Contrast/Brightness, Color Adjust, Information, Manual Image Adjust, Setup Menu, Memory Recall(See user guide for complete OSD functionality)
<b>Humidity (non-condensing)</b>	20-90%
<b>VESA Compatible</b>	100 x 100 mm
<b>Frequency Horizontal</b>	24~82kHz
<b>Frequency Vertical</b>	50~75Hz
<b>Analog Sync</b>	Separate Sync
<b>Net (lbs)</b>	6.8
<b>Net Without Stand (lbs)</b>	6.2
<b>Gross (lbs)</b>	9.3
<b>Net (kg)</b>	3.1
<b>Net Without Stand (kg)</b>	2.8
<b>Gross (kg)</b>	4.2
<b>Packaging (in.)</b>	16.5 x 17.6 x 5.7

<b>Physical (in.)</b>	14.4 x 15.4 x 7.5
<b>Physical Without Stand (in.)</b>	14.4 x 12.7 x 2.4
<b>Packaging (mm)</b>	420 x 446 x 144
<b>Physical Without Stand (mm)</b>	366.9 x 321.6 x 60.2
<b>Regulations</b>	CE, WEEE, cULus, FCC-B/ICES-003, ENERGY STAR 7.0, UL-MX-CoC, Mexico Energy
<b>Package Contents</b>	VA708a monitor, Power cable, VGA cable, Quick Start Guide
<b>Recycle/Disposal</b>	Please dispose of in accordance with local, state or federal laws.

UPC: 766907767117



**Contact Sales**  
[ViewSonic.com](http://ViewSonic.com)

888.881.8781   
 email:  
[salesinfo@viewsonic.com](mailto:salesinfo@viewsonic.com) 