



VA2759-SMH - 27" 1080P IPS MONITOR WITH FREESYNC, HDMI AND VGA INPUTS

Key Features


- HARDWARE BLUE LIGHT FILTER
- FRAMELESS DESIGN
- ULTRA-WIDE VIEWING ANGLES
- VERSATILE CONNECTIVITY
- FULL HD 1080P RESOLUTION
- OPTIMIZED VIEW SETTINGS



27
DISPLAY



IPS
PANEL



1920x1080
RESOLUTION



Product Description

With flexible connectivity, wide-angle viewing, and amazing screen performance, the ViewSonic® VA2759-smh delivers solid multimedia features and a sleek design at a great value. Featuring SuperClear IPS panel technology, the 27" VA2759-smh delivers stunning brightness and contrast at nearly any viewing angle. A minimalistic design, edge-to-edge screen, and frameless bezel make this an ideal monitor for nearly seamless multi-screen setups. Whether for working at the office, or enjoying entertainment at home, the VA2759-smh also features an HDMI port for flexible connectivity to PCs, laptops, gaming consoles, and other multimedia devices. Flicker-Free technology and a Blue Light Filter help to minimize eyestrain from extended viewing periods. In addition, a 3-year limited warranty, along with one of the industry's best pixel performance policies, makes the VA2759-smh a great overall value choice.

Specifications

| | |
|------------------------------------|---|
| Display Size (in.) | 27 |
| Viewable Area (in.) | 27 |
| Panel Type | IPS |
| Resolution | 1920 x 1080 |
| Static Contrast Ratio | 1,000:1 |
| Dynamic Contrast Ratio | 50,000,000:1 |
| Light Source | LED |
| Brightness | 250 cd/m2 |
| Colors | 16.7M |
| Response Time (Typical GTG) | 4ms |
| Viewing Angles | 178° horizontal, 178° vertical |
| Backlight Life (Hours) | 30,000 |
| Panel Surface | Anti-glare, hard-coating (3H) |
| PC Resolution (max) | 1920x1080 |
| Mac® Resolution (max) | 1920x1080 |
| 3.5mm Audio In | 1 |
| 3.5mm Audio Out | 1 |
| HDMI In | 1 |
| VGA | 1 |
| Power in | 3-pin plug (CEE22) |
| Internal Speakers | 2-watt (x2) |
| Eco Mode (Conserve) | 11W |
| Eco Mode (optimized) | 14W |
| Consumption (typical) | 17W |
| Consumption (max) | 25W |
| Voltage | AC 100-240V (universal), 50-60Hz |
| Stand-by | 0.5W |
| Power Supply | Internal |
| Cable Organization | No |
| Kensington Lock Slot | 1 |
| Physical Controls | Key 1 (favorite), Key 2, Key 3, Key 4, Key 5 (power) |
| On Screen Display | Input Select, Audio Adjust, ViewMode, Color Adjust, Manual Image Adjust, Setup Menu |
| Temperature | 32-104° F (0 - 40° C) |
| Humidity (non-condensing) | 20-90% |
| VESA Compatible | 100 x 100 mm |
| Frequency Horizontal | 24 ~ 86 KHz |

| | |
|-------------------------------------|---|
| Frequency Vertical | 48 ~ 75 Hz |
| Analog Sync | Separate Sync, Composite Sync, Sync on Green, TMDS |
| Net (lbs) | 9.7 |
| Net Without Stand (lbs) | 8.2 |
| Gross (lbs) | 13.2 |
| Net (kg) | 4.4 |
| Net Without Stand (kg) | 3.7 |
| Gross (kg) | 6.0 |
| Packaging (in.) | 27.4 x 18.4 x 5.7 |
| Physical (in.) | 24.2 x 17.5 x 9.3 |
| Physical Without Stand (in.) | 24.2 x 14.1 x 1.9 |
| Packaging (mm) | 697.0 x 467.0 x 144.0 |
| Physical (mm) | 615.0 x 444.0 x 235.0 |
| Physical Without Stand (mm) | 615.0 x 358.0 x 48.0 |
| Regulations | cTUVus, FCC-B, ICES003, Energy Star 8.0, EPEAT Silver, CEC, NOM, Mexico Energy, CB, RoHS |
| PACKAGE CONTENTS | VA2759-SMH x1, 3-pin Plug (IEC C13 / CEE22) x1, HDMI Cable (v1.4; Male-Male) x1, Quick Start Guide x1 |
| Recycle/Disposal | Please dispose of in accordance with local, state or federal laws. |
| Warranty | Three-year limited warranty on parts, labor and backlight |



Contact Sales

ViewSonic.com

888.881.8781

email:

salesinfo@viewsonic.com