





VX2776-SMHD-2 - 27" 1080P THIN-BEZEL IPS MONITOR WITH FREESYNC, HDMI, DISPLAYPORT, AND VGA


Key Features



27"
DISPLAY




IPS
PANEL



Up to 1920x1080 non-interlaced
RESOLUTION

27" Full HD (1920 x 1080) SuperClear IPS panel
with frameless design



Product Description


The ViewSonic® VX2776-smhd is a sleek 27" Full HD monitor with a modern and minimalist style perfect for home use. With SuperClear® IPS Panel technology, this monitor offers best-in-class screen performance with ultra-wide viewing angles. A premium ID includes an ultra-slim profile, unique desktop stand, and a sleek edge-to-edge frameless design, that when combined with vivid 1920x1080 resolution and dual speakers, deliver an immersive viewing experience for home entertainment and multimedia applications. HDMI, DisplayPort, and VGA inputs offer flexible connectivity options for both computing and gaming environments, while ViewSonic's exclusive ViewMode™ feature provides intuitive presets for optimized screen performance in different applications. In addition, Flicker-Free technology and a Blue Light Filter help to minimize eye strain from extended viewing periods. With ViewSonic's industry-leading 3-year limited warranty, this monitor is a solid long-term investment that combines style and high performance for the home.

Specifications

	More Information
UPC	766907023084
Screen Size	27"
Viewable Area (in.)	27
Panel Type	IPS
Display Resolution	1920 x 1080
Static Contrast Ratio	1,000:1
Dynamic Contrast Ratio	80M:1
Light Source	LED
Brightness	250 cd/m2
Colors	16.7M
Response Time (Typical GTG)	14ms
Response Time (GTG w/OD)	7ms
Viewing Angles	178º horizontal, 178º vertical
Backlight Life (Hours)	30,000
Panel Surface	Anti-glare, hard-coating (3H)
PC Resolution (max)	Up to 1920x1080 non-interlaced
Mac® Resolution (max)	Up to 1920x1080
3.5mm Audio In	1
3.5mm Audio Out	1
HDMI In	1
VGA	1
DisplayPort	1
Internal Speakers	3-watt (x2)
Eco Mode (Conserve)	17W
Eco Mode (optimized)	20W
Consumption (typical)	24W
Consumption (max)	32W
Voltage	AC 100-240V (universal), 50-60Hz
Cable Organization	No
Kensington Lock Slot	1
Physical Controls	GameMode, 1, 2, 3, 4, Power
On Screen Display	Auto Image Adjust, Contrast/Brightness, Input Select, Audio Adjust, Color Adjust, Information, Manual Image Adjust, Advanced Image Adjust, Setup Menu, Memory Recall (See user guide for complete OSD functionality)

Temperature	32-104º F (0 - 40º C)
Humidity (non-condensing)	20-90%
VESA Compatible	75 x 75 mm
Frequency Horizontal	Analog: 24 ~ 85KHz. Digital: 24 ~ 125KHz
Frequency Vertical	Analog: 48 ~ 75Hz. Digital: 48 ~ 100Hz
Analog Sync	Separate Sync, Composite Sync, Sync on Green, TMDS, PCI-E
Tilt (Forward/Back)	5º / 17º
Regulations	cULus, FCC-B, ICES-003, EPEAT, Energy Star 7.0, NRCan, UL-MXCoC, Mexico Energy, CE, WEEE, EEL, EAC
Net (lbs)	8.2
Gross (lbs)	12.1
Net (kg)	3.7
Gross (kg)	5.5
Packaging (in.)	27.0 x 17.7 x 4.5
Physical (in.)	24.5 x 18.2 x 8.2
Packaging (mm)	685 x 450 x 115
Physical (mm)	621 x 462.6 x 209
Package Contents	VX2776-smhd-2 monitor, Power cable, AC/DC adapter, Audio cable, VGA cable, HDMI cable, Quick Start Guide, ViewSonic Wizard CD
Recycle/Disposal	Please dispose of in accordance with local, state or federal laws.
Warranty	*Refurbished. 30-day DOA policy for full refund, with a 90-day repair warranty on parts and labor.

UPC: 766907023084



FUTURE-PROOF INPUTS FOR FLEXIBLE CONNECTIVITY OPTIONS

Contact Sales
ViewSonic.com

888.881.8781

email:

salesinfo@viewsonic.com