

SC-T47-WW-S

## Key Features

---

REFURBISHED

- Intel Bay Trail J1900 CPU
- Windows 8 Embedded Standard Operating System
- Supports all leading remote networking protocols



---

## Product Description

---

The ViewSonic SC-T47 discrete thin client uses the powerful Intel Bay Trail J1900 CPU with Windows 8 Embedded Standard OS. The SC-T47 is optimized for all the major remote networking protocols including Microsoft RDP with RemoteFX, Citrix HDX, and PCoIP for VMware View—making it a versatile virtualization solution with endless possibilities. The SC-T47 has the horsepower needed to handle a large portion of local processing and graphics rendering, and the flexibility to operate as a stateless device in a VDI-based infrastructure. The SC-T47 is also an energy and space saver, consuming only 18W of power and easily attaching to your VESA-ready monitor with the included bracket. The SC-T47 discrete thin client is the perfect solution for companies seeking a true thin client solution with PC-like performance, along with the capability of driving four 1080p displays. ViewSonic's thin clients are the smart choice for optimizing your virtual desktop deployments.

---

## Specifications

---

---

### More Information


<b>UPC</b>	766907768312
<b>CPU Processor Type</b>	Intel Bay Trail Quad-core J1900
<b>CPU Processor Speed</b>	2.0 GHz
<b>Graphic Chipset</b>	Integrated
<b>Resolution (max)</b>	1920 x 1200
<b>RAM</b>	4GB
<b>Memory Type</b>	DDR3 (1333 MHz)

<b>Supported OS</b>	N/A
<b>Protocols</b>	Microsoft RDP (8.0), Citrix ICA/HDX, VMware PCoIP
<b>USB 2.0 Type A</b>	4
<b>USB 3.0 Type A</b>	1
<b>DVI-I</b>	3
<b>DVI-D</b>	1
<b>Ethernet LAN (RJ45)</b>	1
<b>3.5mm Mic In</b>	1
<b>3.5mm Audio Out</b>	1
<b>RS232</b>	1
<b>Ethernet LAN</b>	10/100/1000 MB
<b>Wifi</b>	802.11a/b/g/n
<b>Consumption (typical)</b>	18W
<b>Temperature</b>	32-95° F (0 - 35° C)
<b>Humidity (non-condensing)</b>	10-90%
<b>Kensington Lock Slot</b>	1
<b>Storage Capacity</b>	32GB
<b>Storage Type</b>	Flash
<b>VESA Compatible</b>	100 x 100 mm
<b>Regulations</b>	FCC(ICES003)/CB/CE EMC/CE R&TTE, WEEE, RoHS Compliant, REACH Compliant
<b>Package Contents</b>	SC-T47 thin client, power cord, power adapter, DVI-I to VGA adapter, stand / VESA mounting bracket, Quick Start Guide, ViewSonic Wizard CD
<b>Recycle/Disposal</b>	Please dispose of in accordance with local, state or federal laws.
<b>Part #</b>	SC-T47_WW_BK_US0-S
<b>Warranty</b>	*Refurbished. 30-day DOA policy for full refund, with a 90-day repair warranty on parts and labor.
<b>Country Of Origin</b>	Taiwan
<b>Classification</b>	Discontinued, Refurbished
<b>Packaging (in.)</b>	10.1 x 8.6 x 4.6
<b>Physical (in.)</b>	7.9 x 7.8 x 3.8
<b>Physical Without Stand (in.)</b>	7.1 x 7.1 x 1.7
<b>Packaging (mm)</b>	256.5 x 218.4 x 116.8
<b>Physical Without Stand (mm)</b>	180.3 x 180.3 x 43.2
<b>Net (lbs)</b>	2,4
<b>Gross (lbs)</b>	3,9
<b>Net (kg)</b>	1,09
<b>Gross (kg)</b>	1,77

UPC: 766907768312



**Contact Sales**  
[ViewSonic.com](http://ViewSonic.com)

888.881.8781 

email:

[salesinfo@viewsonic.com](mailto:salesinfo@viewsonic.com)

