

# VG2449 - 24" 1080P ERGONOMIC MONITOR WITH HDMI, DISPLAYPORT, VGA, AND DAISY CHAIN

## Key Features

- 24 Inch Full HD (1920x1080p) LED monitor with 60Hz refresh rate
- Advanced ergonomics (tilt, swivel, rotate and height) for all-day comfort
- Flicker-Free technology and Blue Light Filter for reduced eye fatigue
- Optimized view settings offers "Game," "Movie," "Web," "Text," and "Mono" presets
- The VG2449 supports laptops, PCs, Macs and more with HDMI, DisplayPort (Daisy Chain) and VGA inputs



24"  
**DISPLAY**



MVA  
**PANEL**



1920 x 1080  
**RESOLUTION**



## Product Description

With future-proof connectivity and advanced ergonomics, the ViewSonic® VG2449 is a productivity-boosting monitor perfect for corporate, government, and education environments. Designed with both a DisplayPort input and output, this monitor delivers easy, single-cable daisy-chaining of multiple monitors for increased productivity. With SuperClear® MVA panel technology for wide-angle viewing, and a 20M:1 dynamic contrast ratio, incredibly sharp images and vivid color remain consistent across multiple daisy-chained screens. For maximum comfort and a customized fit, a robust fully ergonomic stand gives you tilt, pivot, swivel, and height-adjustable options. Additional connectivity options include VGA, HDMI, and Mini DisplayPort so that you can connect to a variety of high-definition and analog devices - today and tomorrow.

## Specifications

### More Information

<b>UPC</b>	766907853513
<b>Screen Size</b>	24"
<b>Viewable Area (in.)</b>	23.6
<b>Panel Type</b>	MVA
<b>Display Resolution</b>	1920 x 1080
<b>Static Contrast Ratio</b>	3,000:1
<b>Dynamic Contrast Ratio</b>	20M:1
<b>Light Source</b>	LED
<b>Brightness</b>	250 cd/m2

<b>Colors</b>	16.7M
<b>Aspect Ratio</b>	16:9
<b>Response Time (Typical GTG)</b>	7ms
<b>Viewing Angles</b>	178° horizontal, 178° vertical
<b>Backlight Life (Hours)</b>	40,000
<b>Panel Surface</b>	Anti-glare, hard-coating (3H)
<b>PC Resolution (max)</b>	1920 x 1080
<b>Mac® Resolution (max)</b>	1920 x 1080
<b>USB Type A</b>	2
<b>USB Type B</b>	1
<b>VGA</b>	1
<b>HDMI 1.4 In</b>	1
<b>DisplayPort</b>	1
<b>DisplayPort Out</b>	1
<b>Mini DisplayPort</b>	1
<b>Internal Speakers</b>	2W (x2)
<b>Eco Mode (Conserve)</b>	14W
<b>Eco Mode (optimized)</b>	16W
<b>Consumption (typical)</b>	20
<b>Consumption (max)</b>	46
<b>Voltage</b>	AC 100-240V (universal), 50-60Hz
<b>Stand-by</b>	0.5W
<b>Cable Organization</b>	No
<b>Kensington Lock Slot</b>	1
<b>Physical Controls</b>	1,2, Up, Down, Power
<b>On Screen Display</b>	Auto Image Adjust, Contrast/Brightness, Input Select, Audio Adjust, Color Adjust, Information, Manual Image Adjust, Advanced Image Adjust, Setup Menu, Memory Recall (See user guide for complete OSD functionality)
<b>Temperature</b>	32-104° F (0 - 40° C)
<b>Humidity (non-condensing)</b>	20-90%
<b>VESA Compatible</b>	100 x 100 mm
<b>Frequency Horizontal</b>	Analog: 24 ~ 82KHz. Digital: 15 ~ 82KHz
<b>Frequency Vertical</b>	Analog: 50 ~ 75Hz. Digital: 50 ~ 75Hz
<b>Analog Sync</b>	Separate Sync / Composite Sync / Sync on Green , TMDs, PCI-E
<b>Height Adjust</b>	135 mm / 5.3 in
<b>Swivel</b>	360°
<b>Pivot (Right/Left)</b>	90° / 0°

<b>Tilt (Forward/Back)</b>	6° / 25°
<b>Regulations</b>	cULus, FCC, ICES003, Energy Star 7.0, EPEAT, UL-MX-CoC, Mexico Energy, RoHS Green BOM & RoHS DoC
<b>Net (lbs)</b>	11.1
<b>Net Without Stand (lbs)</b>	7.9
<b>Gross (lbs)</b>	15.1
<b>Net (kg)</b>	5.1
<b>Net Without Stand (kg)</b>	3.6
<b>Gross (kg)</b>	6.9
<b>Packaging (in.)</b>	25.0 x 20.0 x 7.5
<b>Physical (in.)</b>	22.1 x 17x1 x 9.4
<b>Physical Without Stand (in.)</b>	22.1 x 13.1 x 2.3
<b>Packaging (mm)</b>	634.0 x 508.0 x 190.0
<b>Physical (mm)</b>	560.3 x 435.2 x 239.6
<b>Physical Without Stand (mm)</b>	560.3 x 332.7 x 58.2
<b>Package Contents</b>	VG2449 Display, Power Cable, Mini DP to DP Cable, USB 3.0 Upstream Cable, Quick Start Guide, ViewSonic Wizard CD-ROM
<b>Recycle/Disposal</b>	Please dispose of in accordance with local, state or federal laws.

UPC: 766907853513



### Contact Sales

[ViewSonic.com](http://ViewSonic.com)

888.881.8781

email: [salesinfo@viewsonic.com](mailto:salesinfo@viewsonic.com)