



XG2700-4K-S


Key Features



27
DISPLAY



IPS
PANEL



3840x2160 non-interlaced
RESOLUTION



Product Description

The ViewSonic® XG2700-4K is a 27" 4K Ultra HD LED gaming monitor that delivers stunning definition and color for highly immersive gameplay. With 3840x2160 resolution and SuperClear IPS panel technology, this monitor provides incredibly sharp and detailed visuals. What's more, gamers are empowered with a wide array of customizable pro-style color settings for the most accurate colors across gaming genres. This incredible alchemy of detail and color are fully realized with VESA Adaptive-Sync technology: a combination that delivers tear-free, picture-perfect gaming every time. A fast 5ms response time and low input lag also provides smooth screen performance free from blurring or ghosting. A Game Mode feature optimizes visuals for FPS, RTS and MOBA, and a black stabilization function helps target enemies lurking in the dark while maintaining rich colors and contrast. With future-proof DisplayPort and HDMI 2.0 to support 4K UHD resolution at 60Hz, this monitor is the pinnacle of detailed gaming, and maximizes the gaming potential of any PC. With unbelievable detail and color, this monitor provides everything needed for total game immersion.

Specifications

More Information	
UPC	766907950816
Screen Size	27
Panel Type	IPS
Display Resolution	3840 x 2160
Static Contrast Ratio	1,000:1
Dynamic Contrast Ratio	20M:1
Light Source	LED
Brightness	300 cd/m ²
Colors	1.07B
Response Time (Typical GTG)	5ms
Viewing Angles	178° horizontal, 178° vertical
Backlight Life (Hours)	30,000

Panel Surface	3H Anti-glare, hard-coating
PC Resolution (max)	3840x2160 non-interlaced
Mac® Resolution (min)	3840x2160
USB 2.0 Type B	1
USB 3.0 Type A	4
3.5mm Audio Out	1
HDMI In	2
HDMI 2.0 In	1
DisplayPort	1
Mini DisplayPort	1
Power in	DC In
Eco Mode (Conserve)	25.5W
Eco Mode (optimized)	35.5W
Consumption (typical)	45W
Consumption (max)	46W
Voltage	AC 100-240V (universal), 50-60Hz
Cable Organization	No
Kensington Lock Slot	1
Temperature	32-104° F (0 - 40° C)
Humidity (non-condensing)	20-90%
VESA Compatible	100 x 100 mm
Frequency Horizontal	15~204kHz
Frequency Vertical	24~120Hz
Analog Sync	PCI-E, TMDS, CPU GIO
Height Adjust	120 mm / 4.7 in
Swivel	175°
Pivot (Right/Left)	90° / 0°
Tilt (Forward/Back)	5° / 15°
Regulations	CB, CE, WEEE, RoHS, ErP, REACH, UL, cUL, FCC-b, Mexico CoC, EPEAT, Energy Star, Ukraine
Net (lbs)	18.4
Net Without Stand (lbs)	11.8
Gross (lbs)	23.6
Net (kg)	8.4
Net Without Stand (kg)	5.4
Gross (kg)	10.7
Packaging (in.)	29.8 x 19.2 x 8.5

Physical (in.)	25.3 x 21.9 x 9.1
Physical Without Stand (in.)	25.3 x 15.0 x 2.2
Packaging (mm)	756 x 487 x 215
Physical (mm)	642.7 x 555.6 x 231
Physical Without Stand (mm)	642.7 x 381.7 x 56
Package Contents	XG2700-4K monitor, AC/DC Adapter, Power cable, Mini DisplayPort to DisplayPort cable, USB 3.0 cable, Quick Start Guide, ViewSonic Wizard CD
Recycle/Disposal	Please dispose of in accordance with local, state or federal laws.
Warranty	*Refurbished. 30-day DOA policy for full refund, with a 90-day repair warranty on parts and labor.
Classification	Discontinued

UPC: 766907950816



Contact Sales

ViewSonic.com

888.881.8781

email: salesinfo@viewsonic.com