

VA2459-SMH - 24" 1080P IPS MONITOR WITH FREESYNC, HDMI AND VGA INPUTS

Key Features

- 24 Inch Full HD (1920x1080p) IPS monitor with 60Hz refresh rate
- Flicker-Free technology and Blue Light Filter for reduced eye fatigue
- Optimized view settings offer "Game," "Movie," "Web," "Text," and "Mono" presets
- The VA2459-SMH supports laptops, PCs, Macs and more with HDMI, and VGA inputs



24
DISPLAY



IPS
PANEL



1920 x 1080
RESOLUTION



Product Description

With flexible connectivity, wide-angle viewing, and amazing screen performance, the ViewSonic® VA2459-smh delivers solid multimedia features and a sleek design at a great value. Featuring SuperClear IPS panel technology, the 24" VA2459-smh delivers stunning brightness and contrast at nearly any viewing angle. A minimalistic design, edge-to-edge screen, and frameless bezel make this an ideal monitor for nearly seamless multi-screen setups. Whether for working at the office, or enjoying entertainment at home, the VA2459-smh also features an HDMI port for flexible connectivity to PCs, laptops, gaming consoles, and other multimedia devices. Flicker-Free technology and a Blue Light Filter help to minimize eyestrain from extended viewing periods. In addition, a 3-year limited warranty, along with one of the industry's best pixel performance policies, makes the VA2459-smh a great overall value choice.

Specifications

Screen Size	24
Viewable Area (in.)	23.8
Panel Type	IPS
Display Resolution	1920 x 1080
Display Resolution	Full HD (1920x1080)
Static Contrast Ratio	1,000:1
Dynamic Contrast Ratio	50,000,000:1
Light Source	LED
Brightness	250 cd/m2
Colors	16.7M
Aspect Ratio	16:9
Response Time (GTG w/OD)	4ms
Viewing Angles	178° horizontal, 178° vertical
Backlight Life (Hours)	30,000
Panel Surface	Anti-glare
PC Resolution (max)	1920 x 1080
Mac® Resolution (max)	1920 x 1080
3.5mm Audio In	1
3.5mm Audio Out	1
HDMI In	1
VGA	1
Internal Speakers	2W (x2)
Eco Mode (Conserve)	11W
Eco Mode (optimized)	14W
Consumption (typical)	17W
Consumption (max)	24W
Voltage	AC 100-240V (universal), 50-60Hz
Stand-by	0.5W
Power Supply	Internal
Cable Organization	No
Kensington Lock Slot	1
Physical Controls	Key 1 (favorite), Key 2, Key 3, Key 4, Key 5 (power)
On Screen Display	Input Select, Audio Adjust, ViewMode, Color Adjust, Manual Image Adjust, Setup Menu
Temperature	32-104° F (0 - 40° C)
Humidity (non-condensing)	20-90%
VESA Compatible	100 x 100 mm

Frequency Horizontal	24 ~ 86KHz
Frequency Vertical	48 ~ 75Hz
Digital Sync	TMDS
Net (lbs)	6.8
Net Without Stand (lbs)	6.2
Gross (lbs)	9.7
Net (kg)	3.1
Net Without Stand (kg)	2.8
Gross (kg)	4.4
Packaging (in.)	24.5 x 16.3 x 5.5
Physical (in.)	21.4 x 15.6 x 7.9
Physical Without Stand (in.)	21.4 x 12.5 x 1.9
Packaging (mm)	622.0 x 413.0 x 140.0
Physical (mm)	542.0 x 396.0 x 200.0
Physical Without Stand (mm)	542.0 x 318.0 x 48.0
Regulations	cTUVus, FCC-B, ICES003, Energy Star 8.0, EPEAT Silver, CEC, NOM, Mexico Energy, CB, RoHS
PACKAGE CONTENTS	VA2459-SMH x1, 3-pin Plug (IEC C13 / CEE22) x1, HDMI Cable (v1.4; Male-Male) x1, Quick Start Guide x1
Recycle/Disposal	Please dispose of in accordance with local, state or federal laws.

UPC: 766907888935



Contact Sales
ViewSonic.com

888.881.8781 ☎
 email:
salesinfo@viewsonic.com