


VA2246MH-LED - 22" 1080P LED MONITOR WITH HDMI AND VGA AND ENHANCED VIEWING COMFORT

Key Features

- Full HD 1080p Resolution
- Enhanced Viewing Comfort
- The Power of HDMI
- Dual Integrated Speakers




What's in the box.



22"
DISPLAY



TN
PANEL



1920 x 1080
RESOLUTION



VA2246MH-LED Monitor

*Power Cable varies by region.



Power Cable*



HDMI Cable



Quickstart Guide

Product Description


The ViewSonic® VA2246mh-LED is a 22" (21.5" viewable) widescreen monitor with an LED backlight and a glossy, thin-bezel design ideal for use in the home or at the office. With Full HD 1920x1080 resolution and a 50M:1 MEGA Dynamic Contrast Ratio, the VA2246mh-LED delivers stunning brightness and contrast, while a quick 5ms response time ensures crisp pictures and smooth playback. As a complete multimedia package, the display also includes a pair of integrated speakers. VGA and HDMI inputs provide flexible and convenient connectivity, while a VESA-compatible mount offers additional flexibility. With a LED backlight and energy-saving Eco-mode, the VA2246mh-LED is an environmentally friendly display choice. In addition, a 3-year limited warranty, along with one of the industry's best pixel performance policies, make the VA2246mh-LED a great value choice for corporate and educational use as well.

Specifications

	More Information
UPC	766907911671
Screen Size	22"
Viewable Area (in.)	21.5
Panel Type	TN
Display Resolution	1920 x 1080
Static Contrast Ratio	1,000:1
Dynamic Contrast Ratio	50,000,000:1
Light Source	LED
Brightness	250 cd/m2
Colors	16.7M
Color Space Support	(6-Bit+HI-FRC)
Aspect Ratio	16:9
Response Time (Typical GTG)	5ms
Viewing Angles	170° horizontal, 160° vertical
Backlight Life (Hours)	40,000
Panel Surface	Anti-glare, Hard coating (3H)
PC Resolution (max)	1920 x 1080
Mac® Resolution (max)	1920 x 1080
3.5mm Audio In	1
3.5mm Audio Out	1
VGA	1
HDMI 1.4 In	1
Internal Speakers	2.5W (x2)
Eco Mode (Conserve)	12W
Eco Mode (optimized)	16W
Consumption (typical)	22W
Consumption (max)	26W
Voltage	AC 100-240V (universal), 50-60Hz
Stand-by	0.5W
Cable Organization	No
Kensington Lock Slot	1
Physical Controls	1, 2, 3, 4, Power

On Screen Display	Auto Image Adjust, Contrast/Brightness, Input Select, Audio Adjust, Color Adjust, Information, Manual Image Adjust, Advanced Image Adjust, Setup Menu, Memory Recall (See user guide for complete OSD functionality)
Temperature	32-104° F (0 - 40° C)
Humidity (non-condensing)	20-90%
VESA Compatible	100 x 100 mm
Frequency Horizontal	24 ~ 82KHz
Frequency Vertical	50 ~ 75Hz
Analog Sync	Separate Sync
Digital Sync	TMDS
Tilt (Forward/Back)	5° / 23°
Regulations	cULus, FCC-B, ICES003, Energy Star 7.0, EPEAT Certified, UL-MX-CoC, Mexico Energy, CE EMC, CB, WEEE, RoHS, REACH SVHC List, ErP, EAC, UkrSEPRO
Net (lbs)	7.7
Net Without Stand (lbs)	6.9
Gross (lbs)	10.3
Net (kg)	3.5
Net Without Stand (kg)	3.1
Gross (kg)	4.7
Packaging (in.)	22.2 x 15.4 x 4.5
Physical (in.)	20.1 x 14.4 x 7.8
Physical Without Stand (in.)	20.1 x 12.5 x 1.9
Packaging (mm)	565 x 391 x 114
Physical (mm)	509.6 x 366.1 x 197.6
Physical Without Stand (mm)	509.6 x 316.6 x 48.3
Package Contents	LCD Display, Power Cable, HDMI to HDMI (1.5m), Quick Start Guide
Recycle/Disposal	Please dispose of in accordance with local, state or federal laws.

UPC: 766907911671



Contact Sales
ViewSonic.com
 888.881.8781
 email:
salesinfo@viewsonic.com