


## PG800HD - BRIGHT 5000 LUMENS 1080P NETWORKABLE PROJECTOR WITH LENS SHIFT


### Key Features

---


- 5,000 Lumen Brightness
- Vertical Lens Shift with Centered Lens
- Portall®: Discreet Wireless Streaming
- Network Monitoring & Control
- SuperColor™: Amazing Color Accuracy



30 - 300 in. / 0.76 - 7.62 m  
**DISPLAY**



**PANEL**



1920 x 1200  
**RESOLUTION**



### Product Description

---

Delivering 1920 x 1080 resolution and 5000 lumens of brightness, the ViewSonic® PG800HD is the ideal 1080p projector for professional installations, large venues, and business and education environments. With its 1.3x optical zoom, centered lens, vertical lens shift, and vertical keystoneing, the PG800HD provides extreme flexibility even in the most challenging installations. The PG800HD boasts a sleek top cover design for quick lamp and accessory access, while an intuitive PortAll® compartment accommodates additional accessories such as an HDBaseT receiver, wireless streaming device, or PC stick. A 4-in-1 power button serves as a central point for LED notifications. Moreover, two HDMI ports and additional audio and video ports allow for extensive connectivity to handle multiple devices without the need to switch cables. Powered by SuperColor™ technology for beautiful image reproduction, and SonicExpert® technology for incredibly clear sound, the PG800HD delivers a professional audiovisual performance.

### Specifications

---

<b>UPC</b>	766907934113
<b>Light Source</b>	DLP Lamp
<b>Display Resolution</b>	Full HD (1920x1080)
<b>Display Resolution</b>	1920 x 1080
<b>Brightness (Lumens)</b>	5,000 ANSI
<b>Screen Size</b>	30 - 300 in. / 0.76 - 7.62 m
<b>Throw Distance</b>	2.5 - 32.7 ft / .76 - 10 m
<b>Throw Ratio</b>	1.15-1.5
<b>Keystone</b>	Vertical (+/- 40°)
<b>Lens</b>	1.3x Manual optical zoom / manual optical focus
<b>Light Source (watt)</b>	370
<b>Light Source Life, Normal (hours)</b>	2000
<b>Light Source Life, Dynamic Eco-Mode (hours)</b>	2500
<b>Color Depth</b>	1.07B Color (R/G/B 10bit)
<b>Dynamic Contrast Ratio</b>	5,000:1
<b>Aspect Ratio</b>	16:9
<b>Input Lag</b>	37ms
<b>Frequency Horizontal</b>	15K~102KHz
<b>Frequency Vertical</b>	23~120Hz
<b>PC Resolution (max)</b>	1920 x 1200
<b>Mac® Resolution (max)</b>	1920 x 1200
<b>USB 2.0 Type A</b>	1
<b>USB 2.0 Type B</b>	1
<b>Ethernet LAN (RJ45)</b>	1
<b>3.5mm 12V Trigger</b>	1
<b>3.5mm Audio Out</b>	1
<b>3.5mm Audio In</b>	2
<b>Control (RS232)</b>	1
<b>HDMI In</b>	2
<b>VGA In</b>	2
<b>VGA Out</b>	1
<b>Composite RCA Video In</b>	1
<b>S-Video In</b>	1
<b>Mini USB</b>	1
<b>RCA Audio In (L/R)</b>	1
<b>3D VESA</b>	1

<b>IR out</b>	1
<b>Internal Speakers</b>	10W (x2)
<b>Voltage</b>	100-240V +/- 10%, 50/60Hz AC
<b>Consumption (max)</b>	574W
<b>Stand-by</b>	<0.5W
<b>Physical Controls</b>	Power, keystone/arrow keys, left/blank, menu/exit, right/panel key lock, mode/enter, auto, source
<b>On Screen Display</b>	Display, Image, Power Management, Basic, Advanced, System, Information (See user guide for full OSD functionality)
<b>Temperature</b>	32-104° F (0 - 40° C)
<b>Humidity (non-condensing)</b>	0-90%
<b>Kensington Lock Slot</b>	1
<b>Net (lbs)</b>	13.7
<b>Gross (lbs)</b>	18.7
<b>Net (kg)</b>	6.2
<b>Gross (kg)</b>	8.5
<b>Packaging (in.)</b>	22.7 x 21.1 x 10.2
<b>Physical (in.)</b>	18.5 x 12.4 x 5.5
<b>Packaging (mm)</b>	577 x 537 x 260
<b>Physical (mm)</b>	470 x 316 x 140
<b>AV Control</b>	AMX Certified, ATEN Certified, Crestron Certified, Extron Certified, PJ Link Certified
<b>Regulations</b>	FCC, ROHS, cTUVus
<b>Package Contents</b>	PG800HD projector, power cable, VGA cable, remote control with AAA batteries, Quick Start Guide
<b>Warranty</b>	Three-year limited warranty on parts and labor, 1-year limited warranty on lamp, 1st year free Express Exchange® service. (One year Express Exchange Service requires product registration).
<b>Recycle/Disposal</b>	Please dispose of in accordance with local, state or federal laws.

UPC: 766907934113



## Contact Sales

[ViewSonic.com](http://ViewSonic.com)

888.881.8781 ☎

email:

[salesinfo@viewsonic.com](mailto:salesinfo@viewsonic.com)

