



XG3220 - 32" 60HZ 4K UHD HDR10 FREESYNC GAMING MONITOR

Key Features


- Stunning 4K Ultra HD resolution
- AMD FreeSync™ technology
- Low Input Lag
- 22-Level Black stabilization
- Next Generation Connectivity



32"
DISPLAY



MVA
PANEL



3840 x 2160
RESOLUTION



Product Description

PC or Console? Why not both? With the ViewSonic® XG3220 4K Ultra HD gaming monitor, you get everything you need in a crossover display with faster-than-TV input response. Featuring 3840x2160 resolution, this 32" (31.5" viewable) monitor provides incredibly sharp and detailed visuals, while HDR10 content support delivers a high dynamic range of vivid color and contrast for incredible screen performance. AMD FreeSync technology reduces image tears and choppiness for effortlessly smooth gameplay. An exclusive ColorX gaming mode delivers optimum speed and visuals, while an arsenal of pre-set customizable visual modes keep you ready for any FPS, RTS, or MOBA gaming scenario. On top of that, a customizable 22-level black stabilization function helps you target enemies lurking in the dark, while the monitor maintains brilliantly rich colors and contrast. With future-proof DisplayPort and HDMI 2.0 to support 4K UHD resolution at 60Hz, this monitor maximizes the gaming potential for console and PC gaming.

Specifications

More Information

UPC

766907927610

Screen Size	32"
Viewable Area (in.)	31.5
Panel Type	MVA
Display Resolution	3840 x 2160
Display Resolution	4K (3840x2160)
Static Contrast Ratio	3,000:1
Dynamic Contrast Ratio	120,000,000:1
Light Source	LED
Brightness	300 cd/m2
Colors	1.07B
Color Space Support	8-bit+Hi-FRC
Aspect Ratio	16:9
Response Time (Typical GTG)	9.5ms
Response Time (GTG w/OD)	5ms
Viewing Angles	178° horizontal, 178° vertical
Backlight Life (Hours)	30,000
Panel Surface	Anti-glare, hard-coating (3H)
Refresh Rate	60Hz
Adaptive Sync	AMD FreeSync™
PC Resolution (max)	3840 x 2160
Mac® Resolution (max)	3840 x 2160
USB 3.0 Type A	4
USB 3.0 Type B	1
3.5mm Audio Out	1
HDMI 2.0 In	2
DisplayPort	1
Internal Speakers	5W (x2)
Eco Mode (Conserve)	33W
Eco Mode (optimized)	42W
Consumption (typical)	50W
Consumption (max)	92W
Voltage	AC 100-240V (universal), 50-60Hz
Stand-by	0.5W
Power Supply	External
Cable Organization	No
Kensington Lock Slot	1

Physical Controls	Key Buttons 1, 2, 3, 4, 5, 6 (Power)
On Screen Display	Auto Image Adjust, Contrast/Brightness, Input Select, Audio Adjust, Color Adjust, Information, Manual Image Adjust, Advanced Image Adjust, Setup Menu, Memory Recall (See user guide for complete OSD functionality)
Temperature	32-104° F (0 - 40° C)
Humidity (non-condensing)	5-90%
VESA Compatible	100 x 100 mm
Frequency Horizontal	HDMI: 15 ~ 204KHz, DP: 15 ~ 135KHz
Frequency Vertical	HDMI: 40 ~ 60Hz, DP: 40 ~ 60Hz
Height Adjust	100 mm / 3.9 in
Swivel	90°
Pivot (Right/Left)	90° / 0°
Tilt (Forward/Back)	5° / 15°
Regulations	cTUVus, FCC-B, ICES003, NRCan
Net (lbs)	18.2
Net Without Stand (lbs)	11.0
Gross (lbs)	25.1
Net (kg)	8.3
Net Without Stand (kg)	5.0
Gross (kg)	11.4
Packaging (in.)	31.3 x 20.0 x 9.1
Physical (in.)	28.6 x 18.1 x 10.3
Physical Without Stand (in.)	28.6 x 16.8 x 3.0
Packaging (mm)	795.0 x 508.0 x 230.0
Physical (mm)	727.5 x 458.6 x 260.5
Physical Without Stand (mm)	727.5 x 427.4 x 76.1
Package Contents	XG3220 Display, AC/DC Adapter, Power Cable, DisplayPort Cable, USB3.0 Cable, Quick Start Guide
Recycle/Disposal	Please dispose of in accordance with local, state or federal laws.

UPC: 766907927610



Contact Sales
ViewSonic.com

888.881.8781 📞
 email:
salesinfo@viewsonic.com