


IFP8650-S

## Key Features


---

### REFURBISHED


- Ultra HD Resolution
- 20-point Multi-touch Interactive Screen
- Qwizdom Oktopus and Ximbus Solutions
- Out-of-Box Collaboration
- Free Download Available (For More Info, See Below)
- Share With Air Class
- Camera Mounting Bracket Included



86  
DISPLAY



PANEL



RESOLUTION



## Product Description

---

Featuring 4K Ultra HD resolution and an immersive 20-point touch screen, the ViewSonic® ViewBoard® IFP8650 delivers incredible collaborative capabilities for large conference rooms, classrooms, and even ballrooms. With vBoard™ Embedded software, this 86" interactive flat panel lets multiple users write or draw on the screen with their fingers and styluses. For more robust annotation options, ViewBoard® Interactive Annotation Software for Windows PC is available via a free download. With a built-in quad-core processor, as well as versatile connectivity options including multiple HDMI, VGA, RS232, RJ45, and USB ports, this display provides powerful computing for annotation and multimedia playback without the need for a PC. This display delivers optional slot-in PC capability for more computing-intensive interactive applications. The IFP8650 features a VESA-compatible design and can be placed on a wall mount, or on an optional trolley cart for flexible installation.

For more detailed information on how ViewSonic ViewBoards can best be utilized in a school environment, see our [ViewBoard FAQs](#).

## Specifications

---

### More Information

UPC	766907939712
OS	Embedded ViewBoard OS

<b>GPU</b>	ARM Mali450 MP4
<b>CPU</b>	ARM Cortex A53 Quad Core Processor 1.5GHz
<b>Memory</b>	2GB
<b>Storage</b>	16GB
<b>Built-in Software</b>	myViewBoard, Chromium browser, Zoom, ViewBoard Cast
<b>Internal Speakers</b>	16W (x2)
<b>HDMI 1.4 In</b>	2
<b>HDMI 2.0 In</b>	1
<b>HDMI Out</b>	1
<b>VGA</b>	1
<b>DisplayPort</b>	1
<b>Composite RCA</b>	1
<b>3.5mm Audio In</b>	1
<b>3.5mm Audio Out</b>	1
<b>SPDIF Audio Out</b>	1
<b>USB 3.0</b>	2
<b>USB 2.0</b>	4
<b>Slot-in PC Slot</b>	1
<b>USB B Touch Port</b>	2
<b>Ethernet LAN (RJ45)</b>	1
<b>WIFI Module Slot</b>	1
<b>Intel® OPS Slot In (80-pin)</b>	1
<b>Expansion Slot</b>	1
<b>Voltage</b>	100-240 VAC, 50-60Hz
<b>Consumption (max)</b>	350W
<b>Consumption (typical)</b>	155W
<b>Stand-by</b>	<.5W
<b>On Screen Display</b>	Input, Volume, Backlight, Audio, Screen, Display, Adjust
<b>Remote Control</b>	Volume, Channel, Source, Mute, Back, Input, Menu
<b>Temperature</b>	32-104° F (0 - 40° C)
<b>Humidity (non-condensing)</b>	10-90%
<b>Touch Technology</b>	Infrared
<b>Touch Points</b>	Windows: 20, Android: 20
<b>Net (lbs)</b>	171.96
<b>Gross (lbs)</b>	231.49
<b>Net (kg)</b>	78

<b>Gross (kg)</b>	105
<b>Packaging (in.)</b>	87.0 x 53.1 x 11.0
<b>Physical (in.)</b>	78.3 x 46.7 x 3.9
<b>Packaging (mm)</b>	2211 x 1380 x 280
<b>Physical (mm)</b>	1988 x 1186 x 100
<b>VESA Compatible</b>	800 x 600 mm
<b>Camera Mounting Bracket</b>	1
<b>Warranty</b>	*Refurbished. 30-day DOA policy for full refund, with a 90-day repair warranty on parts and labor.
<b>Recycle/Disposal</b>	Please dispose of in accordance with local, state or federal laws.
<b>Package Contents</b>	IFP8650 display, stylus pen x 3, power cable, remote control with batteries, ViewSonic Wizard CD (User Guide), Quick Start Guide, USB cable, audio cable, camera bracket, VGA cable, power cords
<b>Regulations</b>	cTUVus, FCC, Mexico Energy, CE, CB, RoHS, ErP, WEEE
<b>Classification</b>	Refurbished
<b>Ethernet LAN</b>	(10/100/1000M) (Android 10/100, PC 10/100/1000)
<b>Screen Size</b>	86
<b>Viewable Area (in.)</b>	86
<b>Light Source</b>	LED
<b>Display Resolution</b>	3840 x 2160
<b>Aspect Ratio</b>	16:9
<b>Static Contrast Ratio</b>	1,200:1
<b>Backlight Life (Hours)</b>	50,000
<b>Brightness</b>	350 cd/m2
<b>Response Time (Typical GTG)</b>	8ms
<b>Viewing Angles</b>	178° horizontal, 178° vertical
<b>Panel Surface</b>	Anti-glare 7H tempered glass

UPC: 766907939712



### Contact Sales

[ViewSonic.com](http://ViewSonic.com)

888.881.8781

email:

[salesinfo@viewsonic.com](mailto:salesinfo@viewsonic.com)