



## VA1903H - 19" WXGA 1366X768P MONITOR WITH HDMI, VGA, AND ENHANCED VIEWING COMFORT

### Key Features


- 19 Inch WXGA (1366x768p) monitor with 60Hz refresh rate
- 16:9 widescreen ideal for business and government-specific legacy applications
- Flicker-Free technology and Blue Light Filter for reduced eye fatigue
- Optimized view settings offer “Game,” “Movie,” “Web,” “Text,” and “Mono” presets
- The VA1903H supports laptops, PCs, Macs and more with HDMI, and VGA inputs



19  
DISPLAY



TN  
PANEL



1366 x 768  
RESOLUTION



### Product Description

The ViewSonic® VA1903h is a 19" (18.5" viewable) widescreen monitor that delivers value and performance for both home offices and small businesses. Equipped with HDMI input, a fast 5ms response time, and rich color performance, the VA1903h is great for a variety of applications ranging from viewing office documents to surfing the web. ViewSonic’s exclusive ViewMode™ feature provides intuitive presets for optimized screen performance in different applications. In addition, Flicker-Free technology and a Blue Light Filter help to eliminate eye strain from extended viewing periods for improved productivity. An energy-saving Eco-mode reduces cost of ownership, making the VA1903h a great choice for both government and education.

### Specifications

More Information


UPC 766907002270

Screen Size 19

<b>Viewable Area (in.)</b>	18.5
<b>Panel Type</b>	TN
<b>Display Resolution</b>	1366 x 768
<b>Display Resolution</b>	HD (1366x768)
<b>Static Contrast Ratio</b>	600:1
<b>Dynamic Contrast Ratio</b>	50,000,000:1
<b>Light Source</b>	LED
<b>Brightness</b>	200 cd/m2
<b>Colors</b>	16.7M
<b>Color Space Support</b>	6 bit + 2 bit Hi FRC
<b>Aspect Ratio</b>	16:9
<b>Response Time (Typical GTG)</b>	5ms
<b>Viewing Angles</b>	90° horizontal, 65° vertical
<b>Backlight Life (Hours)</b>	30,000
<b>Panel Surface</b>	Anti-glare, Hard coating (3H)
<b>PC Resolution (max)</b>	1366 x 768
<b>Mac® Resolution (max)</b>	1366 x 768
<b>3.5mm Audio Out</b>	1
<b>VGA</b>	1
<b>HDMI 1.4 In</b>	1
<b>Eco Mode (Conserve)</b>	9.5W
<b>Eco Mode (optimized)</b>	12.5W
<b>Consumption (typical)</b>	15.3W
<b>Consumption (max)</b>	17W
<b>Voltage</b>	AC 100-240V (universal), 50-60Hz
<b>Stand-by</b>	0.5W
<b>Power Supply</b>	Internal
<b>Cable Organization</b>	No
<b>Kensington Lock Slot</b>	1
<b>Physical Controls</b>	Key Buttons 1, 2, 3, 4, 5 (Power)
<b>On Screen Display</b>	Auto Image Adjust, Contrast/Brightness, Input Select, Audio Adjust, Color Adjust, Information, Manual Image Adjust, Advanced Image Adjust, Setup Menu, Memory Recall (See user guide for complete OSD functionality)
<b>Temperature</b>	32-104° F (0 - 40° C)
<b>Humidity (non-condensing)</b>	20-90%
<b>VESA Compatible</b>	75 x 75 mm
<b>Frequency Horizontal</b>	15 ~ 82 KHz

<b>Frequency Vertical</b>	50 ~ 75 Hz
<b>Digital Sync</b>	TMDS
<b>Tilt (Forward/Back)</b>	3° / 18°
<b>Net (lbs)</b>	4.6
<b>Net Without Stand (lbs)</b>	4.0
<b>Gross (lbs)</b>	6.6
<b>Net (kg)</b>	2.1
<b>Net Without Stand (kg)</b>	1.8
<b>Gross (kg)</b>	3.0
<b>Packaging (in.)</b>	19.8 x 13.7 x 4.1
<b>Physical (in.)</b>	17.2 x 13.5 x 6.7
<b>Physical Without Stand (in.)</b>	17.2 x 10.7 x 1.9
<b>Packaging (mm)</b>	502.0 x 349.0 x 105.0
<b>Physical (mm)</b>	438.0 x 344.0 x 170.0
<b>Physical Without Stand (mm)</b>	438.0 x 271.0 x 48.0
<b>Regulations</b>	cTUVus, FCC-B with ICES003, MX-CoC, Mexico Energy
<b>Package Contents</b>	VA1903h Display, Power Cable, VGA Cable, Quick Start Guide
<b>Recycle/Disposal</b>	Please dispose of in accordance with local, state or federal laws.
<b>Warranty</b>	Three-year limited warranty on parts, labor and backlight

UPC: 766907002270



## Contact Sales

[ViewSonic.com](http://ViewSonic.com)

888.881.8781

email: [salesinfo@viewsonic.com](mailto:salesinfo@viewsonic.com)