


VS2412-H

## Key Features


---

REFURBISHED


- Full HD 1080p Resolution
  - Enhanced Viewing Comfort
  - The Power of HDMI
  - Optimized View Settings
  - Ergonomic Design
- 



24"  
**DISPLAY**



IPS  
**PANEL**



1920 x 1080  
**RESOLUTION**

## Product Description

---

The ViewSonic® VS2412-h is a 24" (23.8" viewable) widescreen monitor with a LED backlight, and thin-bezel design ideal for use in the home or at the office. With Full HD 1920x1080 resolution and a 50M:1 MEGA Dynamic Contrast Ratio, the VS2412-h delivers stunning brightness and contrast, while a quick 5ms response time ensures crisp pictures and smooth playback. It also features full-ergonomic functionality, including tilt, swivel, pivot and height adjustments for maximum productivity and comfort. VGA and HDMI inputs provide flexible and convenient connectivity, while a VESA-compatible mount offers additional flexibility.

## Specifications

---

### More Information

<b>UPC</b>	766907005172
<b>Screen Size</b>	24"
<b>Viewable Area (in.)</b>	23.8
<b>Panel Type</b>	IPS
<b>Display Resolution</b>	1920 x 1080
<b>Display Resolution</b>	Full HD (1920x1080)
<b>Static Contrast Ratio</b>	1,000:1
<b>Dynamic Contrast Ratio</b>	50,000,000:1
<b>Light Source</b>	LED

<b>Brightness</b>	250 cd/m2
<b>Colors</b>	16.7M
<b>Color Space Support</b>	6 bits with Hi-FRC color depth
<b>Aspect Ratio</b>	16:9
<b>Response Time (Typical GTG)</b>	14ms
<b>Response Time (GTG w/OD)</b>	5ms
<b>Viewing Angles</b>	178° horizontal, 178° vertical
<b>Backlight Life (Hours)</b>	30,000
<b>Panel Surface</b>	Anti-glare, Hard coating 3H
<b>PC Resolution (max)</b>	1920 x 1080
<b>Mac® Resolution (max)</b>	1920 x 1080
<b>3.5mm Audio Out</b>	1
<b>VGA</b>	1
<b>HDMI 1.4 In</b>	1
<b>Eco Mode (Conserve)</b>	13W
<b>Eco Mode (optimized)</b>	18W
<b>Consumption (typical)</b>	20W
<b>Consumption (max)</b>	22W
<b>Voltage</b>	AC 100-240V (universal), 50-60Hz
<b>Stand-by</b>	0.5W
<b>Power Supply</b>	Internal
<b>Cable Organization</b>	No
<b>Kensington Lock Slot</b>	1
<b>Physical Controls</b>	Key Buttons 1, 2, 3, 4, 5 (Power)
<b>On Screen Display</b>	Auto Image Adjust, Contrast/Brightness, Input Select, Audio Adjust, Color Adjust, Information, Manual Image Adjust, Advanced Image Adjust, Setup Menu, Memory Recall (See user guide for complete OSD functionality)
<b>Temperature</b>	32-104° F (0 - 40° C)
<b>Humidity (non-condensing)</b>	20-90%
<b>VESA Compatible</b>	100 x 100 mm
<b>Frequency Horizontal</b>	24 ~ 83 KHz
<b>Frequency Vertical</b>	50 ~ 75 Hz
<b>Digital Sync</b>	TMDS
<b>Height Adjust</b>	135 mm / 5.3 in
<b>Pivot (Right/Left)</b>	90° / 90°
<b>Tilt (Forward/Back)</b>	3° / 20°
<b>Regulations</b>	cTUVus, FCC-B, ICES003, CEC

<b>Net (lbs)</b>	10.4
<b>Net Without Stand (lbs)</b>	7.3
<b>Gross (lbs)</b>	14.1
<b>Net (kg)</b>	4.7
<b>Net Without Stand (kg)</b>	3.3
<b>Gross (kg)</b>	6.4
<b>Packaging (in.)</b>	23.8 x 17.5 x 7.8
<b>Physical (in.)</b>	21.7 x 17.0 x 9.4
<b>Physical Without Stand (in.)</b>	21.7 x 13.0 x 2.0
<b>Packaging (mm)</b>	605.0 x 445.0 x 198.0
<b>Physical (mm)</b>	551.0 x 431.2 x 240.0
<b>Physical Without Stand (mm)</b>	551.0 x 331.0 x 50.0
<b>Package Contents</b>	VS2412-h, Power Cable, VGA Cable, Quick Start Guide
<b>Recycle/Disposal</b>	Please dispose of in accordance with local, state or federal laws.
<b>Classification</b>	Discontinued

UPC: 766907005172



### Contact Sales

[ViewSonic.com](http://ViewSonic.com)

888.881.8781

email: [salesinfo@viewsonic.com](mailto:salesinfo@viewsonic.com)