



XG2405 - 24" OMNI 1080P 1MS 144HZ IPS GAMING MONITOR WITH FREESYNC PREMIUM, HDMI, AND DP

Key Features

- 144Hz Refresh Rate
- Ultra-Fast Response Time
- AMD FreeSync™ Premium Pro
- SuperClear IPS Panel Technology
- Frameless Design




24
DISPLAY



IPS
PANEL



1920 X 1080
RESOLUTION



Product Description



The ViewSonic® XG2405 is a 24" Full HD IPS monitor built with the speed and performance that gamers need. Featuring a 144Hz refresh rate and AMD FreeSync™ Premium technology, this monitor virtually eliminates screen tearing and stuttering for fluid game play during fast-paced action scenes. An ultra-fast 1ms (MPRT) response time also provides smooth screen performance free from blurring or ghosting. For multi-display setups, a three-sided borderless design maximizes viewing size while minimizing frame distractions. Flexible connectivity options such as DisplayPort and HDMI allows you to connect to your PC and gaming console.

Specifications

[More Information](#)

UPC	766907005035
Screen Size	24
Viewable Area (in.)	23.8
Panel Type	IPS
Display Resolution	1920 x 1080
Display Resolution	Full HD (1920x1080)
Static Contrast Ratio	1,000:1
Dynamic Contrast Ratio	80,000,000:1
Light Source	LED
Brightness	250 cd/m2
Colors	16.7M
Color Space Support	8 bit (6 bit + Hi-FRC)
Aspect Ratio	16:9
Response Time (Typical GTG)	2ms
Response Time (MPRT)	1ms
Viewing Angles	178º horizontal, 178º vertical
Backlight Life (Hours)	30,000
Panel Surface	Anti-Glare type, Hard-coating (3H), Haze 25%
Refresh Rate	144Hz
Adaptive Sync	AMD FreeSync™ Premium
PC Resolution (max)	1920 X 1080
Mac® Resolution (max)	1920 X 1080
3.5mm Audio Out	1
HDMI 1.4 In	2
DisplayPort	1
Internal Speakers	2W (x2)
Eco Mode (Conserve)	19W
Eco Mode (optimized)	24W
Consumption (typical)	27W
Consumption (max)	34W
Voltage	100-240 VAC, 50-60Hz
Stand-by	0.5W
Power Supply	Internal
Cable Organization	No
Physical Controls	Key 1 (favorite), Key 2, Key 3, Key 4, Key 5 (power)
On Screen Display	Input Select, Audio Adjust, ViewMode, Color Adjust, Manual Image Adjust, Setup Menu

Temperature	32-104º F (0 - 40º C)
Humidity (non-condensing)	20-90%
VESA Compatible	100 x 100 mm
Frequency Horizontal	30 ~ 180 KHz
Frequency Vertical	48 ~ 144 Hz
Digital Sync	TMDS for HDMI (v1.4), PCI-E for DisplayPort (v1.2)
Height Adjust	120 mm / 4.7 in
Swivel	45º
Pivot (Right/Left)	90º / 90º
Tilt (Forward/Back)	5º / 20º
Net (lbs)	14.8
Net Without Stand (lbs)	7.5
Gross (lbs)	18.5
Net (kg)	6.7
Net Without Stand (kg)	3.4
Gross (kg)	8.4
Packaging (in.)	27.5 x 15.8 x 7.2
Physical (in.)	21.3 x 17.08~20.51 x 9.4
Physical Without Stand (in.)	21.3 x 12.8 x 1.7
Packaging (mm)	699.0 x 402.0 x 182.0
Physical (mm)	540.0 x 433.9~521.0 x 239.0
Physical Without Stand (mm)	540.0 x 325.0 x 43.0
Regulations	cTUVus, MX-CoC
Package Contents	XG2405 Display, 1 x Power Cable, 1 x HDMI Cable, 1 x Quick Start Guide
Recycle/Disposal	Please dispose of in accordance with local, state or federal laws.
UPC: 766907005035	



Contact Sales

[ViewSonic.com](https://www.viewsonic.com)

888.881.8781

email:

salesinfo@viewsonic.com