

XG270QC-S

Key Features



27
DISPLAY



MVA
PANEL



2560 X 1440
RESOLUTION



Product Description

The ViewSonic® ELITE XG270QC is a 27" WQHD curved gaming monitor capable of achieving a 1ms (MPRT) response time. With its 165Hz refresh rate and AMD FreeSync™ Premium Pro technology, this enthusiast monitor ensures smooth and uninterrupted gameplay for even the fastest scenarios. The XG270QC monitor is also equipped with PureXP™ technology to drastically reduce motion blur for clear visuals through finely tuned backlight strobing. With a peak luminance of 550 cd/m2 and 90% DCI-P3 coverage, the XG270QC is certified for VESA DisplayHDR 400 to deliver an ideal entry point into HDR gaming. Beyond panel performance, the stand of this monitor includes ELITE Design Enhancements (EDE), a series of features that improve organization and elevate a gamer's setup. These enhancements include a built-in mouse bungee, headphone hook, ELITE RGB ambient lighting, and a sturdy metal base. *Capable of achieving 165Hz refresh rate through DisplayPort.

Specifications

More Information

| | |
|------------------------|------------------|
| UPC | 766907010008 |
| Screen Size | 27 |
| Viewable Area (in.) | 27 |
| Panel Type | MVA |
| Display Resolution | 2560 x 1440 |
| Display Resolution | WQHD (2560x1440) |
| Static Contrast Ratio | 3,000:1 |
| Dynamic Contrast Ratio | 120,000,000:1 |
| Light Source | LED |
| Brightness | 550 cd/m2 |
| Colors | 16.7M |
| Color Space Support | 8 Bit (True) |
| Aspect Ratio | 16:9 |

| | |
|------------------------------------|---|
| Response Time (Typical GTG) | 3ms |
| Response Time (MPRT) | 1ms |
| Viewing Angles | 178° horizontal, 178° vertical |
| Backlight Life (Hours) | 30,000 |
| Panel Surface | Anti-Glare type, Hardness (2H), Haze 25% |
| Curvature | 1500R |
| PC Resolution (max) | 2560 X 1440 |
| Mac® Resolution (max) | 2560 X 1440 |
| USB 3.2 Gen 1 Type A | 3 |
| USB 3.2 Gen 1 Type B | 1 |
| Micro USB | 1 |
| 3.5mm Audio Out | 1 |
| HDMI 2.0 In | 2 |
| DisplayPort | 1 |
| Internal Speakers | 3W (x2) |
| Eco Mode (Conserve) | 63W |
| Eco Mode (optimized) | 75W |
| Consumption (typical) | 90W |
| Consumption (max) | 100W |
| Voltage | 100-240 VAC, 50-60Hz |
| Stand-by | 0.5W |
| Power Supply | External |
| Cable Organization | No |
| Kensington Lock Slot | 1 |
| Physical Controls | Joystick key: Up, Right, Down, Left, Center; Quick Access; Power |
| On Screen Display | Game Modes, Display, Input Select, ViewMode, Audio Adjust, Setup Menu |
| Temperature | 32-104° F (0 - 40° C) |
| Humidity (non-condensing) | 20-90% |
| Frequency Horizontal | HDMI (v2.0): 30 ~ 230 KHz, DisplayPort (v1.4): 30 ~ 250 KHz |
| Frequency Vertical | HDMI (v2.0): 48 ~ 144 KHz, DisplayPort (v1.4): 48 ~ 165 KHz |
| Digital Sync | TMDS for HDMI (v2.0), PCI-E for DisplayPort (v1.4) |
| Height Adjust | 120 mm / 4.7 in |
| Swivel | 25° |
| Tilt (Forward/Back) | 5° / 23° |
| Regulations | cTUVus or cULus, FCC-B, ICES003, CEC, MX-CoC, Mexico Energy |
| Net (lbs) | 16.6 |

| | |
|-------------------------------------|--|
| Net Without Stand (lbs) | 10.8 |
| Gross (lbs) | 23.8 |
| Net (kg) | 7.5 |
| Net Without Stand (kg) | 4.9 |
| Gross (kg) | 10.8 |
| Packaging (in.) | 28.7 x 20.7 x 11.0 |
| Physical (in.) | 24.1 x 18.97~23.69 x 14.0 |
| Physical Without Stand (in.) | 24.1 x 14.6 x 4.0 |
| Packaging (mm) | 730.0 x 525.0 x 280.0 |
| Physical (mm) | 612.0 x 481.8~601.8 x 356.0 |
| Physical Without Stand (mm) | 612.0 x 372.0 x 103.0 |
| Package Contents | XG270QC Display, AC/DC Power Adapter, Power Cable, USB 3.2 Cable, DisplayPort Cable, Quick Start Guide |
| Recycle/Disposal | Please dispose of in accordance with local, state or federal laws. |
| Warranty | *Refurbished. 30-day DOA policy for full refund, with a 90-day repair warranty on parts and labor. |
| Classification | Refurbished |

UPC: 766907010008



Contact Sales

ViewSonic.com

888.881.8781

email: salesinfo@viewsonic.com