


M2E - 1080P PROJECTOR WITH 1000 LED LUMENS, BLUETOOTH SPEAKERS, USB C AND WI-FI

Key Features


- Ultra-portable Full HD 1080p LED projector with 1,000 LED lumens and shorter throw lens
- 125% Rec. 709 color accuracy and HDR content support produces lifelike colors
- Built-in dual Harman Kardon Bluetooth speakers (audio only) deliver room-filling audio
- Get set up in seconds with auto-focus and horizontal/vertical keystone correction
- Livestream sporting events, binge shows on Netflix or Disney+ by adding a dongle (not included)
- Supports most media players, PCs, Macs, and mobile devices with inputs such as Wi-Fi, HDMI, USB-C



100"
DISPLAY



PANEL



1920x1080
RESOLUTION



Product Description

Enjoy instant entertainment in any room with the ViewSonic® M2e portable smart LED projector. Simply power on the projector and its advanced instant auto focus and auto keystone features deliver a perfectly proportioned picture within seconds. Full HD resolution and 125% Rec.709 color accuracy deliver incredibly vivid and lifelike images, while Harman Kardon speakers provide immersive stereo sound. Smart connectivity options include WiFi for wireless screen mirroring from smart devices, Bluetooth for versatile audio, and USB-C for direct streaming from Switch gaming consoles. Compact and lightweight, the M2e delivers big-screen entertainment in the living room, kids' room or in the backyard, or it can be used as a business projector and carried from office-to-office, or slipped into a briefcase or backpack and taken on the road.

Specifications

More Information

UPC	766907008456
Light Source	LED
Display Resolution	Full HD (1920x1080)
Display Resolution	1920 x 1080
Brightness (Lumens)	1,000 LED
Screen Size	100"
Throw Distance	0.65m-2.68m (80"@2.14m)
Throw Ratio	1.21

Keystone	Vertical (+/- 40°) / Horizontal (+/- 40°)
Lens	Fixed Zoom
Light Source (watt)	RGBB LED
Light Source Life, Normal (hours)	30000
Color Depth	1.07B Color (R/G/B 10bit)
Dynamic Contrast Ratio	3,000,000:1
Aspect Ratio	16:9
Input Lag	37ms
Frequency Horizontal	15K-102KHz
Frequency Vertical	23-120Hz
PC Resolution (max)	1920x1080
PC Resolution (min)	640 x 480
Mac® Resolution (max)	1920x1080
Mac® Resolution (min)	640 x 480
USB 2.0 Type A	1
USB 3.1 Type C	1
Card Reader	Micro SD
3.5mm Audio Out	1
HDMI 1.4 (with HDCP 1.4)	1
Wifi	5Gn
Bluetooth Audio-in	1 (BT4.2)
Bluetooth Audio-out	1 (BT4.2)
Internal Speakers	3W (x2)
Voltage	Input: 100~240V Output: 19VDC / 4.74A
Consumption (typical)	75W
Stand-by	0.5W
Physical Controls	Power, keystone/arrow keys, left/blank, menu/exit, right/panel key lock, mode/enter, auto, source
On Screen Display	Display, Image, Power Management, Basic, Advanced, System, Information (See user guide for full OSD functionality)
Temperature	32-104° F (0 - 40° C)
Humidity (non-condensing)	0-90%
Kensington Lock Slot	1
Net (lbs)	2.2
Gross (lbs)	6.4
Net (kg)	1.0
Gross (kg)	2.9


Packaging (in.)	10.1 x 10.0 x 6.6
Physical (in.)	7.2 x 7.2 x 2.1
Packaging (mm)	258.0 x 255.0 x 167.0
Physical (mm)	184.0 x 184.0 x 54.0
Regulations	FCC, cTUVus, ROHS
Package Contents	M2e projector, carrying case, power cable, remote control, Quick Start Guide
Warranty	Three-year limited warranty on parts and labor
Recycle/Disposal	Please dispose of in accordance with local, state or federal laws.
Portability	Portable

UPC: 766907008456



Contact Sales

ViewSonic.com

888.881.8781 

email: salesinfo@viewsonic.com 