



VIEWSONIC 24" 1080P 10-POINT MULTI IR TOUCH MONITOR WITH HDMI, VGA, AND DP | TD2423D

Key Features


- 24 Inch Full HD (1920x1080p) LED touch monitor with 75Hz refresh rate
- Robust 10-point (infrared) IR touch technology feature for a natural touchscreen experience
- Freestanding tablet design with muted black finish, stable adjustable stand, and 7H scratch resistant surface
- Enjoy less eye strain and fatigue with flicker-free technology and a built-in blue light filter
- MacOS users can access touch and gesture controls on touch displays connected to their Apple devices using ViewSonic's vTouch driver. Not available for iPhone and iPad
- The TD2423d supports laptops, PCs, Macs and POS Systems with USB, HDMI, DisplayPort and VGA inputs



24"
DISPLAY



MVA
PANEL



RESOLUTION



Product Description

Great for public kiosks, POS displays, and other retail and commercial applications, the ViewSonic® TD2423d is a 24" touch display with 10-point IR touch technology that lets users pinch, zoom and swipe for fast and intuitive navigation. With Full HD 1920x1080 resolution, 3000:1 static contrast ratio and 7H screen hardness, the TD2423d delivers sharp and bright images combined with durability for high-traffic applications. Flexible connectivity options include HDMI, DisplayPort, VGA, DVI, and a USB hub to connect your peripherals and accessories. VESA-mount compatibility offers additional convenience and flexibility for 3rd party stands and mounts. What's more, ViewSonic's exclusive ViewMode feature provides intuitive presets that deliver optimized screen performance in different applications. In addition, Flicker-Free technology and a Blue Light Filter help to eliminate eyestrain from extended viewing periods for improved productivity. Whether in retail or deployed in a high-traffic commercial setting, its scratch-resistant surface stands up to heavy use and safeguards its high quality touch experience. Combine this display with ViewSonic's Android and Windows media players for a perfect kiosk solution.

Specifications

More Information

| | |
|----------------------------|---------------------|
| UPC | 766907011685 |
| Screen Size | 24" |
| Viewable Area (in.) | 24 |
| Panel Type | MVA |
| Display Resolution | 1920 x 1080 |
| Display Resolution | Full HD (1920x1080) |

| | |
|------------------------------------|--|
| Static Contrast Ratio | 3,000:1 |
| Light Source | LED |
| Brightness | 250 cd/m2 |
| Colors | 16.7M |
| Color Space Support | 8 bits |
| Aspect Ratio | 16:9 |
| Response Time (Typical GTG) | 7ms |
| Viewing Angles | 178° horizontal, 178° vertical |
| Backlight Life (Hours) | 30,000 |
| USB Type A | 2 |
| USB Type B | 1 |
| 3.5mm Audio In | 1 |
| 3.5mm Audio Out | 1 |
| VGA | 1 |
| HDMI 1.4 In | 1 |
| DisplayPort | 1 |
| Touch Technology | Infrared |
| Touch Points | 10-Point Touch |
| Internal Speakers | 2W (x2) |
| Eco Mode (Conserve) | 14W |
| Eco Mode (optimized) | 16W |
| Consumption (typical) | 18W |
| Consumption (max) | 21.5W |
| Voltage | AC 100-240V (universal), 50-60Hz |
| Stand-by | 0.5W |
| Power Supply | Internal |
| Cable Organization | No |
| Kensington Lock Slot | 1 |
| Physical Controls | 1,2,3,4,5,6 (Power) |
| On Screen Display | Auto Image Adjust, Contrast/Brightness, Input Select, Audio Adjust, Color Adjust, Information, Manual Image Adjust, Advanced Image Adjust, Setup Menu, Memory Recall (See user guide for complete OSD functionality) |
| Temperature | 32-104° F (0 - 40° C) |
| Humidity (non-condensing) | 20-90% |
| VESA Compatible | 100 x 100 mm |
| Frequency Horizontal | 24 ~ 82 KHz |
| Frequency Vertical | 50 ~ 75 Hz |

| | |
|-------------------------------------|--|
| Tilt (Forward/Back) | 22° / 38° |
| Regulations | cTUVus, FCC-B, ICES003, Energy Star, EPEAT, MX-CoC, Mexico Energy |
| Net (lbs) | 11.5 |
| Net Without Stand (lbs) | 10.3 |
| Gross (lbs) | 15.4 |
| Net (kg) | 5.2 |
| Net Without Stand (kg) | 4.7 |
| Gross (kg) | 7.0 |
| Packaging (in.) | 25.4 x 16.6 x 6.5 |
| Physical (in.) | 22.5 x 13.7 x 4.0 |
| Physical Without Stand (in.) | 22.5 x 13.7 x 2.4 |
| Packaging (mm) | 6445.0 x 422.0 x 166.0 |
| Physical (mm) | 571.0 x 348.0 x 101.0 |
| Physical Without Stand (mm) | 571.0 x 348.0 x 61.0 |
| Package Contents | TD2423d, Power Cable, HDMI cable, USB Type B Uplink Cable, Quick Start Guide |
| Recycle/Disposal | Please dispose of in accordance with local, state or federal laws. |
| Warranty | Three-year limited warranty on parts, labor and backlight |

UPC: 766907011685



Contact Sales

ViewSonic.com

888.881.8781

email: salesinfo@viewsonic.com