



VB-CAM-201 - 4K WIDE-ANGLE CONFERENCE CAMERA WITH PAN/TILT/ZOOM, MICROPHONE ARRAY, AND BLUETOOTH

Key Features

- Better Conference Calls
- Wide-Angle Advanced Optic Lens
- Clear Audio and Communication
- Software Versatility
- Expandable Bluetooth® Connectivity
- Easy and Flexible Installation




Product Description

The ViewSonic® VB-CAM-201 is a 4K video conferencing camera perfect for medium to large-sized conference rooms and boardrooms. With 4K Ultra HD resolution and a 120° super wide-angle lens, the VB-CAM-201 captures everyone in a meeting room with stunning clarity. Voice-tracking technology, combined with 5x digital zoom, ensures that the speaker is always on camera. In addition, an 8W speaker and a four-microphone array with noise and echo cancellation technologies ensure that everyone on your call feels as if they are in the room with you. Plug-and-play connectivity with ViewSonic ViewBoard® interactive displays and commercial displays make setup quick and easy.

Specifications

More Information	
UPC	766907010909
Sensor	1/2.5 inch, CMOS, 8.51M pixel
Lens	5x digital zoom, pan/tilt ±15°
Digital Noise Reduction	2D, 3D digital noise reduction
White Balance	Autotmatic, Indoor, Outdoor, One Push, Manual
Field of View (FOV)	120°(DFOV), 110°(HFOV)
Display Resolution	3840 x 2160

PTZ	MPT + EPTZ
HDMI 2.0 Out	1
USB 2.0 Type A	1
USB 3.0 Type C	1
Ethernet LAN (RJ45)	1
Video Support	4K@30fps, 1080P@60fps, 1080P@30fps, 720P@60fps, 720P@30fps, etc.
Compression	H.264 / MJPEG /YUY2 /NV12
Internal Speakers	8W (x1)
Sensitivity	96dB at 0.5m / 1.6 ft
Audio features	32K sampling rate, high-definition broadband audio, full-duplex voice / Auto Echo cancellation / Auto Noise suppression / Auto Gain control
USB protocol	Support UAC 2.0
Microphone	Beamforming microphone
Microphone array	4 microphones
Distance	6m / 20 ft
Minimum Hardware Specs	CPU (Recommended) 2.4GHz Intel® Core 2™ Duo processor or higher, RAM (Recommended) 2GB of Memory or higher, USB 2.0 Type-A required for 1080p video output, USB Type-C required for 4K UHD video output
Voltage	DC 12V/1.5A Adapter
Consumption (typical)	18W
Bluetooth	Bluetooth 5.0
Temperature	32-104° F (0 - 40° C)
Humidity (non-condensing)	20-90%
Wireless Connectivity	N/A
Packaging (in.)	26.54 x 18.98 x 18.66
Physical (in.)	23.62 x 5.31 x 4.53
Packaging (mm)	674 x 482 x 474
Physical (mm)	600 x 135 x 115
Net (lbs)	4.86
Gross (lbs)	28.66
Gross (kg)	4.86
Warranty	One-year limited warranty on parts and labor
Recycle/Disposal	Please dispose of in accordance with local, state or federal laws.
Regulations	FCC, FCC ID, CE, IC ID, LVD
Package Contents	VB-CAM-201, Documentation, Remote Control, Power Adapter, Bracket, USB Type-C Cable, Bracket Screw x 6, Wall Anchor x 6
UPC: 766907010909	



Contact Sales
[ViewSonic.com](https://www.viewsonic.com)
888.881.8781 📞
email:
salesinfo@viewsonic.com