

VX2768-2KP-MHD-S


Key Features



27"
DISPLAY



IPS
PANEL



2560 x 1440
RESOLUTION



Product Description

The ViewSonic® VX2768-2KP-MHD is a 27" WQHD IPS gaming monitor built for gaming and entertainment. Featuring a 144Hz refresh rate and AMD FreeSync Premium technology, this monitor virtually eliminates screen tearing and stuttering for fluid game play during fast-paced action scenes. An ultra-fast 1ms (MPRT) response time also provides smooth screen performance free from blurring or ghosting. For a game-winning competitive edge, Game Mode hot keys optimize gameplay for FPS, RTS and MOBA game genres. With a sleek frameless design, the VX2768-2KP-MHD provides a seamless viewing experience for multi-monitor gaming setups. Flexible connectivity options such as DisplayPort and HDMI allow you to connect to your dedicated graphics card and gaming console. The VX2768-2KP-MHD features all the perks needed to dominate your gaming and entertainment quests.

Specifications

UPC	766907012781
Screen Size	27"
Viewable Area (in.)	27
Panel Type	IPS
Display Resolution	2560 x 1440
Display Resolution	WQHD (2560x1440)
Static Contrast Ratio	1,000:1
Dynamic Contrast Ratio	80,000,000:1
Brightness	350 cd/m2
Colors	1.07B
Color Space Support	10 bit (8 bit + FRC)
Aspect Ratio	16:9
Response Time (Typical GTG)	3ms
Response Time (MPRT)	1ms
Viewing Angles	178° horizontal, 178° vertical
Backlight Life (Hours)	30,000
Panel Surface	Anti-Glare type, Hard-coating (3H), Haze 25%
Refresh Rate	144Hz
Adaptive Sync	AMD FreeSync™ Premium
PC Resolution (max)	2560 x 1440
Mac® Resolution (max)	2560 x 1440
3.5mm Audio Out	1
HDMI 2.0 In	2
DisplayPort	1
Internal Speakers	2W (x2)
Eco Mode (Conserve)	25W
Eco Mode (optimized)	32W
Consumption (typical)	38W
Consumption (max)	55W
Voltage	AC 100-240V (universal), 50-60Hz
Stand-by	0.5W
Power Supply	Internal
Cable Organization	No
Kensington Lock Slot	1
Physical Controls	Key 1 (favorite), Key 2, Key 3, Key 4, Key 5, Key 6 (power)
On Screen Display	Input Select, Audio Adjust, ViewMode, Color Adjust, Manual Image Adjust, Setup Menu

Temperature	32-104° F (0 - 40° C)
Humidity (non-condensing)	20-90%
VESA Compatible	100 x 100 mm
Frequency Horizontal	15 ~ 255 KHz
Frequency Vertical	48 ~ 144 Hz
Tilt (Forward/Back)	3° / 21°
Regulations	cTUVus, FCC-B, ICES003, CEC, MX-CoC, Mexico Energy
Net (lbs)	11.5
Net Without Stand (lbs)	9.7
Gross (lbs)	15.2
Net (kg)	5.2
Net Without Stand (kg)	4.4
Gross (kg)	6.9
Packaging (in.)	26.7 x 20.5 x 6.0
Physical (in.)	24.1 x 17.7 x 7.9
Physical Without Stand (in.)	24.1 x 14.5 x 2.2
Packaging (mm)	677.0 x 520.0 x 152.0
Physical (mm)	613.0 x 451.0 x 200.0
Physical Without Stand (mm)	613.0 x 368.0 x 55.0
Package Contents	VX2768-2KP-MHD, Power Cable, HDMI Cable, Quick Start Guide
Recycle/Disposal	Please dispose of in accordance with local, state or federal laws.
Warranty	*Refurbished. 30-day DOA policy for full refund, with a 90-day repair warranty on parts and labor.
Classification	Refurbished

UPC: 766907012781



Contact Sales
ViewSonic.com

888.881.8781
 email:
salesinfo@viewsonic.com