


## VP2768A-4K - 27" COLORPRO™ 4K UHD IPS MONITOR WITH 90W USB C, RJ45, SRGB AND HDR10

### Key Features

---


- 27 Inch 4K UHD (3840x2160p) IPS monitor with thin bezels, HDR10 and 60Hz refresh rate
- Ethernet RJ45 and USB-C connectivity for fast data, audio and video transfer, 90W charging over one cable
- Advanced ergonomics (tilt, swivel, pivot and height) for all-day comfort
- Flicker-Free technology and Blue Light Filter for reduced eye fatigue
- 100% sRGB, EBU, SMPTE-C, Rec. 709, and DICOM-SIM color spaces and Delta E<2 accuracy
- This monitor has been certified as capable of reproducing Pantone Matching System colors
- Hardware calibration ensures that the color displayed perfectly matches the original file (calibration sold separately)
- The VP2768a-4K supports laptops, PCs, Macs and more with USB-C, RJ45, USB, HDMI, DisplayPort inputs



27  
DISPLAY



IPS  
PANEL



3840 x 2160  
RESOLUTION



### Product Description

---


Perfect for photographers, designers, videographers, and other creative professionals, the ViewSonic® VP2768a-4K Ultra HD monitor delivers unmatched color accuracy and reliable long-term performance. With a SuperClear® IPS panel and a sleek frameless design, this monitor provides a near-seamless viewing experience ideal for multi-monitor setups. To ensure precise, uniform color, each of our monitors is factory calibrated to deliver an amazing Delta E<2 value for incredible color accuracy. An integrated color uniformity function ensures consistent chromaticity across the screen, while a 14-bit 3D look-up table generates a stunningly smooth palette of 4.39 trillion colors. Add to that 6-axis color adjustment functionality, and this monitor provides the ultimate color processing capability for professional applications. What's more, productivity-boosting features include an advanced ergonomic design. Hardware calibration is also available which allows you to quickly and easily calibrate the monitor for photography, graphic design, content creation, and other color-critical applications.

# Specifications

	More Information
<b>UPC</b>	766907012354
<b>Screen Size</b>	27
<b>Viewable Area (in.)</b>	27
<b>Panel Type</b>	IPS
<b>Display Resolution</b>	3840 x 2160
<b>Display Resolution</b>	4K (3840x2160)
<b>Static Contrast Ratio</b>	1,300:1
<b>Dynamic Contrast Ratio</b>	20,000,000:1
<b>Light Source</b>	LED
<b>Brightness</b>	350 cd/m2
<b>Colors</b>	1.07B
<b>Color Space Support</b>	10 bit (8 bit + A-FRC)
<b>Aspect Ratio</b>	16:9
<b>Response Time (Typical GTG)</b>	6ms
<b>Viewing Angles</b>	178° horizontal, 178° vertical
<b>Backlight Life (Hours)</b>	30,000
<b>Panel Surface</b>	Anti-Glare type, Hard-coating (3H), Haze 25%
<b>PC Resolution (max)</b>	3840 x 2160
<b>Mac® Resolution (max)</b>	3840 x 2160
<b>USB Type A</b>	2
<b>USB Type B</b>	1
<b>USB Type C</b>	90W x 1
<b>3.5mm Audio Out</b>	1
<b>Ethernet LAN (RJ45)</b>	1
<b>HDMI 2.0 In</b>	1
<b>DisplayPort</b>	1
<b>Eco Mode (Conserve)</b>	25.5W
<b>Eco Mode (optimized)</b>	30.1W
<b>Consumption (typical)</b>	39.1W
<b>Consumption (max)</b>	180W
<b>Voltage</b>	100-240 VAC
<b>Stand-by</b>	0.5W
<b>Power Supply</b>	Internal

<b>Cable Organization</b>	No
<b>Kensington Lock Slot</b>	1
<b>Physical Controls</b>	Key 1 (power), Key 2, Key 3, Key 4, Key 5 (favorite)
<b>On Screen Display</b>	Input Select, Audio Adjust, ViewMode, Color Adjust, Manual Image Adjust, Setup Menu
<b>Temperature</b>	32-104° F (0 - 40° C)
<b>Humidity (non-condensing)</b>	20-90%
<b>VESA Compatible</b>	100 x 100 mm
<b>Frequency Horizontal</b>	15 ~ 136 KHz
<b>Frequency Vertical</b>	24 ~ 75 Hz
<b>Height Adjust</b>	130 mm / 5.1 in
<b>Swivel</b>	120°
<b>Pivot (Right/Left)</b>	90° / 90°
<b>Tilt (Forward/Back)</b>	5° / 21°
<b>Net (lbs)</b>	14.7
<b>Net Without Stand (lbs)</b>	9.6
<b>Gross (lbs)</b>	21.8
<b>Net (kg)</b>	6.7
<b>Net Without Stand (kg)</b>	4.4
<b>Gross (kg)</b>	9.9
<b>Packaging (in.)</b>	29.1 x 16.4 x 8.7
<b>Physical (in.)</b>	24.1 x 16.3~21.4 x 8.5
<b>Physical Without Stand (in.)</b>	24.1 x 13.9 x 2.0
<b>Packaging (mm)</b>	740.0 x 417.0 x 220.0
<b>Physical (mm)</b>	613.0 x 413.0~543.0 x 215.0
<b>Physical Without Stand (mm)</b>	613.0 x 353.0 x 50.0
<b>Regulations</b>	cTUVus, FCC-B, ICES003, CEC, NOM, Mexico Energy
<b>Package Contents</b>	VP2768a-4K Display, Power Cable, USB-C Cable, HDMI cable, UAB-A/B Cable
<b>Recycle/Disposal</b>	Please dispose of in accordance with local, state or federal laws.
<b>Warranty</b>	Three-year limited warranty on parts, labor and backlight

UPC: 766907012354



**Contact Sales**  
[ViewSonic.com](http://ViewSonic.com)  
 888.881.8781  
 email: [salesinfo@viewsonic.com](mailto:salesinfo@viewsonic.com)