

VP3881A - 38" COLORPRO<sup>™</sup> 21:9 CURVED WQHD+ IPS MONITOR WITH 90W USB C, RJ45 AND SRGB

## Key Features


• 38 Inch ultrawide 21:9 WQHD+ (3840x1600p) 2300R curved monitor with IPS, thin bezels and HDR10

• Ethernet RJ45 and USB-C connectivity for fast data, audio and video transfer, 90W charging over one cable

- Advanced ergonomics (tilt, swivel, and height) for all-day comfort
- Flicker-Free technology and Blue Light Filter for reduced eye fatigue
- $\bullet$  100% sRGB, EBU, SMPTE-C, Rec. 709, DCI-P3, and DICOM-SIM color spaces and Delta E<2 accuracy
- Hardware calibrated to ensure that the color displayed perfectly matches the original file

• The VP3881A supports laptops, PCs, Macs and more with USB C, HDMI, USB and DisplayPort inputs





## Product **Description**

With an immersive curved screen and stunning WQHD+ 3840x1600 resolution, the ViewSonic<sup>®</sup> VP3881a monitor elevates your viewing experience from flat to panoramic. Delivering incredible detail and vivid colors across wide viewing angles, this monitor is engineered to provide incredible color accuracy, while HDR10 content support delivers a wide dynamic range of vivid colors and rich contrast. Thanks to an expansive 38" (37.5" viewable) frameless screen, ultra-wide 21:9 aspect ratio, and integrated speakers, this monitor is ideal for video editing, content development, and other color-critical applications. With a sleek and modern design, the VP3881a features a future-proof USB Type-C port as well as DisplayPort technology, and HDMI. What's more, HDCP 2.2 content protection is standard across all ports to provide secure 4K content playback, streaming and gaming. The VP3881a provides an amazing Delta E<2 value precise color accuracy. An integrated color uniformity function ensures consistent chromaticity across the screen, while a 14-bit 3D look-up table generates a stunningly smooth palette of 4.39 trillion colors. Hardware calibration is also available with the optional ViewSonic Colorbration<sup>™</sup> Kit, which allows you to quickly and easily calibrate the monitor for photography, graphic design, and other professional applications.

## Specifications

More Information	
UPC	766907013573
Screen Size	38
Viewable Area (in.)	37.5
Panel Type	IPS
<b>Display Resolution</b>	3840 x 1600
Static Contrast Ratio	1,000:1
Dynamic Contrast Ratio	20,000,000:1
Light Source	LED
Brightness	300 cd/m2
Color Space Support	10 bit (8 bit + A-FRC)
Aspect Ratio	21:9
Response Time (Typical GTG)	5ms
Viewing Angles	178º horizontal, 178º vertical
Backlight Life (Hours)	30,000
Panel Surface	Anti-Glare type, Hard-coating (3H), Haze 25%
PC Resolution (max)	3840 x 1600
Mac® Resolution (max)	3840 x 1600
USB Type A	2
USB Type B	1
USB Type C	90W x 1
3.5mm Audio Out	1
Ethernet LAN (RJ45)	1
HDMI 2.0 In	2
DisplayPort	1
Internal Speakers	5W (x2)
Eco Mode (Conserve)	36W
Eco Mode (optimized)	41W
Consumption (typical)	52W
Consumption (max)	217W
Voltage	100-240 VAC, 50-60Hz
Stand-by	0.3W
Power Supply	External
Cable Organization	No

Kensington Lock Slot	1
Physical Controls	Key 1 (favorite), Key 2, Key 3, Key 4, Key 5 (power)
On Screen Display	Input Select, Audio Adjust, ViewMode, Color Adjust, Manual Image Adjust, Setup Menu
Temperature	32-104º F (0 - 40º C)
Humidity (non-condensing)	20-90%
VESA Compatible	100 x 100 mm
Frequency Horizontal	15 ~ 135 KHz
Frequency Vertical	24 ~ 75 Hz
Height Adjust	130 mm / 5.1 in
Swivel	120º
Tilt (Forward/Back)	1º / 21º
Net (lbs)	27.7
Net Without Stand (lbs)	17.4
Gross (lbs)	41.8
Net (kg)	12.6
Net Without Stand (kg)	7.9
Gross (kg)	18.9
Packaging (in.)	41.2 x 23.2 x 14.8
Physical (in.)	35.5 x 19.6~24.8 x 11.8
Physical Without Stand (in.)	35.3 x 15.7 x 4.1
Packaging (mm)	1046.0 x 590.0 x 375.0
Physical (mm)	896.0 x 499.0~699.0 x 299.0
Physical Without Stand (mm)	896.0 x 398.0 x 103.0
Regulations	cTUVus, FCC-B, ICES003, Energy Star certified, CEC, NOM, Mexico Energy
Package Contents	VP3881a, AC Adapter, HDMI Cable, DisplayPort Cable, USB Type-C Cable, Quick Start Guide
Recycle/Disposal	Please dispose of in accordance with local, state or federal laws.
UPC: 766907013573	







Contact Sales <u>ViewSonic.com</u> 888.881.8781 email: salesinfo@viewsonic.com