

VX4381-4K-S

## Key Features


---

### REFURBISHED


- Stunning 4K Ultra HD Resolution
- Supercolor® MVA Panel Technology
- Multipicture Functionality
- HDR10 Content Support
- Versatile Connectivity




4K UHD (3840x2160p) Resolution




43  
DISPLAY



MVA  
PANEL



3840 x 2160  
RESOLUTION



## Product Description

---

Designed with productivity in mind, the ViewSonic® VX4381-4K combines incredible 4K resolution, a sleek narrow-bezel design, and an expansive 43" (42.5" viewable) screen so you can see all and do all from a single monitor. Featuring an MVA panel and 3840x2160 resolution, this monitor offers best-in-class screen performance with incredibly sharp and detailed visuals, while HDR10 content support delivers a high dynamic range of vivid color and contrast. Flexible and versatile for any office application ranging from document editing to graphic design, the VX4381-4K includes connectivity options such as DisplayPort 1.4, mini DisplayPort 1.4, DisplayPort Out, HDMI 2.0, and 3-USB ports. ViewSonic's MultiPicture™ functionality allows for efficient multitasking by providing simultaneous viewing of up to four split windows, while full ergonomic functionality delivers maximum comfort and enhanced productivity. With an energy-saving Eco-mode feature and ViewSonic's industry-leading 3-year limited warranty, this monitor is a solid long-term investment, delivering great power savings while boosting productivity for a variety of business applications.

# Specifications

---

	More Information
<b>UPC</b>	766907016260
<b>Screen Size</b>	43
<b>Viewable Area (in.)</b>	42.5
<b>Panel Type</b>	MVA
<b>Display Resolution</b>	3840 x 2160
<b>Display Resolution</b>	4K (3840x2160)
<b>Static Contrast Ratio</b>	4,000:1
<b>Dynamic Contrast Ratio</b>	120,000,000:1
<b>Light Source</b>	LED
<b>Brightness</b>	450 cd/m2
<b>Colors</b>	1.07B
<b>Color Space Support</b>	10 bit (8 bit + FRC)
<b>Aspect Ratio</b>	16:9
<b>Response Time (Typical GTG)</b>	3ms
<b>Viewing Angles</b>	178° horizontal, 178° vertical
<b>PC Resolution (max)</b>	3840 x 2160
<b>Mac® Resolution (max)</b>	3840 x 2160
<b>USB Type A</b>	4
<b>USB Type B</b>	1
<b>HDMI 2.0 In</b>	2
<b>DisplayPort</b>	1
<b>DisplayPort Out</b>	1
<b>Mini DisplayPort</b>	1
<b>Internal Speakers</b>	7W (x2)
<b>Eco Mode (Conserve)</b>	63W
<b>Eco Mode (optimized)</b>	81W
<b>Consumption (typical)</b>	102W
<b>Consumption (max)</b>	157W
<b>Voltage</b>	AC 100-240V (universal), 50-60Hz
<b>Stand-by</b>	0.5W
<b>Power Supply</b>	Internal
<b>Cable Organization</b>	No
<b>Kensington Lock Slot</b>	1

<b>Physical Controls</b>	Joystick key: Up, Right, Down, Left, Center; Shortcut: Input Selet, ViewMode, Multi-Picture, Power
<b>On Screen Display</b>	Input Select, Audio Adjust, ViewMode, Color Adjust, Manual Image Adjust, Setup Menu
<b>Temperature</b>	32-104° F (0 - 40° C)
<b>Humidity (non-condensing)</b>	20-90%
<b>VESA Compatible</b>	200 x 100 mm
<b>Frequency Horizontal</b>	24 ~ 160 KHz
<b>Frequency Vertical</b>	50 ~ 75 Hz
<b>Tilt (Forward/Back)</b>	5° / 23°
<b>Net (lbs)</b>	37.5
<b>Net Without Stand (lbs)</b>	27.8
<b>Gross (lbs)</b>	51.1
<b>Net (kg)</b>	17.0
<b>Net Without Stand (kg)</b>	12.6
<b>Gross (kg)</b>	23.2
<b>Packaging (in.)</b>	42.6 x 30.9 x 16.3
<b>Physical (in.)</b>	38.5 x 26.0 x 13.6
<b>Physical Without Stand (in.)</b>	38.5 x 22.3 x 2.3
<b>Packaging (mm)</b>	1081.0 x 785.0 x 413.0
<b>Physical (mm)</b>	977.0 x 660.0 x 345.0
<b>Physical Without Stand (mm)</b>	977.0 x 567.0 x 58.0
<b>Regulations</b>	cTUVus, FCC-B, ICES003, CEC, NOM, Mexico Energy
<b>Package Contents</b>	VX4381-4K Display, Power Cable, HDMI cable, mini DP to DP cable, USB Cable, Quick Start Guide
<b>Recycle/Disposal</b>	Please dispose of in accordance with local, state or federal laws.
<b>Warranty</b>	*Refurbished. 30-day DOA policy for full refund, with a 90-day repair warranty on parts and labor.
<b>Classification</b>	Refurbished

UPC: 766907016260



**Contact Sales**  
[ViewSonic.com](http://ViewSonic.com)  
 888.881.8781  
 email:  
[salesinfo@viewsonic.com](mailto:salesinfo@viewsonic.com)