




## VP2776 - 27" COLORPRO™ 1440P IPS NANO COLOR MONITOR WITH COLORPRO WHEEL AND 90W USB C

### Key Features

---


- Pantone Validated Display
- Cinematic Color and Image Quality
- Integrated ColorPro Wheel
- Amazing Color Accuracy
- Excellent Screen Uniformity
- Reduce Clutter with Single-Cable Solution
- Magnetic Monitor Hood



27  
**DISPLAY**



IPS  
**PANEL**



2560 x 1440  
**RESOLUTION**



### Product Description

---


The ViewSonic® ColorPro™ VP2776 is a 27" professional monitor that delivers outstanding visual performance and amazing color accuracy. Its IPS Nano Color panel boasts a 2560x1440 (QHD) resolution and 95% DCI-P3 color coverage that brings images to life with deep and vibrant colors. An integrated ColorPro Wheel provides easy and accurate color calibration for precise performance, while a 165Hz refresh rate delivers smoother on-screen media, perfect for world-class photographers, vloggers, video editors, animators and game designers. USB-C connectivity helps to simplify your workspace by delivering audio, video, data and up to 90W of power delivery over a single universal cable. To ensure precise, uniform color, each of our monitors is factory calibrated to deliver an amazing Delta E<2 value for incredible color accuracy. With its impeccable design and technology, and an intuitive user-friendly interface, the VP2776 delivers everything professional content creators demand in a monitor.

# Specifications

	More Information
UPC	766907011920
Screen Size	27
Viewable Area (in.)	27
Panel Type	IPS
Display Resolution	2560 x 1440
Display Resolution	QHD (2560x1440)
Static Contrast Ratio	1,000:1
Dynamic Contrast Ratio	20,000,000:1
Light Source	LED
Brightness	400 cd/m2
Colors	1.07B
Color Space Support	8 bit + A-FRC
Aspect Ratio	16:9
Response Time (Typical GTG)	5ms
Viewing Angles	178º horizontal, 178º vertical
Backlight Life (Hours)	30,000
Panel Surface	Anti-Glare type, Hard-coating (3H), Haze 25%
PC Resolution (max)	2560 x 1440
Mac® Resolution (max)	2560 x 1440
USB Type A	2
USB Type B	1
USB Type C	90W x 1, 15W x 1
Micro USB	1
3.5mm Audio Out	1
HDMI 2.0 In	2
DisplayPort	1
Internal Speakers	3W (x2)
Eco Mode (Conserve)	39.4
Eco Mode (optimized)	42.3
Consumption (typical)	45.5
Consumption (max)	49.5
Voltage	100-240 VAC, 50-60Hz
Stand-by	0.5

<b>Power Supply</b>	Internal
<b>Cable Organization</b>	No
<b>Kensington Lock Slot</b>	1
<b>Physical Controls</b>	Joystick key: Up, Right, Down, Left, Center; Power
<b>On Screen Display</b>	Input Select, Color Model, ViewMode, Audio Adjust, Setup Menu
<b>Temperature</b>	32-104° F (0 - 40° C)
<b>Humidity (non-condensing)</b>	20-90%
<b>VESA Compatible</b>	100 x 100 mm
<b>Frequency Horizontal</b>	15 ~ 284.33 KHz
<b>Frequency Vertical</b>	24 ~ 165 Hz
<b>Height Adjust</b>	130 mm / 5.1 in
<b>Swivel</b>	120°
<b>Pivot (Right/Left)</b>	90° / 90°
<b>Tilt (Forward/Back)</b>	3° / 21°
<b>Net (lbs)</b>	18.5
<b>Net Without Stand (lbs)</b>	11.2
<b>Gross (lbs)</b>	28.2
<b>Net (kg)</b>	8.4
<b>Net Without Stand (kg)</b>	5.1
<b>Gross (kg)</b>	12.8
<b>Packaging (in.)</b>	27.2 x 19.9 x 8.9
<b>Physical (in.)</b>	24.2 x 17.69~22.42 x 9.2
<b>Physical Without Stand (in.)</b>	24.2 x 14.3 x 2.1
<b>Packaging (mm)</b>	692.0 x 505.0 x 225.0
<b>Physical (mm)</b>	614.0 x 449.4~569.4 x 234.0
<b>Physical Without Stand (mm)</b>	614.0 x 364.0 x 54.0
<b>Regulations</b>	cTUVus, FCC-B, ICES003, Energy Star 8.0, EPEAT Silver, CEC, NOM, Mexico Energy
<b>Package Contents</b>	VP2776 Display, Power Cable, USB-C Cable, DisplayPort Cable, USB-A/B Cable, Quick Start Guide, ColorPro Wheel, Magnetic Monitor Hood
<b>Recycle/Disposal</b>	Please dispose of in accordance with local, state or federal laws.

UPC: 766907011920



**Contact Sales**  
[ViewSonic.com](https://www.viewsonic.com)  
888.881.8781  
email: [salesinfo@viewsonic.com](mailto:salesinfo@viewsonic.com)