


PX703HDH-S

## Key Features


---



30 - 300 in. / 0.76 - 7.62 m  
**DISPLAY**



**PANEL**



1920 x 1200  
**RESOLUTION**



## Product Description

---

For an incredible audiovisual experience at a great value, the ViewSonic PX703HDH projector delivers. Perfect for home entertainment, this projector features 3500 lumens, Full HD 1920x1080 native resolution, an intuitive, user-friendly design, and a sleek white chassis. Exclusive SuperColor™ technology offers a wide color gamut for beautiful image production in nearly any environment, while a 10W speaker delivers incredibly clear and audible sound. An ultra-low input latency provides faster frame-by-frame action, while a Sports Mode feature delivers stunning detail so you can enjoy fast-action sports on the big screen. Full HD 3D compatibility lets you enjoy 3D movies and games. What's more, an energy-saving SuperEco® feature reduces power consumption and extends the lamp life by up to 15,000 hours.\* With a shorter throw ratio, 1.3x optical zoom, smart design, and extensive connectivity, the PX703HDH provides flexible and quick set-up in any home.

## Specifications

---

<b>UPC</b>	766907018745
<b>Light Source</b>	DLP Lamp
<b>Display Resolution</b>	Full HD (1920x1080)
<b>Display Resolution</b>	1920 x 1080
<b>Brightness (Lumens)</b>	3,500 ANSI
<b>Screen Size</b>	30 - 300 in. / 0.76 - 7.62 m
<b>Throw Distance</b>	2.4 - 32 ft
<b>Throw Ratio</b>	1.13-1.47
<b>Keystone</b>	Vertical (+/- 40°)
<b>Lens</b>	1.3x optical zoom
<b>Light Source (watt)</b>	203
<b>Light Source Life, Normal (hours)</b>	5000
<b>Light Source Life, SuperEco (hours)</b>	20000
<b>Color Depth</b>	1.07 Billion Colors
<b>Dynamic Contrast Ratio</b>	12,000:1
<b>Aspect Ratio</b>	16:9
<b>Input Lag</b>	37ms
<b>Frequency Horizontal</b>	15K~102KHz
<b>Frequency Vertical</b>	23-120Hz
<b>PC Resolution (max)</b>	1920 x 1200
<b>PC Resolution (min)</b>	640 x 480
<b>Mac® Resolution (max)</b>	1920 x 1200
<b>Mac® Resolution (min)</b>	640 x 480
<b>USB 2.0 Type A</b>	1
<b>3.5mm Audio Out</b>	1
<b>3.5mm Audio In</b>	1
<b>Control (RS232)</b>	1
<b>HDMI 1.4 (with HDCP 1.4)</b>	2
<b>Mini USB</b>	1
<b>Micro USB</b>	1
<b>Internal Speakers</b>	10W (x1)
<b>Voltage</b>	100-240V+/- 10%, 50/60Hz AC
<b>Consumption (typical)</b>	300W
<b>Stand-by</b>	<0.5W
<b>Physical Controls</b>	Keypad, Power key

**On Screen Display**

Display, Image, Power Management, Basic, Advanced, System, Information (See user guide for full OSD functionality)

**Temperature**

32-95° F (0 - 35° C)

**Kensington Lock Slot**

1

**Net (lbs)**

5.8

**Gross (lbs)**

8.3

**Net (kg)**

2.6

**Gross (kg)**

3.8

**Packaging (in.)**

16.3 x 6.6 x 11.7

**Physical (in.)**

12.2 x 8.7 x 4.4

**Packaging (mm)**

415.0 x 168.0 x 297.0

**Physical (mm)**

312.0 x 222.0 x 108.0

**Regulations**

cTUVus

**Package Contents**

PX703HDH projector, power cable, remote control, Quick Start Guide

**Warranty**

\*Refurbished. 30-day DOA policy for full refund, with a 90-day repair warranty on parts and labor.

**Recycle/Disposal**

Please dispose of in accordance with local, state or federal laws.

**Classification**

Refurbished

UPC: 766907018745



**3,500 LUMENS AND 1080p RESOLUTION**



**LOW INPUT LATENCY FOR GAMING**



**GO BIG EVEN IN SMALL SPACES**

**Contact Sales**  
[ViewSonic.com](http://ViewSonic.com)

888.881.8781  
email:  
salesinfo@viewsonic.com