

XG341C-2K - ELITE 1440P 1MS 200HZ 21:9 CURVED GAMING MONITOR WITH FREESYNC, MINI LED, HDMI 2.1, USB C, DISPLAY HDR1400

Key Features

- 34 Inch ultrawide 21:9 WQHD (3440x1440p) 1500R curved gaming monitor with 720-nits and thin bezels
- 200Hz (OC) refresh rate and 1ms (MPRT) response time for ultimate gaming experience
- AMD FreeSync Premium Pro technology enables fluid and tear-free gameplay
- 1152 mini-LED backlighting zones and VESA DisplayHDR 1400
- PureXP motion blur reduction with backlight strobing technology delivers ultra-smooth graphics
- In addition to fast data, audio and video transfer, USB-C also provides quick 90W charging over a single cable
- The XG341C-2K supports laptops, PCs, Macs, Gaming Consoles with HDMI 2.1, USB-C, USB, and DisplayPort inputs




**34
DISPLAY**



**MVA
PANEL**



**3440 x 1440
RESOLUTION**



Product Description

Ascend to the next level of visual performance and upgrade your gameplay with the curved 34-inch XG341C-2K Mini LED monitor. Featuring UWQHD resolution and a VESA DisplayHDR1400 display, this state-of-the-art gaming monitor renders details with incredible clarity. Immerse yourself in ultra-smooth gameplay and react to enemies instantly with a rapid fire 200Hz (OC) refresh rate and a blazing-fast 1ms (MPRT) response time. Breeze through even the most intense action scenes with AMD FreeSync™ Premium Pro technology.

Specifications

UPC	766907016239
Screen Size	34
Viewable Area (in.)	34
Panel Type	MVA
Display Resolution	3440 x 1440
Display Resolution	UWQHD (3440x1440)
Static Contrast Ratio	3,000:1
Dynamic Contrast Ratio	120,000,000:1
Light Source	mini LED
Brightness	720; 1400 (w/ HDR+local dimming Peak (Min)) cd/m2
Colors	16.7M
Aspect Ratio	21:9
Response Time (GTG w/OD)	3ms
Viewing Angles	178º horizontal, 178º vertical
Backlight Life (Hours)	30,000
Panel Surface	Anti-glare
Refresh Rate	144Hz
PC Resolution (max)	3440 x 1440
Mac® Resolution (max)	3440 x 1440
USB Type A	3
USB Type B	1
USB Type C	90W x 1
3.5mm Audio In	1
HDMI 2.1 In	2
DisplayPort	1
Internal Speakers	5W (x2)
Eco Mode (Conserve)	53W
Eco Mode (optimized)	61W
Consumption (typical)	65W
Consumption (max)	68W
Voltage	100-240 VAC, 50-60Hz
Stand-by	0.5W
Power Supply	Internal
Cable Organization	No
Kensington Lock Slot	1
Physical Controls	Up, Right, Down, Left, Power

On Screen Display	Game Modes, Display, Input Select, ViewMode, Audio Adjust, Setup Menu
Temperature	32-104º F (0 - 40º C)
Humidity (non-condensing)	20-90%
VESA Compatible	100 x 100 mm
Frequency Horizontal	30 ~ 320 KHz
Frequency Vertical	48 ~ 200 Hz
Height Adjust	120 mm / 4.7 in
Tilt (Forward/Back)	5º / 20º
Net (lbs)	25.0
Net Without Stand (lbs)	18.7
Gross (lbs)	40.3
Net (kg)	11.4
Net Without Stand (kg)	8.5
Gross (kg)	18.3
Packaging (in.)	37.9 x 20.4 x 13.8
Physical (in.)	31.8 x 18.94~23.67 x 15.1
Physical Without Stand (in.)	31.8 x 14.3 x 5.2
Packaging (mm)	963 x 518 x 351
Physical (mm)	807 x 481.11~601.11 x 384
Physical Without Stand (mm)	807 x 363 x 132
Regulations	cTUVus, FCC-B, ICES003, Energy Star 8.0, EPEAT Silver, CEC, NOM, Mexico Energy, CB, RoHS
Package Contents	XG341C-2K x1, 3-pin Plug (IEC C13 / CEE22) x1, HDMI Cable (v2.1; Male-Male) x1, DisplayPort Cable (v1.4; Male-Male) x1, USB Type-C Gen2 Cable (Male-Male) x1, USB A/B Cable (v3.2; Male-Male) x1, Quick Start Guide x1,
Recycle/Disposal	Please dispose of in accordance with local, state or federal laws.

UPC: 766907016239



Contact Sales
[ViewSonic.com](https://www.viewsonic.com)
888.881.8781
email:
salesinfo@viewsonic.com