

# VX3218C-2K - 32" OMNI CURVED 1440P 1MS 165HZ GAMING MONITOR WITH FREESYNC PREMIUM

## Key Features

- 32 Inch QHD (2560x1440p) 1500R curved gaming monitor with thin bezels
- 165Hz refresh rate and 1ms MPRT response time (with DisplayPort) for ultimate gaming experience
- AMD FreeSync Premium technology enables fluid and tear-free gameplay
- Flicker-Free technology and Blue Light Filter for reduced eye fatigue
- An arsenal of pre-set customizable visual modes keeps you ready for any FPS, RTS, or MOBA games
- The VX3218C-2K supports laptops, PCs, and Macs with laptops, PCs and Macs with HDMI and DisplayPort inputs



31.5  
**DISPLAY**



MVA  
**PANEL**



2560x1440  
**RESOLUTION**



**WQHD (2560 x 1440P)**  
Resolution

## Product Description

With an immersive 1500R curved screen and stunning WQHD 2560 x 1440 resolution, the ViewSonic® VX3218C-2K monitor provides an incredible viewing experience for work or play. With features including a 165Hz\* refresh rate, 1ms (MPRT) response time and AMD FreeSync technology, this monitor virtually eliminates screen tearing and stuttering for a fluid gaming experience. The VX3218C-2K also comes equipped with ViewSonic exclusive ViewMode™ presets, which deliver optimized screen performance for enhanced home entertainment. Enjoy watching movies, editing files and playing video games like never before. Two HDMI (v2.0) inputs and one DisplayPort (v1.2) input offer flexible connectivity for both general use and entertainment. \*165Hz refresh rate with DisplayPort

## Specifications

|                                    |   |
|------------------------------------|---|
| <b>UPC</b>                         | 766907019056  |
| <b>Screen Size</b>                 | 31.5  |
| <b>Viewable Area (in.)</b>         | 31.5  |
| <b>Panel Type</b>                  | MVA   |
| <b>Display Resolution</b>          | 2560 x 1440   |
| <b>Display Resolution</b>          | WQHD (2560x1440)  |
| <b>Static Contrast Ratio</b>       | 3,500:1   |
| <b>Dynamic Contrast Ratio</b>      | 80,000,000:1  |
| <b>Light Source</b>                | LED   |
| <b>Brightness</b>                  | 250 cd/m2   |
| <b>Colors</b>                      | 16.7M   |
| <b>Aspect Ratio</b>                | 16:9  |
| <b>Response Time (Typical GTG)</b> | 1ms   |
| <b>Viewing Angles</b>              | 178° horizontal, 178° vertical  |
| <b>Backlight Life (Hours)</b>      | 30,000  |
| <b>Panel Surface</b>               | Anti-glare  |
| <b>Curvature</b>                   | 1500R   |
| <b>Refresh Rate</b>                | 165Hz   |
| <b>PC Resolution (max)</b>         | 2560x1440   |
| <b>Mac® Resolution (max)</b>       | 2560x1440   |
| <b>3.5mm Audio Out</b>             | 1   |
| <b>HDMI 1.4 In</b>                 | 2   |
| <b>DisplayPort</b>                 | 1   |
| <b>Internal Speakers</b>           | 2W (x2)   |
| <b>Eco Mode (Conserve)</b>         | 23W   |
| <b>Eco Mode (optimized)</b>        | 28W   |
| <b>Consumption (typical)</b>       | 34W   |
| <b>Consumption (max)</b>           | 43W   |
| <b>Voltage</b>                     | AC 100-240V (universal), 50-60Hz  |
| <b>Stand-by</b>                    | 0.5W  |
| <b>Power Supply</b>                | External  |
| <b>Cable Organization</b>          | No  |
| <b>Kensington Lock Slot</b>        | 1   |
| <b>Physical Controls</b>           | Key 1 (favorite), Key 2, Key 3, Key 4, Key 5 (power)                                |
| <b>On Screen Display</b>           | Input Select, Audio Adjust, ViewMode, Color Adjust, Manual Image Adjust, Setup Menu |
| <b>Temperature</b>                 | 32-104° F (0 - 40° C)   |

|                                     |  |
|-------------------------------------|--|
| <b>Humidity (non-condensing)</b>    | 20-90%   |
| <b>VESA Compatible</b>              | 100 x 100 mm   |
| <b>Frequency Horizontal</b>         | HDMI (v1.4): 30 ~ 230KHz, DisplayPort (v1.4): 30 ~230KHz   |
| <b>Frequency Vertical</b>           | HDMI (v1.4): 48 ~ 144Hz, DisplayPort (v1.4): 48 ~ 165Hz  |
| <b>Tilt (Forward/Back)</b>          | 5° / 20°   |
| <b>Net (lbs)</b>                    | 10.6   |
| <b>Net Without Stand (lbs)</b>      | 9.3  |
| <b>Gross (lbs)</b>                  | 15.0   |
| <b>Net (kg)</b>                     | 4.8  |
| <b>Net Without Stand (kg)</b>       | 4.2  |
| <b>Gross (kg)</b>                   | 6.8  |
| <b>Packaging (in.)</b>              | 38.2 x 20.6 x 6.7  |
| <b>Physical (in.)</b>               | 27.9 x 20.2 x 9.0  |
| <b>Physical Without Stand (in.)</b> | 27.9 x 16.6 x 3.8  |
| <b>Packaging (mm)</b>               | 970.0 x 523.0 x 170.0  |
| <b>Physical (mm)</b>                | 709.0 x 513.0 x 228.0  |
| <b>Physical Without Stand (mm)</b>  | 709.0 x 421.0 x 96.0   |
| <b>Regulations</b>                  | cTUVus, FCC-B, ICES003, CEC, NRCan, NOM, Mexico Energy, CE, CE EMC, CB, RoHS                                   |
| <b>Package Contents</b>             | VX3218C-2K, 3-pin Plug (1EC C13 / CEE22), DisplayPort Cable (1.2; Male-Male), AC/DC Adapter, Quick Start Guide |
| <b>Recycle/Disposal</b>             | Please dispose of in accordance with local, state or federal laws.   |

UPC: 766907019056



165Hz Refresh Rate  
AMD FreeSync Premium  
1ms MPRT

**GREAT VISUALS**  
For home entertainment and gaming



**SLEEK FRAMELESS DESIGN**  
Enjoy more room to see what matters most

**Contact Sales**  
[ViewSonic.com](http://ViewSonic.com)

888.881.8781  
email:  
[salesinfo@viewsonic.com](mailto:salesinfo@viewsonic.com)