
VA2735-H - 27" 1080P IPS MONITOR WITH HDMI, VGA


Key **Features**

- Accurate from All Angles: SuperClear® IPS Technology
- Frameless Design
- Smooth & Fluid Gaming: Variable Refresh Rate Technology
- VESA-Compatible Mount
- 3-YEAR LIMITED WARRANTY






27"
DISPLAY



IPS
PANEL



1920x1080
RESOLUTION



Product **Description**

Currently available in Canadian markets only. Are you in the U.S.? Take a look at the VA2759-smh.

With flexible connectivity, wide-angle viewing, and amazing screen performance, the ViewSonic® VA2735-H delivers solid multimedia features and a sleek design at a great value. Featuring 3-sided frameless design and IPS panel technology, the VA2735-H delivers stunning brightness and contrast at nearly any viewing angle. Whether for working at the office, or enjoying entertainment at home, the VA2735-H features an HDMI port and an included HDMI cable for flexible connectivity to PCs, laptops and gaming consoles. This monitor's variable refresh rate capabilities virtually eliminate screen tearing and stuttering for a smoother viewing experience. A three-year limited warranty, along with one of the industry's best pixel performance policies, makes the VA2735-H a great overall value choice. Variable Refresh Rate supported via HDMI only.

Specifications

More Information	
UPC	766907020854
Screen Size	27"
Viewable Area (in.)	27
Panel Type	IPS
Display Resolution	1920 x 1080
Display Resolution	Full HD (1920x1080)
Static Contrast Ratio	1,000:1
Dynamic Contrast Ratio	50,000,000:1
Light Source	LED
Brightness	250 cd/m2
Colors	16.7M
Color Space Support	8 bit (6 bit + Hi-FRC)
Aspect Ratio	16:9
Response Time (GTG w/OD)	4ms
Viewing Angles	178º horizontal, 178º vertical
Backlight Life (Hours)	30,000
Panel Surface	Anti-Glare type, Hard-coating (3H), Haze 25%
PC Resolution (max)	1920x1080
Mac® Resolution (max)	1920x1080
VGA	1
HDMI 1.4 In	1
Eco Mode (Conserve)	20
Eco Mode (optimized)	25
Consumption (typical)	30
Consumption (max)	33
Voltage	AC 100-240V (universal), 50-60Hz
Stand-by	0.3
Power Supply	Internal
Cable Organization	No
Kensington Lock Slot	1
Physical Controls	Key 1 (favorite), Key 2, Key 3, Key 4, Key 5 (power)
On Screen Display	Input Select, ViewMode, Color Adjust, Manual Image Adjust, Setup Menu
Temperature	32-104º F (0 - 40º C)

Humidity (non-condensing)	20-90%
VESA Compatible	100 x 100 mm
Frequency Horizontal	VGA: 24 ~ 86 KHz | HDMI 1.4: 24 ~ 86 KHz
Frequency Vertical	VGA: 48 ~ 75 Hz | HDMI 1.4: 48 ~ 75 Hz
Tilt (Forward/Back)	5º / 20º
Regulations	NOM, Mexico Energy
Net (lbs)	9.9
Net Without Stand (lbs)	8.8
Gross (lbs)	13.2
Net (kg)	4.5
Net Without Stand (kg)	4
Gross (kg)	6
Packaging (in.)	27.4 in (W) x 18.1 in (H) x 5.7 in (D)
Physical (in.)	24.2 in (W) x 18 in (H) x 8.9 in (D)
Physical Without Stand (in.)	24.2 in (W) x 14.3 in (H) x 1.8 in (D)
Packaging (mm)	695 mm (W) x 460 mm (H) x 145 mm (D)
Physical (mm)	615 mm (W) x 458 mm (H) x 225 mm (D)
Physical Without Stand (mm)	615 mm (W) x 364 mm (H) x 46 mm (D)
Package Contents	LCD Display, Power Cable, HDMI Cable, Quick Start Guide
Recycle/Disposal	Please dispose of in accordance with local, state or federal laws.
Warranty	*Final Sale. Sold AS-IS with no warranty on parts or labor. 30-day DOA policy for full refund.

UPC: 766907020854







Contact Sales
ViewSonic.com
888.881.8781
email:
salesinfo@viewsonic.com