VIEWSONIC 32" 1080P IPS 75HZ MONITOR WITH HDMI, VGA | VA3209M

# Key **Features**

• Versatile Monitor:32 Inch Full HD (1920x1080p) IPS monitor with thin bezels and 75Hz refresh rate

• Enhanced Viewing Comfort: Flicker-Free technology and Blue Light Filter for reduced eye fatigue


•

• No Image Tearing: Variable Refresh Rate enables smooth frame rates to aid you in battle


• Optimized View Settings: Offers “Game,” “Movie,” “Web,” “Text,” and “Mono” presets

• Flexible Connectivity: The VA3209M supports laptops, PCs, Macs and more with HDMI and VGA inputs




32"
**DISPLAY**



IPS
**PANEL**



1920 x 1080
**RESOLUTION**




# Product **Description**

Get the bigger picture with the ViewSonic® VA3209m home office monitor.

Featuring an expansive 32” (31.5” viewable) display with SuperClear® IPS panel technology, this immersive monitor delivers stunning brightness and contrast at almost any viewing angle.

With a minimalist edge-to-edge screen and a three-sided frameless bezel, creating a seamless multi-monitor setup has never been easier.

Connect laptops, PCs, gaming consoles and other multimedia devices to this 32" monitor via HDMI or VGA.

And with state-of-the-art features like flicker-free technology and a blue light filter, you can work or play for longer with less eye strain.

Enjoy a three-year limited warranty and an industry-leading pixel performance guarantee with the ViewSonic VA3209M Full HD 1080p monitor.

# Specifications

| More Information | |
|---|---|
| **UPC** | 766907022810 |
| **Screen Size** | 32" |
| **Viewable Area (in.)** | 31.5 |
| **Panel Type** | IPS |
| **Display Resolution** | 1920 x 1080 |
| **Display Resolution** | Full HD (1920x1080) |
| **Static Contrast Ratio** | 1,200:1 |
| **Dynamic Contrast Ratio** | 50,000,000:1 |
| **Light Source** | LED |
| **Brightness** | 250 cd/m2 |
| **Colors** | 16.7M |
| **Color Space Support** | 8 bit true |
| **Aspect Ratio** | 16:9 |
| **Response Time (Typical GTG)** | 4ms |
| **Viewing Angles** | 178º horizontal, 178º vertical |
| **Backlight Life (Hours)** | 30,000 |
| **Panel Surface** | Anti-Glare (Semi-Glossy) type, Hardness 2H |
| **Refresh Rate** | 75Hz |
| **PC Resolution (max)** | 1920 x 1080 |
| **Mac® Resolution (max)** | 1920 x 1080 |
| **3.5mm Audio Out** | 1 |
| **VGA** | 1 |
| **HDMI 1.4 In** | 1 |
| **Internal Speakers** | 2.5W (x2) |
| **Eco Mode (Conserve)** | 25w |
| **Eco Mode (optimized)** | 29w |
| **Consumption (typical)** | 34w |
| **Consumption (max)** | 39w |
| **Voltage** | 100-240 VAC, 50-60Hz |
| **Stand-by** | 0.5w |
| **Power Supply** | External |
| **Cable Organization** | No |
| **Kensington Lock Slot** | 1 |


| | |
|---|---|
| **Physical Controls** | Key 1 (favorite), Key 2, Key 3, Key 4, Key 5 (power) |
| **On Screen Display** | Input Select, Audio Adjust, ViewMode, Color Adjust, Manual Image Adjust, Setup Menu |
| **Temperature** | 32-104º F (0 - 40º C) |
| **Humidity (non-condensing)** | 20-90% |
| **VESA Compatible** | 100 x 100 mm |
| **Frequency Horizontal** | 24 ~ 86 KHz |
| **Frequency Vertical** | 48 ~ 75 Hz |
| **Tilt (Forward/Back)** | 5º / 20º |
| **Regulations** | cTUVus, FCC-B, ICES003, CEC |
| **Net (lbs)** | 16.1 |
| **Net Without Stand (lbs)** | 13.4 |
| **Gross (lbs)** | 20.3 |
| **Net (kg)** | 7.3 |
| **Net Without Stand (kg)** | 6.1 |
| **Gross (kg)** | 9.2 |
| **Packaging (in.)** | 30.3 " (W) x 20.1 " (H) x 4.9 " (D) |
| **Physical (in.)** | 28.1 " (W) x 20.5 " (H) x 9.1 " (D) |
| **Physical Without Stand (in.)** | 28.1 " (W) x 16.8 " (H) x 2.3 " (D) |
| **Packaging (mm)** | 770 mm (W) x 510 mm (H) x 125 mm (D) |
| **Physical (mm)** | 714 mm (W) x 520 mm (H) x 231 mm (D) |
| **Physical Without Stand (mm)** | 714 mm (W) x 428 mm (H) x 59 mm (D) |
| **Package Contents** | LCD Display, Power Cable, HDMI to HDMI Cable, Quick Start Guide |
| **Recycle/Disposal** | Please dispose of in accordance with local, state or federal laws. |
| **Warranty** | Three-year limited warranty on parts, labor and backlight |

UPC: 766907022810










**Contact Sales**
ViewSonic.com
888.881.8781
email:
salesinfo@viewsonic.com