



VIEWSONIC 6,000 LUMENS WXGA LASER PROJECTOR WITH 1.3X OPTICAL ZOOM, H/V KEYSTONE, 4 CORNER ADJUSTMENT, 360 DEGREE PROJECTION | LS740W

Key Features

- High Brightness Laser Projector: WXGA (1280x800p) resolution with a 1.2-1.5 throw ratio and 6,000 ANSI lumens for clear, detailed images in any space
 - Golf Mode for Realistic Simulation: Designed for immersive play, Golf Mode supports major golf simulators for lifelike play on world-class virtual courses
 - Large Screen Projection: Projects screen sizes from 80" to 150" with a throw distance of 6.7 ft - 12.5 ft; displays a 100" image from 8.3 ft
 - Easy Setup & Image Adjustment: Features 1.3x optical zoom, 0.8x-2.0x digital zoom, H/V keystone, 360-degree projection, portrait mode, and 4-corner adjustment
 - Instant Power On/Off: Enables quick startup and shutdown with optional settings for automatic power control
 - Installation Options: This projector is ceiling mountable; compatible with ViewSonic mount PJ-WMK-007
-

Product Description

With the ViewSonic® LS740W laser projector, you can light up every room with brilliant presentations. Featuring the latest laser phosphor technology, the LS740W projector delivers 6,000 ANSI lumens of brightness to ensure crisp images even in rooms with ambient lighting. Enjoy a maintenance-free projection experience without having to deal with complicated lamp replacements. This eco-friendly, high brightness projection solution features a compact design for easier transportation. Experience screen sizes up to 300" in WXGA 1280x800 resolution for show-stopping images designed to fill up boardrooms, lecture halls, auditoriums and other public spaces. The LS740W laser projector comes loaded with features like 1.3x optical zoom, H/V keystone, 4 corner adjustment, 360° projection and portrait mode for easy setup and versatile applications.

Specifications

| | More Information |
|----------------------------|---|
| UPC | 766907022599 |
| Light Source | Laser |
| Display Resolution | WXGA (1280x800) |
| Display Resolution | 1280 x 800 |
| Brightness (Lumens) | 6,000 ANSI |
| Throw Distance | 0.77-9.98m (100"@2.54m) |
| Throw Ratio | 1.18-1.54 |
| Keystone | Vertical ($\pm 30^\circ$) / Horizontal ($\pm 30^\circ$) |
| Lens | 1.3x optical zoom |
| Light Source (watt) | Laser |

| | |
|--|--|
| Light Source Life, Normal (hours) | 20000 |
| Light Source Life, Dynamic Eco-Mode (hours) | 30000 |
| Color Depth | 1.07 Billion Colors |
| Aspect Ratio | 16:10 |
| Input Lag | 37ms |
| Frequency Horizontal | 15K-102KHz |
| Frequency Vertical | 24-120Hz |
| PC Resolution (max) | 1920 x 1200 |
| PC Resolution (min) | 640 x 480 |
| Mac® Resolution (max) | 1920 x 1200 |
| Mac® Resolution (min) | 640 x 480 |
| USB 2.0 Type A | 1 |
| 3.5mm Audio Out | 1 |
| Control (RS232) | 1 |
| HDMI 1.4 (with HDCP 1.4) | 2 |
| Internal Speakers | 15W (x1) |
| Voltage | 100-240V+/- 10%, 50/60Hz AC |
| Consumption (max) | 210W |
| Stand-by | <0.5W |
| Physical Controls | Keypad, Power key |
| On Screen Display | Display, Image, Power Management, Basic, Advanced, System, Information (See user guide for full OSD functionality) |
| Temperature | 32-104° F (0 - 40° C) |
| Net (lbs) | 6.6 |
| Gross (lbs) | 10.4 |
| Net (kg) | 3.0 |
| Gross (kg) | 4.7 |
| Packaging (in.) | 15.7 x 11.0 x 6.1 |
| Physical (in.) | 11.3 x 8.5 x 5.0 |
| Packaging (mm) | 400.0 x 280.0 x 155.0 |
| Physical (mm) | 286.0 x 216.0 x 129.0 |
| Regulations | cTUVus |
| Package Contents | LS740W projector, power cable, remote control, Quick Start Guide |
| Warranty | Three-year limited warranty on parts and labor, 1-year limited warranty on the light source, 1st year free Express Exchange® service. (One year Express Exchange Service requires product registration). |
| Recycle/Disposal | Please dispose of in accordance with local, state or federal laws. |

Notices


*Product and light source lifespan may vary based on actual usage and other factors.
**Express Exchange(R) Service requires product registration. Program, pricing, specifications and availability are subject to change without notice. Copyright(R) 2023.

UPC: 766907022599



Contact Sales

ViewSonic.com

888.881.8781 

email: salesinfo@viewsonic.com 