
VA2435-H - 24" 1080P IPS MONITOR WITH HDMI, VGA


# Key **Features**

- 24 Inch Full HD (1920x1080p) frameless IPS monitor
- Flicker-free technology and blue light filter for reduced eye fatigue
- Variable refresh rate enables smooth frame rates
- Hardware-based blue light filter
- Connect devices with HDMI and VGA inputs




24"
**DISPLAY**



IPS
**PANEL**



1920 X 1080
**RESOLUTION**




# Product **Description**

Experience flexible connectivity, wide-angle viewing and stunning screen performance with the ViewSonic® VA2435-H monitor. This three-sided frameless monitor delivers fantastic features at a superb value. Enjoy powerful brightness and contrast at nearly any viewing angle thanks to IPS panel technology. The VA2435-H features an HDMI port and an included HDMI cable for flexible connectivity to PCs, laptops and gaming consoles. Immerse yourself in a smoother viewing experience with built-in AMD FreeSync™ technology that virtually eliminates screen tearing and stuttering. Get a monitor that delivers great value and even better features with the ViewSonic VA2435-H monitor.

# Specifications

More Information

| | |
|---|---|
| **UPC** | 766907020847 |
| **Screen Size** | 24" |
| **Viewable Area (in.)** | 23.8 |
| **Panel Type** | IPS |
| **Display Resolution** | 1920 x 1080 |
| **Display Resolution** | Full HD (1920x1080) |
| **Static Contrast Ratio** | 1,300:1 |
| **Dynamic Contrast Ratio** | 50,000,000:1 |
| **Light Source** | LED |
| **Brightness** | 250 cd/m2 |
| **Colors** | 16.7M |
| **Color Space Support** | 8-bit (6 bit + Hi-FRC) |
| **Aspect Ratio** | 16:9 |
| **Response Time (Typical GTG)** | 4ms |
| **Response Time (MPRT)** | 1ms |
| **Viewing Angles** | 178º horizontal, 178º vertical |
| **Backlight Life (Hours)** | 30,000 |
| **Panel Surface** | Anti-glare, Hard coating (3H) |
| **Refresh Rate** | 100Hz |
| **Flicker-Free** | Yes |
| **PC Resolution (max)** | 1920 X 1080 |
| **Mac® Resolution (max)** | 1920 X 1080 |
| **3.5mm Audio Out** | 1 |
| **VGA** | 1 |
| **HDMI 1.4 In** | 1 |
| **Eco Mode (Conserve)** | 14 |
| **Eco Mode (optimized)** | 17 |
| **Consumption (typical)** | 21 |
| **Consumption (max)** | 22 |
| **Voltage** | AC 100-240V (universal), 50-60Hz |
| **Stand-by** | 0.3 |
| **Power Supply** | Internal |
| **Cable Organization** | No |
| **Kensington Lock Slot** | 1 |
| **Physical Controls** | Key 1 (favorite), Key 2, Key 3, Key 4, Key 5 (power) |
| **On Screen Display** | Input Select, ViewMode, Color Adjust, Manual Image Adjust, Setup Menu |

| | |
|---|---|
| **Temperature** | 32-104º F (0 - 40º C) |
| **Humidity (non-condensing)** | 20-90% |
| **VESA Compatible** | 75 x 75 mm |
| **Frequency Horizontal** | VGA: 24 ~ 86 KHz / HDMI 1.4: 30 ~ 115 KHz |
| **Frequency Vertical** | VGA: 48 ~ 75 Hz / HDMI 1.4: 48 ~ 100 Hz |
| **Tilt (Forward/Back)** | 3° / 20° |
| **Regulations** | NOM, Mexico Energy |
| **Net (lbs)** | 6.4 |
| **Net Without Stand (lbs)** | 5.7 |
| **Gross (lbs)** | 9 |
| **Net (kg)** | 2.9 |
| **Net Without Stand (kg)** | 2.6 |
| **Gross (kg)** | 4.1 |
| **Packaging (in.)** | 23.6 " (W) x 15.6 " (H) x 4.4 " (D) |
| **Physical (in.)** | 21.3 " (W) x 16 " (H) x 7.3 " (D) |
| **Physical Without Stand (in.)** | 21.3 " (W) x 12.7 " (H) x 1.4 " (D) |
| **Packaging (mm)** | 600 mm (W) x 395 mm (H) x 112 mm (D) |
| **Physical (mm)** | 540 mm (W) x 406 mm (H) x 185 mm (D) |
| **Physical Without Stand (mm)** | 540 mm (W) x 322 mm (H) x 36 mm (D) |
| **Package Contents** | LCD Display, Power Cable, HDMI Cable, Quick Start Guide |
| **Recycle/Disposal** | Please dispose of in accordance with local, state or federal laws. |
| **Warranty** | Three-year limited warranty on parts, labor and backlight |

UPC: 766907020847








**Contact Sales**
**ViewSonic.com**
888.881.8781
email:
salesinfo@viewsonic.com