

VA2214-H - 22" 1080P IPS MONITOR WITH HDMI, VGA

Key Features

- Wide-angle viewing with SuperClear® IPS technology
- Three-sided frameless design
- HDMI and VGA connectivity
- Variable refresh rate technologies deliver smoother images
- Full HD 1080p resolution



22
DISPLAY



IPS
PANEL



1920 x 1080
RESOLUTION



Product Description

Experience flexible connectivity, wide-angle viewing and stunning screen performance with the ViewSonic® VA2214-H monitor.

Enjoy powerful brightness and stunning contrast at nearly any viewing angle thanks to state-of-the-art IPS panel technology in a three-sided frameless display. The VA2214-H features a VGA port, HDMI port and an included HDMI cable for flexible connectivity to PCs, laptops and gaming consoles. Immerse yourself in a smoother viewing experience with built-in variable refresh rate technology that virtually eliminates screen tearing and stuttering.

Change the way you work and play with the ViewSonic VA2214-H monitor today.

Specifications

| | More Information |
|------------------------------------|--|
| UPC | 766907028102 |
| Screen Size | 22 |
| Viewable Area (in.) | 21.5 |
| Panel Type | IPS |
| Display Resolution | 1920 x 1080 |
| Display Resolution | Full HD (1920x1080) |
| Static Contrast Ratio | 1,000:1 |
| Dynamic Contrast Ratio | 50,000,000:1 |
| Light Source | LED |
| Brightness | 250 cd/m2 |
| Colors | 16.7M |
| Color Space Support | 6 bit + FRC |
| Aspect Ratio | 16:9 |
| Response Time (Typical GTG) | 4ms |
| Viewing Angles | 178° horizontal, 178° vertical |
| Backlight Life (Hours) | 30,000 |
| Panel Surface | Anti-Glare type, Hard-coating (3H), Haze 25% |
| Refresh Rate | 100Hz |
| PC Resolution (max) | 1920 x 1080 |
| Mac® Resolution (max) | 1920 x 1080 |
| 3.5mm Audio Out | 1 |
| VGA | 1 |
| HDMI 1.4 In | 1 |
| Eco Mode (Conserve) | 13W |
| Eco Mode (optimized) | 15W |
| Consumption (typical) | 17W |
| Consumption (max) | 21.3W |
| Voltage | 100-240 VAC, 50-60Hz |
| Stand-by | 0.3W |
| Power Supply | Internal |
| Cable Organization | No |
| Kensington Lock Slot | 1 |
| Physical Controls | Key 1 (favorite), Key 2, Key 3, Key 4, Key 5 (power) |

| | |
|-------------------------------------|---|
| On Screen Display | Input Select, Audio Adjust, ViewMode, Color Adjust, Manual Image Adjust, Setup Menu |
| Temperature | 32-104° F (0 - 40° C) |
| Humidity (non-condensing) | 20-90% |
| VESA Compatible | 100 x 100 mm |
| Frequency Horizontal | HDMI 1.4 = 24 ~ 115 KHz RGB Analog = 24 ~ 86 KHz |
| Frequency Vertical | HDMI 1.4 = 48 ~100 Hz RGB Analog = Fv = 48 ~75 Hz |
| Tilt (Forward/Back) | 5° / 20° |
| Regulations | cTUVus, FCC-B, ICES003, Energy Star 8.0, EPEAT Silver, CEC, NOM, RoHS, WEEE, BSMI |
| Net (lbs) | 6 |
| Net Without Stand (lbs) | 5.3 |
| Gross (lbs) | 8.4 |
| Net (kg) | 2.7 |
| Net Without Stand (kg) | 2.4 |
| Gross (kg) | 3.8 |
| Packaging (in.) | 21.5 " (W) x 13.8 " (H) x 5.5 " (D) |
| Physical (in.) | 19.4 " (W) x 15.1 " (H) x 8.1 " (D) |
| Physical Without Stand (in.) | 19.4 " (W) x 11.4 " (H) x 2.0 " (D) |
| Packaging (mm) | 547 mm (W) x 350 mm (H) x 140 mm (D) |
| Physical (mm) | 493.4 mm (W) x 385.3 mm (H) x 206.3 mm (D) |
| Physical Without Stand (mm) | 493.4 mm (W) x 290.1 mm (H) x 50.1 mm (D) |
| Package Contents | LCD Display, Power Cable, HDMI Cable, Quick Start Guide |
| Recycle/Disposal | Please dispose of in accordance with local, state or federal laws. |
| Warranty | Three-year limited warranty on parts, labor and backlight |

UPC: 766907028102



Contact Sales
ViewSonic.com
 888.881.8781
 email:
salesinfo@viewsonic.com