

VG2756V-2K - 27" 1440P VIDEO CONFERENCE MONITOR WITH WEBCAM, 90W USB C, DOCKING, BUILT-IN GIGABIT ETHERNET

## Key Features

---




27"  
**DISPLAY**



IPS  
**PANEL**



2560 x 1440  
**RESOLUTION**



## Product Description

---

The ViewSonic® VG2756V-2K is a 27" docking monitor with premium video conferencing features such as a pop-up webcam, adjustable LED lighting and 1440p resolution to help you look your best when calling into a meeting. Enjoy reliable and flexible network connectivity with the integrated gigabit Ethernet port, while the latest USB-C connectivity makes dual-monitor setup a breeze and provides up to 90W power delivery to your laptop. A best-in-class ergonomic design features 40-degree tilt and bi-directional pivot so your screen and workspace are as comfortable as you need—whether you are working in the office, or from home.


## Specifications

---

<b>UPC</b>	766907021769
<b>Screen Size</b>	27"
<b>Viewable Area (in.)</b>	27
<b>Panel Type</b>	IPS
<b>Display Resolution</b>	2560 x 1440
<b>Display Resolution</b>	QHD (2560x1440)
<b>Static Contrast Ratio</b>	1,000:1
<b>Dynamic Contrast Ratio</b>	80M:1
<b>Light Source</b>	LED
<b>Brightness</b>	350 cd/m2
<b>Colors</b>	16.7M
<b>Color Space Support</b>	8 bit true
<b>Aspect Ratio</b>	16:9
<b>Response Time (Typical GTG)</b>	5ms
<b>Viewing Angles</b>	178° horizontal, 178° vertical
<b>Backlight Life (Hours)</b>	30,000
<b>Panel Surface</b>	Anti-Glare type, Hard-coating (3H), Haze 25%
<b>Flicker-Free</b>	Yes
<b>Blue Light Filter</b>	Yes
<b>PC Resolution (max)</b>	2560 x 1440
<b>Mac® Resolution (max)</b>	2560 x 1440
<b>USB Type A</b>	2
<b>USB Type B</b>	1
<b>USB Type C</b>	1
<b>3.5mm Audio Out</b>	1
<b>Ethernet LAN (RJ45)</b>	1
<b>HDMI 1.4 In</b>	1
<b>DisplayPort</b>	1
<b>Internal Speakers</b>	5W (x2)
<b>Eco Mode (Conserve)</b>	141
<b>Eco Mode (optimized)</b>	144
<b>Consumption (typical)</b>	148
<b>Consumption (max)</b>	176
<b>Voltage</b>	AC 100-240V (universal), 50-60Hz
<b>Stand-by</b>	0.5
<b>Power Supply</b>	Internal

<b>Cable Organization</b>	Yes
<b>Headphone Hook</b>	No
<b>Microphone</b>	noise-cancelling microphone array
<b>Kensington Lock Slot</b>	1
<b>Webcam</b>	Yes
<b>Physical Controls</b>	Key 1 (audio focus), Key 2, Key 3, Key 4, Key 5, Key 6 (power)
<b>On Screen Display</b>	Input Select, Conference Mode, ViewMode, Color Adjust, Manual Image Adjust, Setup Menu
<b>Temperature</b>	32-104° F (0 - 40° C)
<b>Humidity (non-condensing)</b>	20-90%
<b>VESA Compatible</b>	100 x 100 mm
<b>Frequency Horizontal</b>	15 ~ 90 KHz
<b>Frequency Vertical</b>	49 ~ 75 Hz
<b>Height Adjust</b>	110 mm / 4.3 in
<b>Swivel</b>	60°
<b>Pivot (Right/Left)</b>	90° / 90°
<b>Tilt (Forward/Back)</b>	5° / 40°
<b>Regulations</b>	cTUVus, FCC-B, ICES003, Energy Star 8.0, EPEAT Silver, CEC, MX-CoC, Mexico Energy
<b>Net (lbs)</b>	18.4
<b>Net Without Stand (lbs)</b>	13.4
<b>Gross (lbs)</b>	25.3
<b>Net (kg)</b>	8.4
<b>Net Without Stand (kg)</b>	6.1
<b>Gross (kg)</b>	11.5
<b>Physical (in.)</b>	24.1 " (W) x 16.67~21 " (H) x 8.6 " (D)
<b>Physical Without Stand (in.)</b>	24.1 " (W) x 15.4 " (H) x 2.2 " (D)
<b>Physical (mm)</b>	613 mm (W) x 423.38~533.38 mm (H) x 217 mm (D)
<b>Physical Without Stand (mm)</b>	613 mm (W) x 390 mm (H) x 57 mm (D)
<b>Package Contents</b>	LCD Display, Power Cable, HDMI Cable, USB Type C cable, USB A/B Cable, Quick Start Guide
<b>Recycle/Disposal</b>	Please dispose of in accordance with local, state or federal laws.
<b>Warranty</b>	*Refurbished. 30-day DOA policy for full refund, with a 90-day repair warranty on parts and labor.

UPC: 766907021769



**Contact Sales**

**[ViewSonic.com](http://ViewSonic.com)**

888.881.8781

email:

[salesinfo@viewsonic.com](mailto:salesinfo@viewsonic.com)