


## M1+ - PORTABLE LED PROJECTOR WITH HARMAN KARDON BLUETOOTH SPEAKERS, USB C, WI-FI


### Key Features

---


- Ultra-portable WVGA (854x480p) LED projector with shorter throw lens
- Get set up in seconds with auto-focus, vertical keystone correction and 360 degree projection
- Built-in dual Harman Kardon Bluetooth speakers (audio only)
- Provides up to 6 hours of power on full power mode
- Cinema SuperColor+ technology with 125% Rec.709
- inputs such as HDMI, USB C, USB, MicroSD drive. Also comes with 12GB of local storage



24 - 100 in. / 0.6 - 2.54 m  
**DISPLAY**



**PANEL**



1920 x 1080  
**RESOLUTION**



### Product Description

---



The ViewSonic® M1+ is an ultra-portable WVGA LED projector that delivers convenient entertainment in nearly any room. With a built-in battery and over 30,000 hours of operational life, this projector will deliver years of multimedia entertainment wherever it goes. Weighing less than two pounds, the M1+'s compact and lightweight design makes it ideal for moving from room to room, or for indoor/outdoor usage. An integrated smart stand provides for simple 360-degree setup, while also doubling as a lens cover. Once the lens is uncovered, the projector automatically powers on with full brightness for instant entertainment. The lens also includes a safety auto-off feature that powers down the projector when objects are detected too close to the lens. Dual Harman Kardon Bluetooth speakers provide crisp and clear sound for multimedia content, while a short throw lens can display large images in small spaces. Versatile connectivity options include a MicroSD card slot, USB Type-A and USB Type-C. What's more, integrated smart Wi-Fi connectivity lets you stream and binge from your favorite content providers like YouTube - making the M1+ a great option for sharing and displaying videos and other multimedia content.

# Specifications

|                                             | More Information            |
|---------------------------------------------|-----------------------------|
| UPC                                         | 766907982312                |
| Light Source                                | LED                         |
| Display Resolution                          | WVGA (854x480)              |
| Display Resolution                          | 854 x 480                   |
| Brightness (Lumens)                         | 300 LED                     |
| Screen Size                                 | 24 - 100 in. / 0.6 - 2.54 m |
| Throw Distance                              | 40 in / 1.0 m               |
| Throw Ratio                                 | 1.2                         |
| Keystone                                    | Vertical (+/- 40°)          |
| Lens                                        | Fixed Zoom                  |
| Light Source (watt)                         | 10                          |
| Light Source Life, Normal (hours)           | 30000                       |
| Light Source Life, Dynamic Eco-Mode (hours) | 30000                       |
| Color Depth                                 | 1.07B Color (R/G/B 10bit)   |
| Dynamic Contrast Ratio                      | 120,000:1                   |
| Aspect Ratio                                | 16:9                        |
| Input Lag                                   | 37ms                        |
| Frequency Horizontal                        | 15h~135kHz                  |
| Frequency Vertical                          | 23~120Hz                    |
| PC Resolution (max)                         | 1920 x 1080                 |
| PC Resolution (min)                         | 640 x 480                   |
| Mac® Resolution (max)                       | 1920 x 1080                 |
| Mac® Resolution (min)                       | 640 x 480                   |
| USB 2.0 Type A                              | 1                           |
| USB 3.1 Type C                              | 1                           |
| Card Reader                                 | Micro SD                    |
| 3.5mm Audio Out                             | 1                           |
| HDMI 1.4 In                                 | 1                           |
| Internal Speakers                           | 3W (x2)                     |
| Voltage                                     | 100-240 VAC                 |
| Consumption (typical)                       | 55W                         |
| Stand-by                                    | <0.5W                       |

|                                  |                                                                                                                                                             |
|----------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Physical Controls</b>         | Power, keystone/arrow keys, left/blank, menu/exit, right/panel key lock, mode/enter, auto, source                                                           |
| <b>On Screen Display</b>         | Display, Image, Power Management, Basic, Advanced, System, Information (See user guide for full OSD functionality)                                          |
| <b>Temperature</b>               | 32-104º F (0 - 40º C)                                                                                                                                       |
| <b>Humidity (non-condensing)</b> | 0-90%                                                                                                                                                       |
| <b>Net (lbs)</b>                 | 1.7                                                                                                                                                         |
| <b>Gross (lbs)</b>               | 3.7                                                                                                                                                         |
| <b>Net (kg)</b>                  | 0.8                                                                                                                                                         |
| <b>Gross (kg)</b>                | 1.7                                                                                                                                                         |
| <b>Packaging (in.)</b>           | 16.0 x 9.2 x 15.0                                                                                                                                           |
| <b>Physical (in.)</b>            | 5.7 x 1.6 x 5.0                                                                                                                                             |
| <b>Packaging (mm)</b>            | 406.0 x 233.0 x 380.0                                                                                                                                       |
| <b>Physical (mm)</b>             | 146.0 x 40.0 x 126.0                                                                                                                                        |
| <b>Regulations</b>               | FCC, cTUVus, ROHS, TUV-S, NOM, UL2054                                                                                                                       |
| <b>Package Contents</b>          | M1+ projector, power cable, USB-C cable, remote control, Quick Start Guide                                                                                  |
| <b>Warranty</b>                  | Three-year limited warranty on parts and labor, 1st year free Express Exchange® service. (One year Express Exchange Service requires product registration). |
| <b>Recycle/Disposal</b>          | Please dispose of in accordance with local, state or federal laws.                                                                                          |
| <b>Battery Chemistry</b>         | Lithium-ion                                                                                                                                                 |
| <b>Portability</b>               | Portable, Mobile                                                                                                                                            |

UPC: 766907982312



**Contact Sales**  
[ViewSonic.com](http://ViewSonic.com)  
 888.881.8781  
 email:  
[salesinfo@viewsonic.com](mailto:salesinfo@viewsonic.com)