

# VP2785-2K - 27" 1440P ADOBERGB COLORPRO™ IPS MONITOR W/ USB C & FOGRA CERT

## Key Features

---


- Wide QHD resolution
- Amazing Color Accuracy
- Frameless design
- Excellent Screen Uniformity
- Professional Color Processing Capability
- Loaded with Connectivity



27  
**DISPLAY**



IPS  
**PANEL**



2560 x 1440  
**RESOLUTION**



## Product Description

---

Covering 100% of the Adobe RGB color space and 96% DCI-P3, the ViewSonic® VP2785-2K QHD monitor meets the high color standards of photographers, graphic designers, video editors, print departments, and other design professionals. With a sleek and modern design, the VP2785-2K features future-proof USB Type-C ports, as well as DisplayPort and HDMI. To ensure precise, uniform color, each of our monitors is factory calibrated to deliver an amazing Delta E<2 value for incredible color accuracy. An integrated color uniformity function ensures consistent chromaticity across the screen, while a 14-bit 3D look-up table generates a stunningly smooth palette of 4.39 trillion colors. What's more, productivity-boosting features include an advanced ergonomic design, a built-in ambient light and presence sensor, and a KVM switch. Hardware calibration is also available with the optional ViewSonic Colorbration Kit, which allows you to quickly and easily calibrate the monitor for photography, graphic design, content creation, and other color-critical applications.

[Download the ColorPro brochure.](#)

## Specifications

---

### More Information

<b>UPC</b>	766907004571
<b>Screen Size</b>	27
<b>Viewable Area (in.)</b>	27
<b>Panel Type</b>	IPS
<b>Display Resolution</b>	2560 x 1440
<b>Display Resolution</b>	WQHD (2560x1440)

<b>Static Contrast Ratio</b>	1,000:1
<b>Dynamic Contrast Ratio</b>	20,000,000:1
<b>Light Source</b>	WLED
<b>Brightness</b>	300 cd/m <sup>2</sup>
<b>Colors</b>	1.07B
<b>Color Space Support</b>	10-bit (8 bit + A-FRC)
<b>Aspect Ratio</b>	16:9
<b>Response Time (Typical GTG)</b>	14ms
<b>Response Time (GTG w/OD)</b>	5ms
<b>Viewing Angles</b>	178° horizontal, 178° vertical
<b>Backlight Life (Hours)</b>	30,000
<b>Panel Surface</b>	Anti-glare, Hard coating (3H)
<b>PC Resolution (max)</b>	2560 x 1440
<b>Mac® Resolution (max)</b>	2560 x 1440
<b>USB Type A</b>	2
<b>USB Type B</b>	1
<b>USB Type C</b>	1
<b>USB Type C - Downstream</b>	1 (15W)
<b>3.5mm Audio Out</b>	1
<b>HDMI 1.4 In</b>	1
<b>DisplayPort</b>	1
<b>DisplayPort Out</b>	1
<b>Eco Mode (Conserve)</b>	30W
<b>Eco Mode (optimized)</b>	35W
<b>Consumption (typical)</b>	40W
<b>Consumption (max)</b>	53W
<b>Voltage</b>	DC 19V
<b>Stand-by</b>	0.5W
<b>Cable Organization</b>	No
<b>Kensington Lock Slot</b>	1
<b>Physical Controls</b>	1, 2, 3, 4, 5, Power
<b>On Screen Display</b>	Input Select, Audio Adjust, ViewMode, Color Adjust, Manual Image Adjust, Setup Menu, (See user guide for complete OSD functionality)
<b>Temperature</b>	32-104° F (0 - 40° C)
<b>Humidity (non-condensing)</b>	20-90%
<b>VESA Compatible</b>	100 x 100 mm

<b>Frequency Horizontal</b>	15 ~130KHz
<b>Frequency Vertical</b>	24 ~ 120Hz
<b>Digital Sync</b>	TMDS for HDMI (v1.4), PCI-E for DisplayPort (v1.2), Micro-Packet for Type C
<b>Height Adjust</b>	130 mm / 5.1 in
<b>Swivel</b>	120°
<b>Pivot (Right/Left)</b>	90° / 90°
<b>Regulations</b>	EPEAT, Energy Star
<b>Net (lbs)</b>	14.7
<b>Net Without Stand (lbs)</b>	9.0
<b>Gross (lbs)</b>	22.4
<b>Net (kg)</b>	6.7
<b>Net Without Stand (kg)</b>	4.1
<b>Gross (kg)</b>	10.2
<b>Packaging (in.)</b>	28.3 x 18.1 x 10.6
<b>Physical (in.)</b>	24.1 x 21.5 x 8.5
<b>Physical Without Stand (in.)</b>	24.1 x 14.3 x 2.1
<b>Packaging (mm)</b>	720.0 x 460.0 x 268.0
<b>Physical (mm)</b>	612.0 x 545.0 x 215.0
<b>Physical Without Stand (mm)</b>	612.0 x 363.0 x 55.0
<b>Package Contents</b>	VP2785-2K, AC/DC Adapter + Power Cable, DisplayPort to DisplayPort Cable, Quick Start Guide
<b>Recycle/Disposal</b>	Please dispose of in accordance with local, state or federal laws.
<b>Classification</b>	Discontinued

UPC: 766907004571



## Contact Sales

[ViewSonic.com](http://ViewSonic.com)

888.881.8781

email: [salesinfo@viewsonic.com](mailto:salesinfo@viewsonic.com)