


IFP9850-E1 - 98" 4K TOUCH ENABLED VIEWBOARD SMART DISPLAY WITH WIFI ADAPTER AND FIXED WALL MOUNT

Key Features


- **ULTRA HD RESOLUTION:** 98 Inch 4K Ultra HD (3840x2160p) interactive display
- **ADVANCED TOUCH:** 20-point multi-touch lets users write on the display with their fingers and stylus pens
- **INTEGRATED SOFTWARE:** The myViewBoard suite includes Whiteboard, ViewBoard Cast, and more for better engagement
- **BETTER SOUND:** Built-in 45W stereo soundbar delivers optimal sound
- **FLEXIBLE CONNECTIVITY:** Powerful quad-core processor and versatile connectivity options (HDMI,VGA, RJ45, and USB ports)
- **EVERYTHING TO GET STARTED:** This bundle includes the interactive display, wireless AC adapter and wall mount
- **REMOTE MANAGEMENT:** Schedule updates and monitor device status with the built-in myViewBoard® Manager software
- **PEACE OF MIND:** Industry-leading 3-year standard warranty with optional extensions and robust support services



98"
DISPLAY



PANEL



RESOLUTION

Product Description

Ideal for education environments, this all-in-one ViewBoard Bundle includes a 98" ViewBoard IFP9850 4K interactive flat panel, a wireless AC adapter, and a wall mount.

Specifications

| | More Information |
|----------------------------|-----------------------------------|
| OS | ViewBoard OS (embedded Android 8) |
| GPU | Quintuple Core Mali G51 |
| CPU | ARM Quad Core A73 + A53 |
| CPU Processor Speed | A73: 1.1GHz, A53: 1.5GHz |

| | |
|--|--|
| Memory | 3GB |
| Storage | 16 GB |
| Internal Speakers | 16W (x2) |
| HDMI 2.0 In | 3 |
| HDMI Out | 1 |
| 3.5mm Audio In | 1 |
| 3.5mm Audio Out | 1 |
| SPDIF Audio Out | 1 |
| USB 3.0 | 3 |
| USB 2.0 | 2 |
| USB Type C | 1 |
| Slot-in PC Slot | 1 |
| USB B Touch Port | 2 |
| RS232 | 1 |
| Ethernet LAN (RJ45) | 1 |
| WIFI Module Slot | 1 |
| Voltage | 100-240 VAC |
| Consumption (typical) | 192.5W |
| Consumption With Slot-In PC (typical) | 171W |
| Stand-by | <0.5W |
| Temperature | 32-104° F (0 - 40° C) |
| Humidity (non-condensing) | 10-90% |
| Touch Technology | Infrared |
| Touch Points | Windows: 20, Android: 20 |
| Tip Detection | Dual tips, 3mm and 8mm |
| Net (lbs) | 237.98 |
| Gross (lbs) | 321.61 |
| Net (kg) | 69.7 |
| Gross (kg) | 92 |
| Packaging (in.) | 97.8 x 58.8 x 14.8 |
| Physical (in.) | 88.4 x 52.1 x 3.6 |
| Packaging (mm) | 2483 x 1493 x 376 |
| Physical (mm) | 2245 x 1323 x 91 |
| VESA Compatible | 800 x 600 mm |
| Warranty | 3-year limited warranty on parts, labor and backlight, onsite warranty |
| Recycle/Disposal | Please dispose of in accordance with local, state or federal laws. |

| | |
|------------------------------------|--|
| Package Contents | IFP9850 display, WiFi Card, stylus pen x 2, power cable, HDMI cable, USB cable, AV cable, remote control with batteries, Camera plate, M8 screw x 8, Quick Start Guide |
| Regulations | cTUVus, FCC, ENERGY STAR, Mexico Energy, CE, CB, RoHS, ErP, WEEE |
| Ethernet LAN | (10/100/1000M) (USB Type-C 10/100, Android & PC 10/100/1000) |
| Display Type | LCD |
| Screen Size | 98" |
| Viewable Area (in.) | 97.5 |
| Light Source | LED |
| Display Resolution | 3840 x 2160 |
| Aspect Ratio | 16:9 |
| Static Contrast Ratio | 1,200:1 |
| Backlight Life (Hours) | 50,000 |
| Brightness | 350 cd/m ² |
| Response Time (Typical GTG) | 8ms |
| Viewing Angles | 178° horizontal, 178° vertical |
| Panel Surface | Anti-glare 7H tempered glass |

Contact Sales

ViewSonic.com

888.881.8781

email: salesinfo@viewsonic.com