



## M1+-2 - PORTABLE LED PROJECTOR WITH HARMAN KARDON BLUETOOTH SPEAKERS, USB C, WI-FI

### Key Features


- Ultra-portable WVGA (854x480p) LED projector with shorter throw lens
- Get set up in seconds with auto-focus, vertical keystone correction and 360 degree projection
- Built-in dual Harman Kardon Bluetooth speakers (audio only)
- Cinema SuperColor+ technology with 125% Rec.709
- Flexible connectivity with inputs such as HDMI, USB C, USB, MicroSD drive. Also comes with 12GB of local storage



24 - 100 in. / 0.6 - 2.54 m  
**DISPLAY**



**PANEL**



1920x1080  
**RESOLUTION**



### Product Description


The ViewSonic® M1+ is an iF Design award-winning, ultra-portable LED projector that delivers convenient entertainment in nearly any location. With a built-in battery and over 30,000 hours of operational life, this projector will deliver years of multimedia entertainment wherever it goes. Weighing less than two pounds, the M1+'s compact and lightweight design makes it ideal for moving from room to room, or for indoor/outdoor usage. An integrated smart stand provides for simple 360-degree setup, while also doubling as a lens cover. Once the lens is uncovered, the projector automatically powers on with full brightness for instant entertainment. Dual Harman Kardon speakers provide crisp and clear sound for multimedia content. Smart connectivity options include WiFi for wireless screen mirroring from smart devices, Bluetooth for versatile audio, and USB-C for direct streaming from Switch gaming consoles.

# Specifications

|                                             | More Information            |
|---------------------------------------------|-----------------------------|
| UPC                                         | 766907982312                |
| Light Source                                | LED                         |
| Display Resolution                          | WVGA (854x480)              |
| Display Resolution                          | 854 x 480                   |
| Brightness (Lumens)                         | 300 LED (125 ANSI)          |
| Screen Size                                 | 24 - 100 in. / 0.6 - 2.54 m |
| Throw Distance                              | 0.64m-2.66m (38"@1m)        |
| Throw Ratio                                 | 1.2                         |
| Keystone                                    | Vertical (+/- 40°)          |
| Lens                                        | Fixed Zoom                  |
| Light Source (watt)                         | RGB LED                     |
| Light Source Life, Normal (hours)           | 30000                       |
| Light Source Life, Dynamic Eco-Mode (hours) | 30000                       |
| Color Depth                                 | 1.07B Color (R/G/B 10bit)   |
| Dynamic Contrast Ratio                      | 120,000:1                   |
| Aspect Ratio                                | 16:9                        |
| Input Lag                                   | 37ms                        |
| Frequency Horizontal                        | 15K-102KHz                  |
| Frequency Vertical                          | 23-120Hz                    |
| PC Resolution (max)                         | 1920x1080                   |
| PC Resolution (min)                         | 640 x 480                   |
| Mac® Resolution (max)                       | 1920x1080                   |
| Mac® Resolution (min)                       | 640 x 480                   |
| USB 2.0 Type A                              | 1                           |
| USB 3.1 Type C                              | 1                           |
| Card Reader                                 | Micro SD                    |
| 3.5mm Audio Out                             | 1                           |
| HDMI 1.4 (with HDCP 1.4)                    | 1                           |
| Wifi                                        | 5Gn                         |
| Bluetooth Audio-in                          | 1 (BT4.2)                   |
| Bluetooth Audio-out                         | 1 (BT4.2)                   |
| Internal Speakers                           | 3W (x2)                     |

|                                  |                                                                                                                    |
|----------------------------------|--------------------------------------------------------------------------------------------------------------------|
| <b>Voltage</b>                   | Power adaptor: Input: 100~240V Output: 19VDC / 3.42A Battery: 12000mAh(4000mAh 3.7Vx3) (2.5hrs@Normal, 3hrs@Eco)   |
| <b>Consumption (typical)</b>     | 35W                                                                                                                |
| <b>Stand-by</b>                  | <0.5W                                                                                                              |
| <b>Physical Controls</b>         | Power, keystone/arrow keys, left/blank, menu/exit, right/panel key lock, mode/enter, auto, source                  |
| <b>On Screen Display</b>         | Display, Image, Power Management, Basic, Advanced, System, Information (See user guide for full OSD functionality) |
| <b>Temperature</b>               | 32-104° F (0 - 40° C)                                                                                              |
| <b>Humidity (non-condensing)</b> | 0-90%                                                                                                              |
| <b>Net (lbs)</b>                 | 1.5                                                                                                                |
| <b>Gross (lbs)</b>               | 3.7                                                                                                                |
| <b>Net (kg)</b>                  | 0.7                                                                                                                |
| <b>Gross (kg)</b>                | 1.7                                                                                                                |
| <b>Packaging (in.)</b>           | 8.6 x 7.5 x 4.7                                                                                                    |
| <b>Physical (in.)</b>            | 5.9 x 5.0 x 1.6                                                                                                    |
| <b>Packaging (mm)</b>            | 219.0 x 190.0 x 119.0                                                                                              |
| <b>Physical (mm)</b>             | 151.0 x 126.0 x 40.0                                                                                               |
| <b>Regulations</b>               | FCC, cTUVus, ROHS                                                                                                  |
| <b>Package Contents</b>          | M1+2 Projector, Power Cable, Remote Control, USB-C Cable, Quick Start Guide                                        |
| <b>Warranty</b>                  | Three-year limited warranty on parts and labor                                                                     |
| <b>Recycle/Disposal</b>          | Please dispose of in accordance with local, state or federal laws.                                                 |
| <b>Battery Chemistry</b>         | Lithium-ion                                                                                                        |
| <b>Portability</b>               | Portable, Mobile                                                                                                   |

UPC: 766907982312



**Contact Sales**  
[ViewSonic.com](http://ViewSonic.com)  
 888.881.8781  
 email:  
[salesinfo@viewsonic.com](mailto:salesinfo@viewsonic.com)