

22''(21.5'' viewable) stylish frameless IPS monitor with HDMI, DisplayPort and speakers



VX2276-smhd



22''(21.5'' viewable) Full HD LCD Monitor with SuperClear® IPS-type Panel Technology in stylish silver frameless design. This monitor offers 178 / 178 degree viewing angle, 80M:1 dynamic contrast, VGA, HDMI, DisplayPort input and speakers. Flicker-Free, Blue Light Filter, Low EMI, Low Input Lag and ViewMode optimize the viewing experience



Frameless bezel design

Break free from bulky designs, and prepare for a frameless experience. An ultra slim 6.6 mm panel and a thin 2 mm bezel, delivering an incredible visual experience.



SuperClear: Stunning colour Performance & Wide-angle Viewing

With SuperClear IPS panel technology, enjoy accurate and vivid colours with consistent levels of brightness whether you are looking at the screen from above, below, the front, or the side.



178°


Full HD 1080p Resolution

This monitor features Full HD 1920x1080 resolution for unbelievable pixel-by-pixel image performance. You'll experience the most amazing clarity and detail whether while working, gaming, or enjoying the latest in multimedia entertainment.




Flexible connectivity

HDMI, DisplayPort and VGA inputs, enable users to connect to game consoles, Blu-ray players, digital cameras, laptops, satellite boxes, and other high-definition devices.



Enhanced Viewing Comfort

Flicker-Free technology and a Blue Light Filter help to eliminate eye strain from extended viewing periods



Low EMI promises a safer viewing experience

ViewSonic offers exclusive Low EMI products, ensuring that our products comply with corresponding national regulations. On top of that, we internally commit to lower radiation emissions based on stringent internal rules.



ViewMode: Intuitive Settings

ViewSonic's unique ViewMode feature offers "Game," "Movie," "Web," "Text," and "Mono" presets. These presets enhance gamma curve, colour temperature, contrast, and brightness to deliver an optimized viewing experience for different screen applications.

ViewMode



GAME



MOVIE



TEXT



WEB



MONO

Dual Integrated Stereo Speakers

Designed with dual integrated speakers, this monitor combines incredible screen performance with stereo sound for an immersive multimedia experience.



Technical Specifications

| | | |
|------------------------------------|-----------------------------|------------------------------|
| LCD PANEL | Type | 22"W (21.5" Viewable) IPS |
| | Display Area | 476.06mm (H) x 267.79mm (V) |
| | Resolution | Full HD 1920 x 1080 |
| | Brightness | 250 cd/m2 (Typ) |
| | Contrast Ratio | 1000:1 (Typ) |
| | Dynamic Contrast Ratio | 80,000,000:1 |
| | Viewing Angles | 178 degrees / 178 degrees |
| | Response Time | 4ms GtG Avg |
| Connector Photo | Digital | HDMI x 1 ,DisplayPort x 1 |
| | Analog | VGA x 1 |
| | Audio Out | Earphone out x 1 |
| | Audio In | Audio in x 1 |
| SPEAKERS | | 3W X 2 |
| POWER | Power | 3-pin plug Mickey Type x 1 |
| | Voltage | AC 100-240V(Universal) |
| | Consumption | 20W |
| | Optimize | 17W |
| | Conserve | 15W |
| ERGONOMICS | | Tilt: 17 ~ -5 degrees |
| SPECIAL FEATURES | | Low Input Lag |
| WALL MOUNT | VESA® | N/A |
| OPERATING CONDITIONS | Temperature (° F / ° C) | 32°F to 104°F (0°C to 40°C) |
| | Humidity | 20% to 90% (no condensation) |
| DIMENSIONS (W x H x D) (mm) | Physical with stand (mm) | 498 x 393 x 209 mm |
| | Physical without stand (mm) | 498 x 302 x 33 mm |
| | Packaging (mm) | 563 x 382 x 115 mm |
| WEIGHT | Net with stand (kg) | 2.44Kg |

| | |
|------------------------|---------|
| Net without stand (kg) | 2kg |
| Gross (kg) | 4.625kg |

REGULATIONS

CE, CB, RoHS, ErP, REACH, WEEE, UL, FCC, Energy Star 7.0, EPEAT Silver, CU, BSMI, CCC

PACKAGE CONTENTS

LCD Display
Power Cable (1.5m)
VGA Cable (1.5m)
Audio Cable (1.5m)
Quick Start Guide
*Actual content may differ from market to market

ViewSonic® Limited Warranty

ViewSonic provides customers with the security of a manufacturers warranty against defected products. The type and duration of the applicable warranty service varies by product type, country of purchase and can also vary on an individual basis according to customer requirements agreed at time of purchase. The warranty will expire after the end of the warranty period.

For more product information, visit us at **www.viewsoniceurope.com**

All rights reserved by ViewSonic Corporation. All other Corporate names and trademarks are the property of their respective companies. E&EO. All prices and specifications are subject to change without written notice. Images are for illustrative purpose only. Terms & Conditions Apply.