

3300 Lumens XGA DLP (White) Projector



PJD5255L



The brand new LightStream™ Projector PJD5255L integrates elegant style and intuitive design, HDMI & VGA connectivity and best in class colour and sound performance thanks to exclusive SuperColor™ and SonicExpert™ technology. The PJD5255L is equipped with 3,300 lumens brightness, a 6-segment color wheel, high resolution 4:3 (XGA1024 x 768) and 22,000:1 contrast ratio for great image quality even in spaces with high ambient light. Eco mode further reduces power consumption by up to 70% and extends the lamp life by up to 10,000 hours.

Premium Curved Design With Intuitive Keypad

With its dot texture finish and curved edges, this LightStream Projector stands out from the competition. A tactile keypad provides ease of use with raised and concave buttons, plus a central reference button. These assist in making set up easier in dark environments or if the projector is ceiling mounted.



HDMI for One-Cable Connectivity to HD Devices

The best and easiest way to connect to most modern devices is through an HDMI (High Definition Media Interface) cable. HDMI carries both video and sound thus limiting the requirement to attach an additional audio cable, as is often the case with other input options.



SuperColor™ projectors offer color accuracy levels



Conventional projectors offer low-quality images

SuperColor™ Best in Class Colour Accuracy

ViewSonic's exclusive SuperColor™ Technology delivers superior colour range than competitor projectors, ensuring that users enjoy more realistic and accurate colours. With an exclusive colour wheel design and dynamic lamp control capabilities, SuperColor™ Technology projects images with true-to-life colour performance in all scenarios, also reducing eye fatigue in bright and dark images.

SonicExpert™ Clear, Comfortable and Louder Sound

Following groundbreaking and exclusive speaker developments - transducer and chamber re-design - LightStream projectors deliver superior audio performance than competitor projectors. The compact yet powerful speakers sound stronger and enable sound to travel further, powerful enough to fill your meeting room with wall-to-wall sound.



Bright Images for Any Environment

and white and less grey in appearance.

Packed with 3,300 lumens the PJD5255L is guaranteed to produce bright images in any environment - even in rooms with high ambient light. The impressive 22,000:1 contrast ratio also ensures that dark and bright areas are more black



Hide Unsightly Cables

An optional cable management hood connects onto the back of the projector to hide unsightly cable clutter and exposed ports.



Quickly Access Your Favourite Features With “My Button”

Finding a function through the on-screen menu can be time-consuming. The “My Button” button on the remote control is a programmable shortcut button that can be user-programmed to launch any desired function.



Auto Power On / Off

With 'Auto Power On' enabled, once a cable is connected and signal detected, LightStream projectors will power on automatically with effortless start-up. When no signal is detected, the projector will automatically power off after a user-defined amount of time - saving electricity cost, reducing energy consumption and extending the life of the projector.



3D Compatible for Exciting Visual Effects

You'll have amazing 120Hz 3D capabilities at your disposal with this LightStream Projector. All that's required to unlock this stunning 3D are optional ViewSonic 3D active shutter glasses (PGD-350) and a 3D source. Unleash a vivid 3D experience with the ViewSonic LightStream projectors today.



Technical Specifications

Product
Specification

Resolution	XGA(1024 x 768)
Brightness (ANSI Lumens)	3,300
Contrast (with Dynamic Contrast Ratio)	22,000:1
Lamp Hour (Normal / Eco / DynamicEco)	N/A
Throw Ratio in Meters (Wide ~ Tele)	1.95 ~ 2.15
Optical Zoom	1.1x
Digital Zoom	2.0x
Screen Size	30" ~ 300"
Projection Offset	130% +/- 5%
Display Colours	1.07 Billion Colours
Keystone	+/- 40° (Vertical)
Noise min (Normal / Eco)	32dB/28dB
Speaker	2W x 1

Input Connectivity	HDMI In	1
	VGA-in	1
	Component Input	shared with VGA-in
	S-Video	NA
	Composite Input	NA
	Audio-in (3.5mm)	NA
	Audio-in (RCA pair)	NA
	USB Type A	NA
	USB Type B	NA
	Mini USB	1 (Firmware, mouse control)
	Microphone in (3.5mm)	NA
	SD Card reader	NA

Output Connectivity	VGA-out	NA
	Audio-out (3.5mm)	NA

Control	RS232 (9 pin)	1
	Network Mangment (LAN cable)	NA
	12V Power Trigger	NA

PC / Mac	Video/Audio Streaming	NA
	Extend/Mirror display	NA
	4-in-1 Spilt screen	NA

1 to many
projection NA

iOS / Android

DOC file streaming (read only)	NA
Live CAM	NA
Live Draw	NA
Cloud service (Drop box)	NA
WiFi (single band or dual band)	NA
Miracast	NA
DLNA	NA
Bridge to ethernet	NA
Video/Media streaming	NA

Advanced Features

3D Compatible (optional PGD-350 3D glasses required)	Yes
Interactive (optional PJ-PEN-003 required)	NA
Low Power Standby	<0.5W
3 sec. on / 0 sec. off	Yes
Wireless Display	NA
Network Control	NA
Network Display	NA
Auto Keystone	NA
Microsoft Office Viewer	NA
Sleep Timer	Yes
Presentation Timer	Yes
Password Protection	Yes
Security Bar	Yes
Keypad Lock	Yes
Customized Start-up Screen	NA
DynamicEco / Movie mode / Contrast	Yes / Yes / Yes

Dimensions and Power

Dimension (WxDxH)	316 x 228 x 103.7 mm
Net Weight	2.1kgs
Power Source	100V ~ 240V / 50~60Hz
Power Consumption	265W (Max)

Supplied Accessories		
	Power cord	1
	VGA cable	1
	HDMI cable	NA
	Remote Control (with batteries)	1
	Cable cover	NA
	Quick Start Guide & CD	Yes
	Carry bag	NA
Optional Accessories		
	PGD-350 (3D glasses x1)	Yes
	PJ-PEN-003 (2x interactive pens and infrared module)	NA
	PJ-WMK-401 (wall mount kit for Ultra Short Throw projectors)	NA
	PJ-WPD-200 (USB WiFi dongle)	NA
	WPG-300 (HDMI-MHL WiFi dongle)	NA
	WPD-100 (USB WiFi dongle)	NA
	WPG-370 (wireless presentation box)	Yes
Languages	On Screen Display	English, French, Spanish, Thai, Korean, German, Italian, Russian, Swedish, Dutch, Polish, Czech, T-Chinese, S-Chinese, Japanese, Turkish, Portuguese, Finnish, Indonesian, Indian, Arabic

ViewSonic® Limited Warranty

ViewSonic provides customers with the security of a manufacturers warranty against defected products. The type and duration of the applicable warranty service varies by product type, country of purchase and can also vary on an individual basis according to customer requirements agreed at time of purchase. The warranty will expire after the end of the warranty period.

For more product information, visit us at www.viewsoniceurope.com

All rights reserved by ViewSonic Corporation. All other Corporate names and trademarks are the property of their respective companies. E&EO. All prices and specifications are subject to change without written notice. Images are for illustrative purpose only. Terms & Conditions Apply.