

27" LCD Monitor with SuperClear® AH-IPS Technology



VX2776-smhd



HDMI
HIGH-DEFINITION MULTIMEDIA INTERFACE



The ViewSonic® VX2776-smhd is a 27" Full HD LCD monitor designed for both office and home use. With SuperClear® AH-IPS, this monitor offers best-in-class screen performance with ultra-wide viewing angles. Vivid 1920x1080 resolution and dual speakers, combined with a sleek edge to edge frameless design, deliver an immersive viewing experience for home entertainment and multimedia applications. What's more, the minimalist design of this monitor makes it perfect for nearly seamless multi-screen setups. HDMI, VGA, and DisplayPort inputs deliver flexible connectivity options for both computing and gaming environments, while ViewSonic's exclusive ViewMode feature provides intuitive presets for optimized screen performance in different applications. In addition, Flicker-Free technology, and Blue Light Filter help to minimize eye strain from extended viewing periods. With ViewSonic's industry-leading 3-year limited warranty, this monitor is a solid long-term investment for enterprise and home applications.

Premium Appearance


Inspired by famous architecture and an iconic design, fused with modern form factors like an ultra-slim construction, a modern, minimalist frameless bezel, and unique triangle stand; the VX76 totally elevates your senses to the next level.

- 6.6mm Ultra slim design
- Floating design frameless bezel, viewing with no borders
- Minimalist and chrome like triangle stand



The capability to flexibly connect is all you need

HDMI, DisplayPort and VGA inputs, enable users to connect to game consoles, Blu-ray players, digital cameras, laptops, satellite boxes, and other high-definition devices. Sometimes flexibility is the key to everything.



A Comfort zone for your eyes

Flicker-Free technology and a Blue Light Filter help to eliminate eye strain from extended viewing periods.

Redefine your angle of view with SuperClear® AH-IPS technology

- Explore more details with 178° wide-angle viewing
- Experience truly remarkable, accurate color and more




Dual integrated stereo speakers, everything you've heard is true

Designed with dual integrated stereo speakers, and paired with incredible screen performance, get lost in an immersive multimedia experience. Expect more from your monitor, with powerful 3W integrated speakers.



Low EMI promises a safer viewing experience

ViewSonic offers exclusive Low EMI products, ensuring that our products comply with corresponding national regulations. On top of that, we internally commit to lower radiation emissions



based on stringent internal rules. At ViewSonic, we continuously strive to put our customers first, producing products that are environmentally safe and health-conscious.



ViewMode, switch setting has never been so quick and easy

ViewSonic's unique ViewMode feature offers "Game," "Movie," "Web," "Text," "Mono", and "Mac" presets. These presets enhance gamma curve, color temperature, contrast, and brightness to deliver an optimized viewing experience for different screen applications, which means viewing is more comfortable and easy.



Technical Specifications

LCD PANEL	Size	27" (16:9)
	Panel Technology	AH-IPS
	Display Area	27" (597.89x336.31mm)
	Optimum Resolution	1920x1080 (Full HD)

	Brightness	250 cd/m ²
	Contrast Ratio	1,000 :1 (Typ.)
	Dynamic Contrast Ratio	80,000,000:1
	Viewing Angle	178° (H) / 178° (V)
	Response Time	4ms (GTGavg)
	Backlight Life	30,000 Hrs (Min.)
	Color	16.7 M
	Panel Surface	Anti-Glare type, Hard-coating (3H)
CONNECTOR	Analog	VGA x1
	Digital	HDMI x1 / DisplayPort x1
	Audio in	3.5mm jack x1
	Audio Out	3.5mm jack x1
	Power	External Power Adapter
SPEAKERS		3W x2
INPUT SIGNAL	Analog	VGA
	Digital	HDMI / DisplayPort
	Frequency	55 ~ 83 kHz / 50 ~ 76 Hz
	Sync	Separate Sync
COMPATIBILITY	PC	1920 x 1080
	Mac	1920 x 1080
POWER	Voltage	AC 100-240V (Universal); 50/60 Hz
	Consumption	24 W ; Optimize: 20 W ; Conserve: 17 W
ERGONOMICS	Tilt	17° ~ -5°
OPERATING CONDITIONS	Temperature	32°F to 104°F (0°C to 40°C)
	Humidity	20% to 90% (no condensation)
DIMENSIONS	Physical (w/ stand)	621 x 462.6 x 209 mm
WEIGHT	Net (w/ stand)	3.71 Kg
REGULATIONS	cULus, FCC-B, ICES-003, Energy Star 7.0, EPEAT Silver, NRCan, UL-MXCoC, Mexico Energy, CE, WEEE, EEL, EAC, BSMI, RCM, MEPS, PSB, SASO, VCCI, PSE, KC, e-Standby, CCC, China RoHS, CEL Level 1	
PACKAGE CONTENTS	LCD Display /AC/DC Adapter / Power Cable / VGA Cable / HDMI Cable / Audio Cable / Quick Start Guide	