

# Màn hình máy tính 24 inch, Full HD, VA, Adaptive Sync, 75Hz, 4ms, 104% sRGB



**VA2405-h**




- Cổng kết nối HDMI và VGA
- Công nghệ bảo vệ mắt
- Chế độ tiết kiệm điện
- Tính năng ViewMode độc quyền
- Công nghệ đồng bộ Adaptive Sync
- Tích hợp treo tường VESA

Màn hình ViewSonic VA2405-h là chiếc màn hình 24" có độ phân giải Full HD và tích hợp cổng kết nối HDMI, VGA cho làm việc cũng như giải trí tại gia đình và văn phòng. Màn hình mang lại chất lượng hình ảnh tuyệt vời với mức tiêu thụ điện thấp cùng tính năng tinh chỉnh khả năng hiển thị màu của ViewMode sẽ giúp bạn có những trải nghiệm tốt nhất ở các nhu cầu sử dụng khác nhau. Người dùng hoàn toàn có thể sử dụng chiếc màn hình này để chơi game mà không lo các hiện tượng giật, xé hình nhờ công nghệ Adaptive Sync. Bên cạnh đó, sản phẩm được trang bị công nghệ bảo vệ mắt giúp người dùng không bị mỏi mắt hay đau đầu khi làm việc lâu trước màn hình. ViewSonic VA2405-h được tích hợp treo tường VESA giúp bạn có thể dễ dàng treo lên tường.

## **Bảo Vệ Đôi Mắt Của Bạn**

Công nghệ chống nhấp nháy và bộ lọc Ánh sáng xanh sẽ bảo vệ đôi mắt của bạn khỏi hiện tượng mỏi mắt, đau đầu khi làm việc lâu trên màn hình máy tính.

### **Công Nghệ Bảo Vệ Mắt**



### **Tiêu Thụ Điện Năng Thấp**

Màn hình có tích hợp sẵn chế độ tiết kiệm điện nhưng vẫn đảm bảo hiệu năng của màn hình.

### **Chế Độ Tiết Kiệm**



## Các Chế Độ Màu Có Sẵn

Tính năng ViewMode của ViewSonic cung cấp sẵn cho người dùng các cấu hình màu sắc để sử dụng cho các trường hợp như “Game”, “Movie”, “Web”, “Text”, và “Mono” . Các chế độ này được thiết lập với các đường cong gamma, nhiệt độ màu, độ tương phản, độ sáng khác nhau cho từng nhu cầu để đem lại trải nghiệm tốt nhất cho người dùng.


### ViewMode: Game/Movie/Web/Text/Mono/Mac



## Thoải Mái Chơi Game Và Giải Trí

Để phục vụ cho giải trí và chơi game, màn hình được tích hợp công nghệ Adaptive Sync để loại bỏ hiện tượng giật và xé hình.

### Adaptive Sync 48 - 75Hz



### Kích Thước & Các Cổng Kết Nối



- 1. Menu Control Panel
- 2. VESA Compatible (Wall Mount 100x100mm)
- 3. AC IN
- 4. HDMI
- 5. VGA

## Technical Specifications

---

<b>Display</b>	<b>Display Size (in.)</b>	24
	<b>Viewable Area (in.)</b>	23.6
	<b>Panel Type</b>	VA Technology
	<b>Resolution</b>	1920 x 1080
	<b>Resolution Type</b>	FHD
	<b>Static Contrast Ratio</b>	3,000:1 (typ)
	<b>Dynamic Contrast Ratio</b>	50M:1
	<b>Light Source</b>	LED
	<b>Brightness</b>	250 cd/m <sup>2</sup> (typ)
	<b>Colors</b>	16.7M
	<b>Color Space Support</b>	8 bit (6 bit + Hi-FRC)
	<b>Aspect Ratio</b>	16:9
	<b>Response Time (Typical GTG)</b>	4ms
	<b>Viewing Angles</b>	178° horizontal, 178° vertical
	<b>Backlight Life (Hours)</b>	30000 Hrs (Min)
	<b>Curvature</b>	Flat
	<b>Refresh Rate (Hz)</b>	75
	<b>Adaptive Sync</b>	Yes
	<b>Blue Light Filter</b>	Yes
	<b>Flicker-Free</b>	Yes
	<b>Color Gamut</b>	NTSC: 72% size (Typ), sRGB: 104% size (Typ)
	<b>Pixel Size</b>	0.272 mm (H) x 0.272 mm (V)
	<b>Surface Treatment</b>	Anti-Glare, Hard Coating (3H)
<b>Compatibility</b>	<b>PC Resolution (max)</b>	1920x1080
	<b>Mac® Resolution (max)</b>	1920x1080
	<b>PC Operating System</b>	Windows 10 certified; macOS tested
	<b>Mac® Resolution (min)</b>	1920x1080
<b>Connector</b>	<b>VGA</b>	1
	<b>HDMI 1.4</b>	1
	<b>Power in</b>	3-pin Mickey Mouse Socket (IEC C6)
<b>Power</b>	<b>Eco Mode (Conserve)</b>	14W
	<b>Eco Mode (optimized)</b>	17W
	<b>Consumption (typical)</b>	20W
	<b>Consumption (max)</b>	21W
	<b>Voltage</b>	AC 100-240V, 50/60 Hz
	<b>Stand-by</b>	0.3W
	<b>Power Supply</b>	Internal
<b>Additional Hardware</b>	<b>Kensington Lock Slot</b>	1
<b>Controls</b>	<b>Physical Controls</b>	Key 1 (favorite), Key 2, Key 3, Key 4, Key 5 (power)
	<b>On Screen Display</b>	Input Select, ViewMode, Color Adjust, Manual Image Adjust, Setup Menu

<b>Operating Conditions</b>	<b>Temperature</b>	32°F to 104°F (0°C to 40°C)
	<b>Humidity (non-condensing)</b>	20% to 90%
<b>Wall Mount</b>	<b>VESA Compatible</b>	100 x 100 mm
<b>Input Signal</b>	<b>Frequency Horizontal</b>	24 ~ 86KHz
	<b>Frequency Vertical</b>	48 ~ 75Hz
<b>Video Input</b>	<b>Digital Sync</b>	TMDS - HDMI (v1.4)
	<b>Analog Sync</b>	Separate - RGB Analog
<b>Ergonomics</b>	<b>Tilt (Forward/Back)</b>	-3° / 20°
<b>Weight (imperial)</b>	<b>Net (lbs)</b>	7.1
	<b>Net Without Stand (lbs)</b>	6.2
	<b>Gross (lbs)</b>	9.9
<b>Weight (metric)</b>	<b>Net (kg)</b>	3.2
	<b>Net Without Stand (kg)</b>	2.8
	<b>Gross (kg)</b>	4.5
<b>Dimensions (imperial) (wxhxd)</b>	<b>Packaging (in.)</b>	24 x 15.7 x 5.5
	<b>Physical (in.)</b>	21.6 x 16 x 7
	<b>Physical Without Stand (in.)</b>	21.6 x 12.8 x 1.6
<b>Dimensions (metric) (wxhxd)</b>	<b>Packaging (mm)</b>	610 x 400 x 140
	<b>Physical (mm)</b>	548 x 406 x 177
	<b>Physical Without Stand (mm)</b>	548 x 324 x 41
<b>General</b>	<b>Regulations</b>	cTUVus, FCC-B, ICES003, CEC, MX-CoC, Mexico Energy, CE, CE EMC, CB, RoHS, ErP, REACH, WEEE, EAC, UkrSEPRO, BSMI, RCM, GEMS, BIS
	<b>PACKAGE CONTENTS</b>	VA2405-H x1, 3-pin Mickey Mouse Plug (IEC C5) x1, VGA Cable (Male-Male) x1, Quick Start Guide x1
	<b>Recycle/Disposal</b>	Please dispose of in accordance with local, state or federal laws.
	<b>Warranty</b>	*Warranty offered may differ from market to market