

ViewSonic®

2026 | Q1

Product Portfolio





ViewSonic

Product Portfolio

Contents

About ViewSonic	4
ViewBoards	6
Digital Displays	20
All-in-One LED Display	32
Monitors	54
Projectors	166
Software	218
Accessories	222
Sutainability & Recycling	238

About ViewSonic



Headquarters
California, USA

About Us

Founded in 1987 and based in Brea, California, USA, ViewSonic is a global leader in visual and EdTech solutions, with a presence in over 100 countries.

With 35+ years of expertise, the company has grown from a monitor supplier into a multinational innovator, delivering in education, business, industrial and consumer markets.

Our portfolio spans displays from portable 5" to custom large formats including interactive, commercial & all-in-one LED displays, monitors and projectors—enhanced by SaaS solutions, AI-powered technologies and interactive content.

Europe Office

London, UK

R&D Centre

Taipei, Taiwan

Key Regional Offices

Europe

Miles Yard
10 Miles Street
SW8 1GX
London
United Kingdom

+44 20 7382 8250

America

10 Pointe Drive
Brea
California
92821
USA

+1 90 9444 8888

Asia Pacific

9F, No. 192
Lien Chen Road
Zhonghe Dist
New Taipei City
Taiwan

+886 2 2246 3456



ViewBoards

Interactive Displays


Why ViewSonic?	8
IFPG1 (OS-Free)	10
IFP35	11
IFP41	12
IFP51	13
IFP53	14
IFP63	15
IFP110	16
IFPUW	17
Comparison	18

ViewBoards

Interactive Displays

Why ViewSonic?

Ranked the world's #1 interactive display brand for two years running*, ViewSonic ViewBoards deliver stunning visuals and powerful collaboration tools that bring people together to learn, create, and work. We provide solutions fit for every budget and space, with sizes from 55" to 110", including ultrawide series.



Why Choose our ViewSonic ViewBoard?



5-Year Warranty

Enjoy peace of mind with on-site repair or replacement.



ESG Certificates

Certified by EPEAT, RoHS, and EnergyStar. Recycling scheme available to support disposal of old tech.



AV Integration

Compatible with AV Systems, including Crestron, Extron, AMX, Control4 and Kramer.



Built-in Software

myViewBoard for presentations and collaboration, AirSync for wireless casting and Manager for remote device management.



Professional Training

Ongoing training and technical support from ViewSonic's experienced team.

ViewBoards

Interactive Displays
IFPG1 Series

OS-Free



OS-Free

Framework for
enhanced versatility,
longevity & security



Optional OPS

Slot-in Windows, Linux, Chrome & EDLA PCs



Fast USB-C

Plug-and-play connectivity & fast power charging

Screen Size	55" 65" 75" 86"
Resolution	4K
Speakers	15W x2
Subwoofer	×
Microphone	×
Brightness (Max)	450 Nits


Energy Efficiency



ViewBoards

Interactive Displays
IFP35 Series

Essential



Condition Sensor

Environmental Sensor
that saves energy and shares
environment updates



Google Play Store

Full access to all Google Play Store apps



WriteAway

Quick-start tool for instant annotation

Screen Size

65" 75" 86"

Resolution

4K

Speakers

20W x2

Subwoofer

×

Microphone

×

Brightness (Max)

450 Nits

Energy Efficiency



ViewBoards

Interactive Displays
IFP41 Series

Communication Pro



PIR Sensor

Saves energy with
ambient light sensor



WriteAway

Quick-start tool for instant annotation



Fast USB-C

Plug-and-play connectivity & fast power charging

Screen Size	65" 75" 86"
Resolution	4K
Speakers	20W x 2
Subwoofer	20W
Microphone	8 Array
Brightness (Max)	450 Nits

Energy Efficiency



*Single Sign-on

ViewBoards

Interactive Displays
IFP51 Series

Panoramic Sound



**NFC &
SSO***

Swift & secure access
to dashboards



WriteAway

Quick-start tool for instant annotation



Immersive Sound

Dual 25W speakers plus 20W subwoofer

Screen Size	55" 65" 75" 86" 98"
Resolution	4K
Speakers	25W x2
Subwoofer	20W
Microphone	8 Array
Brightness (Max)	450 Nits

Energy Efficiency



ViewBoards

Interactive Displays
IFP53 Series

Connectivity Pro



**NFC &
SSO***

Swift & secure access
to dashboards



Eye Protection

Flicker-free technology and blue light filter



Quad USB-C

Quad USB-C 3.0 with fast power charging

Screen Size

65" 75" 86"

Resolution

4K

Speakers

20W x 2

Subwoofer

20W

Microphone

8 Array

Brightness (Max)

450 Nits


Energy Efficiency



ViewBoards

Interactive Displays
IFP63 Series

Precise Touch



PCAP Touch

Advanced touch
technology for a paper-
like writing experience



Condition Sensor

Environmental Sensor and Antibacterial Coating



NFC & SSO*

Swift & secure access to dashboards

Screen Size	65" 75" 86"
Resolution	4K
Speakers	20W x2
Subwoofer	20W
Microphone	8 Array
Brightness (Max)	450 Nits

Energy Efficiency



*Single Sign-on
15

ViewBoards

Interactive Displays
IFP110 Series

Extra Large



110" Screen

4K screen for breathtaking larger-than-life images



NFC & SSO*

Swift & secure access to dashboards



Split Screen

Picture-in-picture & picture-by-picture modes

Screen Size	110"
Resolution	4K
Speakers	20W x2
Subwoofer	20W
Microphone	8-Array
Brightness (Max)	450 Nits

Energy Efficiency




*Single Sign-on
16

ViewBoards

Interactive Displays
IFPUW Series

Ultrawide 21:9




**21:9
Ratio**

Optimised for Front Row or
Gallery Mode in Microsoft
Teams & Zoom



5K Resolution

Stunning resolution for brilliant images



Split Screen

Picture-in-picture & picture-by-picture modes

Screen Size	92" 105"
Resolution	5K
Speakers	20W x2
Subwoofer	20W
Microphone	8-Array
Brightness (Max)	450 Nits

Energy Efficiency



ViewBoards

Comparison



IFPG1



IFP35



IFP41



IFP51

Sizes	55", 65", 75", 86"	65", 75", 86"	55", 65", 75", 86", 98"	55", 65", 75" 86", 98"
Brightness (Nits)	450	350	450	450
CPU Core	×	Octa-core	Octa-core	Octa-core
EDLA	×	✓	✓	✓
OS	×	Android 16	Android 16	Android 14
Speakers	15W x2	20W x2	20W x2	25W x2
Subwoofer	×	×		15W 20W
Mic	×	×		8 Array 8 Array
NFC Reader	×	×	×	✓
Warranty	5 Years	5 Years	5 Years	5 Years
PCAP	×	×	×	×





IFP53



IFP63



IFP110



IFPUW

Sizes	65", 75", 86"	65", 75", 86"	110"	92", 105"
Brightness (Nits)	450	450	450	450
CPU Core	Octa-core	Octa-core	Octa-core	Octa-core
EDLA	Optional	✓	✗	✗
OS	Android 14	Android 15	Android 13	Android 13
Speakers	20W x2	20W x2	20W x2	20W x2
Subwoofer	20W	20W	20W	20W
Mic	8 Array	8 Array	8 Array	8 Array
NFC Reader	✓	✓	✓	✗
Warranty	5 Years	5 Years	5 Years	5 Years
PCAP	✗	✓	✗	✗





Digital Displays

CDE & ePoster


Why ViewSonic?	22
CDEG3-1C (OS-Free)	24
CDE14-2C	25
CDE31-1C	26
CDEUW	27
ePoster	28
Comparison	29

Digital Displays

CDE & ePoster

Why ViewSonic?

From entrance halls and boardrooms to classrooms and social venues, our CDE displays and ePosters streamline communication across spaces. Available in sizes from 43" to 105" with brilliant 4K and 5K resolution, robust 24/7 operation, portrait and landscape orientation options, and stylish slim bezel design, these displays are the ideal addition to any space.



CDE31 Series



CDE105UW



Why Choose our ViewSonic CDE & ePoster?



3-Year Warranty

3-year warranty with on-site repair or replacement on selected products.



ESG Certificates

Certified by EPEAT, RoHS, and EnergyStar. Recycling scheme available to support disposal of old tech.



AV Integration

Pro-AV compatibility making some displays compatible with Crestron, AMX, Extron and Q-SYS, Cisco and more.



Built-in Software

Manager software for remote device management and AirSync for wireless casting.



24/7 Operation

Make the most of your displays with constant round-the-clock use.

CDE Displays

CDEG3-1C Series

OS-Free



OS-Free

Framework for enhanced versatility, longevity & security



Fast USB-C

Plug-and-play connectivity & 15W power charging



Pro-AV Integrated

Integrates with leading ProAV control systems and ViewSonic Manager for remote management

Screen Size

43", 55", 65", 75", 86", 98"

Resolution

4K

Brightness (Max)

500 Nits

Speaker

10W x2

24/7 Operation

✓

Portrait/Landscape

✓

CDE Displays

CDE14-2C Series

Versatile Signage



Quad Core SoC

Stable performance with fast warm boot in just 7 seconds



Fast USB-C

Plug-and-play connectivity & 15W power charging



Pro-AV Integrated

Integrates with leading ProAV control systems and ViewSonic Manager for remote management

Screen Size 43", 50", 55", 65", 75", 86"

Resolution 4K

Brightness (Max) 500 Nits

Speaker 10W x2


24/7 Operation ✓

Portrait/Landscape ✓

CDE Displays

CDE31-1C Series

Energy Efficient



Quad Core SoC

30% boost in computing power with quick power-up in just 7 seconds



Fast USB-C

Plug-and-play connectivity & 65W power charging



Pro-AV Certified

Pro-AV certification with Extron, AMX, Q-SYS and compatible with Cisco

Screen Size 43", 55", 65", 75", 86", 98"

Resolution 4K

Brightness (Max) 500 Nits

Speaker 16W x2

24/7 Operation ✓

Portrait/Landscape ✓

CDE Displays

CDEUW Series

Ultrawide



5K
21:9

High resolution for unparalleled clarity



Fast USB-C

Plug-and-play connectivity & 100W power charging*



Pro-AV Complaint

Pro-AV compliant with Creston, Extron, AMX, Q-SYS and Cisco

Screen Size

92", 105"

Resolution

5K

Brightness (Max)

500 Nits

Speaker

20W x2

24/7 Operation

✓

Portrait/Landscape

✓

Subwoofer


20W

*Only 65W USB-C charging when OPS is plugged in

ePoster

EP5542 Series

Touch/ Non-Touch



Touch or Non-touch

Available in touch & non-touch options for high-impact visual messaging in any space



Scratch Proof

Scratch-proof glass faceplate for added durability



Minimal Design

Freestanding, slim design ideal for modern spaces

Screen Size	55"	Speaker	10W x2
Resolution	4K	24/7 Operation	✓
Brightness (Max)	450 Nits	Portrait/Landscape	✗

Digital Displays

Comparison



CDE31-1C



CDE14-2C



CDEUW



CDEG3-1C

Sizes	43", 55", 65" 75", 86", 98"	43", 50", 55" 65", 75", 86"	92", 105"	43", 55", 65" 75", 86", 98"
Resolution	4K	4K	5K	4K
Brightness (Nits)	500	500	500	500
Panel Ratio	16:9	16:9	21:9	15:9
HDR	×	×	10	×
OS	Android 14	Android 14	Android 13	×
Storage	32GB	32GB	128GB	×
Speakers	16W x2	10W x2	20W x2	10W x2
Subwoofer	×	×	20W x1	×
Warranty	3 Years	3 Years	3 Years	3 Years





EP5542*

Sizes	55"
Resolution	4K
Brightness (Nits)	450
Panel Ratio	9:16
HDR	×
OS	Android 8
Storage	16GB
Speakers	10W x2
Subwoofer	×
Warranty	3 Years

*Touch model (EP5542T) available with the same specs

See
Product
Page





All-in-One LED

Displays


Why ViewSonic?	34
LDS (Foldable)	36
LDM (Fixed)	38
LDE (Fixed OS-Free)	40
LDP (Fixed Premium)	42
LDC (Custom)	44
LDCG (Custom OS-Free)	46
LDCG-C (Custom OS-Free Premium)	48
Comparison	50

All-in-One LED Displays

Why ViewSonic?

ViewSonic innovative All-in-One LED displays come in 3 different configurations to fit every need from foldable to fixed size and custom size, all offering pre-configured modules for a quick and swift installation, reducing setup time and cost.

At ViewSonic, we're with you every step of the way. From personalised pre-sale consultations to smooth installation, hands-on training, and dedicated after-sales support, we make sure you get the right solution and the best possible service.



Why Choose our ViewSonic LED?



3-Year Warranty

On top of the spare panels provided to compensate for normal wear and tear, ViewSonic offers 3 year on-site repair or replacement warranty.



Easy Installation

All of our LED modules come pre-calibrated so they are ready to use out of the box significantly reducing setup time and cost.



Easy Maintenance

Confidently switch out LED modules with our complimentary training services,. Each display comes with 7% spare LED modules & maintenance tools.



Expert Support

Pre-consultation to help you choose the right solution for your space, installation support, training and after-sale customer service.



Stock Availability

Apart for our custom solutions which are made to order, most of our LED displays are typically held in stock at our European warehouse ready for quick dispatch.

All-in-One LED

Foldable Solution
LDS Series



1948.4 mm-
2598 mm
Motorised height
adjustment



Foldable Design

Allowing it to fit through most UK standard door and service lifts



Pre-assembled

Deploys instantly from the flight case with a motorised, height-adjustable stand for quick setup.



GOB surface

IP54-rated LED modules for robust protection against impacts, dust and moisture

Screen Size	Pixel Pitch	Resolution	Full HD
138"	1.5	Speakers	30W x2
		Brightness (Max)	600 Nits

Foldable




Flight Case

Enjoy peace of mind on the move with our complimentary flight case. Designed for safe and seamless transport of your LED display

All-in-One LED

Fixed Size Solution
LDM Series



All-in-One

Pre-configured, integrating power supply, control, image stitching & display systems



Easy Install

Two-person installation in under two hours, modules can be switch for easy maintenance



GOB surface

IP54-rated LED modules for robust protection against impacts, dust and moisture

Screen Size

Pixel Pitch

136"

1.5

163"

1.8

231"

2.5

Resolution

Full HD

Speakers

30W x2

Brightness (Max)

600 Nits

Fixed Size




Optional Floor Stand

Swiftly rearrange modular spaces with our optional floor stand, equipped with lockable wheels

All-in-One LED

OS-Free Solution
LDE Series



OS-Free Platform

Framework for enhanced versatility, longevity & security



Easy Install

Two-person installation in under two hours, modules can be switch for easy maintenance



GOB surface

IP54-rated LED modules for robust protection against impacts, dust and moisture

Screen Size	Pixel Pitch	Resolution	Full HD
136"	1.5	Speakers	8W x2
163"	1.8	Brightness (Max)	600 Nits
231"	2.5		

OS-Free



Optional Floor Stand

Swiftly rearrange modular spaces with our optional floor stand, equipped with lockable wheels

All-in-One LED

Fixed Size Solution
LDP Series



All-in-One

Pre-configured with integrated media player for quick installation



Easy Install

Two-person installation in under two hours, modules can be switch for easy maintenance



COB Surface

IP54-rated & IK08 certified with enhanced durability, stability, and thermal performance

Screen Size	Pixel Pitch	Resolution	4K*
136"	0.7, 1.5	Speakers	30W x2
163"	0.9	Brightness (Max)	600 Nits
217"	1.2		

*136" - 1.5 pixel pitch (LDP136-151C) version is Full HD only

Fixed Size Premium



Optional Floor Stand

Swiftly rearrange modular spaces with our optional floor stand, equipped with lockable wheels

All-in-One LED

Custom Solution
LDC Series



All-in-One

Pre-configured with
integrated media player
for quick installation



Versatile

Flexible sizing and configurations for video
walls in various format



GOB surface

IP54-rated LED modules for robust protection
against impacts, dust and moisture

Aspect Ratio	Pixel Pitch	Resolution	Custom
16:9	1.2, 1.5, 1.8	Speakers	30W x2*
4:3	1.2, 1.5, 1.8, 2.5	Brightness (Max)	600 Nits



**Customise
Your Display**



Standard Control Box

Standard All-in-One Control Box offers a user-friendly solution with or without built-in speakers




Rack-Mount Control Box

The Rack-Mount All-in-One System Control Box is designed for professional AV environments, compatible with 4U rack cabinets to provide centralised control

All-in-One LED

Custom Solution
LDCG Series



OS-Free

Framework for enhanced versatility, longevity & security



Versatile

Flexible sizing and configurations for video walls in various format




GOB surface

IP54-rated LED modules for robust protection against impacts, dust and moisture

Aspect Ratio	Pixel Pitch	Resolution	Custom
16:9	1.2, 1.5, 1.8	Speakers	N/A
4:3	1.2, 1.5, 1.8, 2.5	Brightness (Max)	600 Nits

Custom OS-Free



**Customise
Your Display**

Slim Control Box

Slim All-in-One Control Box eliminates bulky configurations available in behind-the-screen mounting, 1U & 2U rack options

All-in-One LED

Custom Solution
LDCG-C Series



OS-Free

Framework for enhanced versatility, longevity & security



Versatile

Flexible sizing and configurations for video walls in various format




COB Surface

IP54-rated & IK08 certified with enhanced durability, stability, and thermal performance

Aspect Ratio	Pixel Pitch	Resolution	Custom
16:9	0.7, 0.9, 1.2, 1.5	Speakers	N/A
		Brightness (Max)	600 Nits

Custom OS-Free Premium



**Customise
Your Display**

Slim Control Box

Slim All-in-One Control Box eliminates bulky configurations available in behind-the-screen mounting, 1U & 2U rack options

All-in-One LED

Comparison



LDS
Foldable



LDM
Fixed Size



LDE
OS-Free



LDP
Fixed Size Premium

Sizes - Pixel Pitch	138" - 1.5	136" - 1.5 163" - 1.8 231" - 2.5	136" - 1.5 163" - 1.8 231" - 2.5	136" - 1.5* 136" - 0.7 163" - 0.9 231" - 1.2
Aspect Ratio	16:9	16:9	16:9	16:9
Brightness (Nits)	600	600	600	600
Contrast Ratio	6500:1	6500:1	6500:1	6500:1
Resolution	Full HD	Full HD	Full HD	4K*
Technology	GOB	GOB	GOB	COB
OS	Android	Android	N/A	Android
Storage	32GB	32GB	32GB	32GB
Connectivity				
Input	HDMI x4 USB-A x3 RJ45 x 3 IR in WiFi input USB-C x1 (data)	HDMI x4 USB-A x3 RJ45 x 3 IR in WiFi input USB-C x1 (data)	HDMI x4 USB-A x3 RJ45 x 3 IR in WiFi input USB-C x1 (data)	HDMI x4 USB-A x3 RJ45 x 3 IR in WiFi input USB-C x1 (data)
Output	HDMI x1 Audio out x2	HDMI x1 Audio out x2	HDMI x1 Audio out x2	HDMI x1 Audio out x2
Speakers	30W x2	30W x2	30W x2	30W x2
Warranty	3 years	3 years	3 years	3 years

*LDP136-151C (136" - 1.5 pixel pitch) resolution is Full HD





LDC027
Custom




LDC027G
Custom OS-Free



LDC027G-C
Custom OS-Free
Premium

Sizes	Custom	Custom	Custom
Cabinets Ratio	16:9	16:9	16:9
Brightness (Nits)	600	600	600
Pixel Pitch Options			
0.7	×	×	✓
0.9	×	×	✓
1.2	✓	✓	✓
1.5	✓	✓	✓
1.8	✓	✓	×
2.5	×	×	×
Technology	GOB	GOB	COB
OS	Android	OS-Free	OS-Free
Storage	32GB	×	×
Speakers	30W x2*	×	×
Warranty	3 years	3 years	3 years

*Optional Speakers (depending on control box option)



All-in-One LED

Comparison




LDC031
Custom

LDC031G
OS-Free Custom

Sizes	Custom	Custom
Cabinets Ratio	4:3	4:3
Brightness (Nits)	600	600
Pixel Pitch Options		
0.7	×	×
0.9	×	×
1.2	✓	✓
1.5	✓	✓
1.8	✓	✓
2.5	✓	✓
Technology	GOB	GOB
OS	Android	OS-Free
Storage	32GB	×
Speakers	30W x2*	×
Warranty	3 years	3 years

*Optional Speakers (depending on control box option)





ViewSonic

Monitors

Why ViewSonic?	56
Business	58
Creative	86
Touch	96
Gaming	110
Entertainment	122
Essential	132
Portable	156

ViewSonic Monitors

Why ViewSonic?

ViewSonic offers monitors for every user category. From budget-friendly home models, to professional colour-accurate displays, to high-performance gaming monitors. Whether you're a student, designer, business user, or gamer, there's likely a ViewSonic model that fits your requirements.

Business

Ergonomic business monitors



Creative

Colour accurate monitors



Touch

For POS, podium or interface



Gaming

Esport/Casual gaming monitors



Entertainment

Media consumption



Essential

Budget friendly



Portable

Creative, gaming & business options



Why Choose ViewSonic Monitors?



35+ years of experience

With more than 35 years in the display industry, ViewSonic has built a global reputation for innovation, reliability and quality.



Value for money

ViewSonic often provides premium features at competitive prices, such as IPS panels, high refresh rates, built-in speakers & ergonomic stands, delivering quality & performance without overspending.



Innovative Features

We incorporate features like Blue Light Filter, Flicker-Free technology, USB-C connectivity, and adaptive sync (FreeSync/G-Sync support). These features ensure a future-proofed product



Warranty & Support

ViewSonic offers up to 5 years warranty on monitors, along with solid customer service and technical support. Buy with peace of mind and confidence in product durability.



Business

Monitors

Why ViewSonic?	60
Conference	62
Ultrawide	66
Energy Efficient	68
USB-C	72
Colour Accurate	74
4K Resolution	76
Entry Level	78
Comparison	80

Business Monitors

Why ViewSonic?

The Business (VG) series is designed for business professionals and office environments, offering ergonomic stands, thin bezels and energy-efficient features. With versatile connectivity and screen sizes, VG monitors are perfect for improving productivity and comfort in modern workspaces.



Why Choose our Business Monitors?



5-Year Warranty

All of our Business Monitors come with standard 5-Year warranty providing long-term peace of mind.



Energy Efficient

All Business monitors are TCO and Energy Star certified and have a minimum of EPEAT Silver, allowing operations to be scaled without compromising efficiency.



Ergonomic Stands

Keep employees safe from Repetitive Strain Injury (RSI) with our fully ergonomic stands enabling tilt, height, swivel & pivot adjustment for all-day comfort.



Conference Solutions

Built-in webcams with privacy sliders or pop-up designs let you join meetings securely and confidently and ensure your privacy when not in use.



Connectivity Options

Experience ultimate flexibility with USB-C, HDMI, and Display Port connectivity options, designed for effortless compatibility and a clutter-free workspace.

Business

VG Monitors
VG3457CV

Conference



Windows Hello

Instant, secure access to your digital workspace using Windows Hello



Docking Station

Streamline workflows by eliminating the need for dongles and adapters with 100W USB-C Docking



Zoom Certified

Built-in Zoom Certified 5MP pop-up camera with LED fill lights & microphone

Screen Size	34"
Resolution	UWQHD
USB-C	✓
Refresh Rate (Hz)	100Hz
Panel Type	VA
Speakers	✓

HDMI 2.0 x2	DP x1	3.5mm x1	LAN x1
USB-A 3.2 x4	USB-C 3.2 x1	USB-C 3.1 x2	

Business

VG Monitors
VG2757V-2K

Conference



Windows Hello

Instant, secure access to your digital workspace using Windows Hello



Docking Station

Streamline workflows by eliminating the need for dongles and adapters with 90W USB-C Docking



Zoom Certified

Built-in Zoom Certified 5MP pop-up camera with LED fill lights & microphone

Screen Size	27"
Resolution	QHD
USB-C	✓
Refresh Rate (Hz)	100Hz
Panel Type	IPS
Speakers	✓

HDMI 2.0 x1	DP x2	3.5mm x1	LAN x1
USB-A 3.2 x3	USB-C 3.2 x1	USB-C 3.1 x1	

Business

VG Monitors
VG2741V-2K

Conference



Windows Hello

Instant, secure access to your digital workspace using Windows Hello



Built-in Webcam

Built-in 5MP webcam with microphone & two-way 5° adjustable webcam



Camera Security

The built-in webcam includes a slide cover to ensure complete privacy and security

Screen Size	27"
Resolution	QHD
USB-C	✓
Refresh Rate (Hz)	120Hz
Panel Type	IPS
Speakers	✓

DP x1	HDMI 2.0 x1	3.5mm x1
USB-A 3.2 x2	USB-C 3.2 x2	

Business

VG Monitors
VG2441V

Conference



Windows Hello

Instant, secure access to your digital workspace using Windows Hello



Built-in Webcam

Built-in 5MP webcam with microphone & two-way 5° adjustable webcam



Camera Security

The built-in webcam includes a slide cover to ensure complete privacy and security

Screen Size	24"
Resolution	Full HD
USB-C	✓
Refresh Rate (Hz)	120Hz
Panel Type	IPS
Speakers	✓

DP x1	HDMI 1.4 x1	3.5mm x1
USB-A 3.2 x2	USB-C 3.2 x2	

Business

VG Monitors
VG3456C

Ultrawide



Ergonomic Stand

Full adjustability with tilt, height, swivel & pivot for all-day comfort



Curved 21:9

Peripheral wide format immersion with 1500R curve display at 21:9 aspect ratio



High Refresh

With a fast 100Hz variable refresh rate, experience a truly seamless visual display

Screen Size	34"
Resolution	UWQHD
USB-C	✓
Refresh Rate (Hz)	100Hz
Panel Type	VA
Speakers	✓

HDMI 2.0 x2	DP x1	3.5mm x1	LAN x1
USB-A 3.2 x4	USB-B 3.2 x1	USB-C 3.2 x1	

Business

VG Monitors
VG3419C

Ultrawide



Ergonomic Stand

Full adjustability with tilt, height, swivel & pivot for all-day comfort



Curved 21:9

Peripheral wide format immersion with 1500R curve display at 21:9 aspect ratio



KVM Switch

Connect, control & switch between multiple computers from a single console

Screen Size	34"
Resolution	UWQHD
USB-C	✓
Refresh Rate (Hz)	120Hz
Panel Type	VA
Speakers	✓

HDMI 2.0 x1	DP x1	3.5mm x1	LAN x1
USB-A 3.2 x3	USB-B 3.2 x1	USB-C 3.2 x1	

Business

VG Monitors
VG2756-4K

Energy Efficient



Ergonomic Stand

Full adjustability with tilt, height, swivel & pivot for all-day comfort



Docking Station

Streamline workflows by eliminating the need for dongles and adapters with 90W USB-C Docking



EPEAT Gold

Reduce energy costs and increase environmental sustainability with EPEAT Gold Certification

Screen Size	27"
Resolution	4K
USB-C	✓
Refresh Rate (Hz)	60Hz
Panel Type	IPS
Speakers	✓

HDMI 2.0 x2 	DP x1 	USB-B 3.2 x1 
USB-A 3.2 x2 	USB-C 3.2 x1 	LAN x1 

Business

VG Monitors VG08A-MHD Series

Energy Efficient



Ergonomic Stand

Full adjustability with tilt, height, swivel & pivot for all-day comfort



High Refresh

With a fast 100Hz variable refresh rate, experience a truly seamless visual display



EPEAT Gold

Reduce energy costs and increase environmental sustainability with EPEAT Gold Certification

Screen Size	24", 27"
Resolution	Full HD
USB-C	✗
Refresh Rate (Hz)	100Hz
Panel Type	IPS
Speakers	✓

HDMI 1.4 x1	DP x1	3.5mm x1	VGA x1

*Only the 24" VG2408A-MHD is TÜV Certified

Business

VG Monitors

VG08A Series

Energy Efficient



Ergonomic Stand

Full adjustability with tilt, height, swivel & pivot for all-day comfort



Colour Accuracy

99% sRGB colour gamut coverage
perfect for semi-creative workflows



EPEAT Gold

Reduce energy costs and increase environmental sustainability with EPEAT Gold Certification

Screen Size	24", 27"
Resolution	Full HD
USB-C	✗
Refresh Rate (Hz)	100Hz
Panel Type	IPS
Speakers	✓

HDMI 1.4 x1 	DP x1 	3.5mm x1 
USB-A 3.2 x2 	VGA x1 	USB-B 3.2 x1 

Business

VG Monitors
VG48a-2 Series

Energy Efficient



Ergonomic Stand

Full adjustability with tilt, height, swivel & pivot for all-day comfort



Colour Accuracy

99% sRGB coverage delivering crystal clear visuals for semi-creative professionals



EPEAT Gold

Reduce energy costs and increase environmental sustainability with EPEAT Gold Certification

Screen Size	24", 27"
Resolution	Full HD
USB-C	✗
Refresh Rate (Hz)	100Hz
Panel Type	IPS
Speakers	✓

HDMI 1.4 x1	DP x1	
USB-A 3.2 x4	VGA x1	USB-B 3.2 x1

Business

VG Monitors
VG09-MH DU-2 Series

USB-C



Ergonomic Stand

Full adjustability with tilt, height, swivel & pivot for all-day comfort



Fast USB-C

USB-C 3.2 connectivity allows for fast data transfer & charging with 100W* power



High Refresh

With a fast 100Hz variable refresh rate, experience a truly seamless visual display

Screen Size	24" 27"
Resolution	Full HD 2K
USB-C	✓
Refresh Rate (Hz)	100Hz
Panel Type	IPS
Speakers	✓

HDMI
x1



USB-A
3.2 x2



DP
x1



USB-C
3.2 x1



3.5mm
x1



USB-B
3.2 x1



*24" offers 65W power - 27" offers 100W power

Business

VG Monitors

VG09U-2K Series

USB-C



Ergonomic Stand

Full adjustability with tilt, height, swivel & pivot for all-day comfort



Docking Station

Streamline workflows by eliminating the need for dongles and adapters with 100W* USB-C Docking



Daisy Chain

Connect two monitors via daisy chain to expand your workspace and enhance productivity.

Screen Size 24" | 27"

Resolution Full HD | 2K

USB-C ✓

Refresh Rate (Hz) 100Hz

Panel Type IPS

Speakers ✓



*24" offers 65W power - 27" offers 100W power

Business

VG Monitors
VG2709-2K-MHD-2

Colour Accurate



Ergonomic Stand

Full adjustability with tilt, height, swivel & pivot for all-day comfort



High Refresh

With a fast 100Hz variable refresh rate, experience a truly seamless visual display



Colour Accuracy

99% sRGB paired with HDR10 delivering crystal clear visuals for semi-creative professionals

Screen Size	27"
Resolution	2K
USB-C	✗
Refresh Rate (Hz)	100Hz
Panel Type	IPS
Speakers	✓

HDMI x1	DP x1	3.5mm x1
USB-A 3.2 x2	USB-C 3.2 x1	USB-B 3.2 x1



Business

VG Monitors
VG2708-4K

4K Resolution



Ergonomic Stand

Full adjustability with tilt, height, swivel & pivot for all-day comfort



Colour Accuracy

100% sRGB paired with HDR10 delivering crystal clear visuals for semi-creative professionals



High Contrast

Compatible with the industry-standard HDR10 High Dynamic Range for crystal-clear visuals

Screen Size	27"
Resolution	4K
USB-C	✗
Refresh Rate (Hz)	60Hz
Panel Type	IPS
Speakers	✓



Business

VG Monitors
VG3208-4K

4K Resolution



Ergonomic Stand

Full adjustability with tilt, height, swivel & pivot for all-day comfort



Flicker Free

Seamless content viewing for long periods with no distracting flickering



High Contrast

Compatible with the industry-standard HDR10 High Dynamic Range for crystal-clear visuals

Screen Size 32"

Resolution 4K

USB-C ✕

Refresh Rate (Hz) 60Hz

Panel Type VA

Speakers ✓

HDMI
2.0 x2



DP
x1



3.5mm
x1



Business

VG Monitors
VG2208A

Entry Level



Ergonomic Stand

Full adjustability with tilt, height, swivel & pivot for all-day comfort



High Refresh

With a fast 100Hz variable refresh rate, experience a truly seamless visual display



Flicker Free

Seamless content viewing for long periods with no distracting flickering

Screen Size	22"
Resolution	Full HD
USB-C	✗
Refresh Rate (Hz)	100Hz
Panel Type	IPS
Speakers	✓



Business

VG Monitors
VG2208A-HD

Entry Level



Ergonomic Stand

Full adjustability with tilt, height, swivel & pivot for all-day comfort



High Refresh

With a fast 100Hz variable refresh rate, experience a truly seamless visual display



Flicker Free

Seamless content viewing for long periods with no distracting flickering

Screen Size	22"
Resolution	Full HD
USB-C	×
Refresh Rate (Hz)	100Hz
Panel Type	IPS
Speakers	×



Business

Comparison



VG3457CV



VG2757V-2K



VG2741V-2K



VG2441V

Conference

Sizes	34"	27"	27"	24"
Resolution	3440 x 1440 UWQHD	2560 x 1440 QHD	2560 x 1440 QHD	1920 x 1080 Full HD
Aspect Ratio	21:9	16:9	16:9	16:9
Panel Type	VA	IPS	IPS	IPS
Refresh Rate	100Hz	100Hz	120Hz	120Hz
Curvature	✓	✗	✗	✗
Windows Hello	✓	✓	✓	✓
Zoom Certified	✓	✓	✗	✗
Webcam	✓	✓	✓	✓
Brightness	350 cd/m2	350 cd/m2	250 cd/m2	250 cd/m2
Connectivity	USB-A 3.2 x4 USB-B 3.2 - USB-C 3.2 x1 USB-C 3.1 x1 RJ45 LAN x1 HDMI 2.0 x2 DisplayPort x1 VGA - 3.5mm Audio x1	USB-A 3.2 x3 USB-B 3.2 - USB-C 3.2 x1 USB-C 3.1 x1 RJ45 LAN x1 HDMI 2.0 x2 DisplayPort x2 VGA - 3.5mm Audio x1	USB-A 3.2 x2 USB-B 3.2 - USB-C 3.2 x2 USB-C 3.1 - RJ45 LAN - HDMI 2.0 x1 DisplayPort x1 VGA - 3.5mm Audio x1	USB-A 3.2 x2 USB-B 3.2 - USB-C 3.2 x2 USB-C 3.1 - RJ45 LAN - HDMI 1.4 x1 DisplayPort x1 VGA - 3.5mm Audio x1
Ergonomics	Height 0-110mm Tilt -5/40° Swivel 120° Pivot N/A	Height 0-110mm Tilt -5/40° Swivel 120° Pivot 90°/90°	Height 0-150mm Tilt -5/20° Swivel 90° Pivot 90°/90°	Height 0-150mm Tilt -5/20° Swivel 90° Pivot 90°/90°
EPEAT	Gold	Gold	Silver	Silver
Warranty	5 Years	5 Years	5 Years	5 Years





VG3456C

Ultrawide



VG3419C



VG2756-4K

Energy Efficient



VG08A-MHD

Sizes	34"		34"		27"		24", 27"	
Resolution	3440 x 1440 UWQHD		3440 x 1440 UWQHD		3840 x 2160 4K		1920 x 1080 Full HD	
Aspect Ratio	21:9		21:9		16:9		16:9	
Panel Type	VA		VA		IPS		IPS	
Refresh Rate	100Hz		120Hz		60Hz		100Hz	
Curvature	✓		✓		✗		✗	
Brightness	400 cd/m2		300 cd/m2		350 cd/m2		250 cd/m2	
Connectivity	USB-A 3.2	x4	USB-A 3.2	x3	USB-A 3.2	x2	USB-A 3.2	-
	USB-B 3.2	x1	USB-B 3.2	x1	USB-B 3.2	x1	USB-B 3.2	-
	USB-C 3.2	x1	USB-C 3.2	x1	USB-C 3.2	x1	USB-C 3.2	-
	USB-C 3.1	-	USB-C 3.1	-	USB-C 3.1	-	USB-C 3.1	-
	RJ45 LAN	x1	RJ45 LAN	x1	RJ45 LAN	x1	RJ45 LAN	-
	HDMI 2.0	x2	HDMI 2.0	x1	HDMI 2.0	x2	HDMI 1.4	x1
	DisplayPort	x1	DisplayPort	x1	DisplayPort	x1	DisplayPort	x1
	VGA	-	VGA	-	VGA	-	VGA	x1
	3.5mm Audio	x1	3.5mm Audio	x1	3.5mm Audio	-	3.5mm Audio	x1
Ergonomics	Height	0-110mm	Height	0-150mm	Height	0-130mm	Height	0-130mm
	Tilt	-5/40°	Tilt	-3.5/23°	Tilt	-5/40°	Tilt	-4/28°
	Swivel	120°	Swivel	N/A	Swivel	120°	Swivel	360°
	Pivot	N/A	Pivot	N/A	Pivot	90°/90°	Pivot	90°/90°
EPEAT	Silver		Silver		Gold		Gold	
Warranty	5 Years		5 Years		5 Years		5 Years	

See
Product
Page



Business

Comparison



VG08A



VG48a-2



VG09-MH DU-2



VG09U-2

Energy Efficient

USB-C

Sizes	24", 27"		24", 27"		24", 27"		24", 27"	
Resolution	1920 x 1080 Full HD		1920 x 1080 Full HD		1920 x 1080 FHD 2560 x 1440 QHD*		1920 x 1080 FHD 2560 x 1440 QHD*	
Aspect Ratio	16:9		16:9		16:9		16:9	
Panel Type	IPS		IPS		IPS		IPS	
Refresh Rate	100Hz		100Hz		100Hz		100Hz	
Curvature	✕		✕		✕		✕	
Ergonomics	Height 0-130mm Tilt -4/28° Swivel 360° Pivot 90°/90°		Height 0-130mm Tilt -5/40° Swivel 120° Pivot 90°/90°		Height 0-130mm Tilt -5/28° Swivel 360° Pivot 90°/90°		Height 0-130mm Tilt -5/28° Swivel 360° Pivot 90°/90°	
EPEAT	Gold		Gold		Silver		Silver	
Brightness	250 cd/m2		250 cd/m2		350 cd/m2		350 cd/m2	
Connectivity	USB-A 3.2 x2 USB-B 3.2 x1 USB-C 3.2 - USB-C 3.1 - RJ45 LAN - HDMI 1.4 x1 DisplayPort x1 VGA x1 3.5mm Audio x1		USB-A 3.2 x4 USB-B 3.2 x1 USB-C 3.2 - USB-C 3.1 - RJ45 LAN - HDMI 1.4 x1 DisplayPort x1 VGA x1 3.5mm Audio -		USB-A 3.2 x2 USB-B 3.2 x1 USB-C 3.2 x1 USB-C 3.1 - RJ45 LAN - HDMI x1 DisplayPort x1 VGA - 3.5mm Audio x1		USB-A 3.2 x2 USB-B 3.2 x1 USB-C 3.2 x1 USB-C 3.1 - RJ45 LAN x1 HDMI x1 DisplayPort x2 VGA - 3.5mm Audio x1	
Warranty	5 Years		5 Years		5 Years		5 Years	

*24" is Full HD - 27" is QHD





VG2709-2K-MHD-2
Colour Accurate



VG2708-4K
4K Resolution



VG3208-4K
4K Resolution

Sizes	27"	27"	32"
Resolution	2560 x 1440 QHD	3840 x 2160 4K	3840 x 2160 4K
Aspect Ratio	16:9	16:9	16:9
Panel Type	IPS	IPS	VA
Refresh Rate	100Hz	60Hz	60Hz
Curvature	×	×	×
Ergonomics	Height 0-130mm Tilt -3.5/28° Swivel 360° Pivot 90°/90°	Height 0-130mm Tilt -3.5/28° Swivel 360° Pivot 90°/90°	Height 0-90mm Tilt -4/20° Swivel 360° Pivot N/A
EPEAT	Silver	Silver	Silver
Brightness	350 cd/m2	360 cd/m2	300 cd/m2
Connectivity	USB-A 3.2 - USB-B 3.2 - USB-C 3.2 - USB-C 3.1 - RJ45 LAN - HDMI 2.0 x2 DisplayPort x1 VGA - 3.5mm Audio x1	USB-A 3.2 - USB-B 3.2 - USB-C 3.2 - USB-C 3.1 - RJ45 LAN - HDMI 2.0 x2 DisplayPort x1 VGA - 3.5mm Audio x1	USB-A 3.2 - USB-B 3.2 - USB-C 3.2 - USB-C 3.1 - RJ45 LAN - HDMI 2.0 x2 DisplayPort x1 VGA - 3.5mm Audio x1
Warranty	5 Years	5 Years	5 Years



Business

Comparison



VG2208A

VG2208A-HD

Entry Level

Sizes	22"		22"	
Resolution	1920 x 1080 Full HD		1920 x 1080 Full HD	
Aspect Ratio	16:9		16:9	
Panel Type	IPS		IPS	
Refresh Rate	100Hz		100Hz	
Curvature	✕		✕	
Ergonomics	Height 0-100mm Tilt -3.5/23° Swivel 340° Pivot 90°		Height 0-100mm Tilt -3.5/23° Swivel 340° Pivot 90°	
EPEAT	Silver		Silver	
Brightness	250 cd/m2		250 cd/m2	
Connectivity	USB-A 3.2 x2 USB-B 3.2 x1 USB-C 3.2 - USB-C 3.1 - RJ45 LAN - HDMI 1.4 x1 DisplayPort x1 VGA - 3.5mm Audio x1		USB-A 3.2 - USB-B 3.2 - USB-C 3.2 - USB-C 3.1 - RJ45 LAN - HDMI 1.4 x1 DisplayPort x1 VGA x1 3.5mm Audio x1	
Warranty	5 Years		5 Years	

See
Product
Page





Creative

Monitors

Why ViewSonic?	88
Mac Companion	90
Thunderbolt 4	91
Large	92
Ultrawide	93
Comparison	94

Creative Monitors

Why ViewSonic?

The ColorPro VP series targets creative professionals who demand exceptional colour precision and consistency. These monitors come with factory-calibrated colour, high-resolution panels, and wide colour gamut coverage, making them ideal for photographers, designers, and video editors.

Refining Award Winning Design



Why Choose Our Creative Monitors?



Factory Calibrated Colour

All ColorPro monitors come pre-calibrated out of the box so that you can get creating from the get-go.



Wide Colour Gamut Coverage

Colour coverage at 100% sRGB and DCI-P3 starting at 90% on all ViewSonic ColorPro models with Delta <E3 colour fidelity available on most models.



High Resolution Panels

ColorPro range starts from 4K Ultra High Definition all the way to 5K with high pixel density to create that pixel perfect project.



Standardised Testing

Our high-end ColorPro monitors are TÜV Rheinland® Certified ensuring standardised safety, quality & ongoing commitment to maintain compliance.



Pantone® Validated

Reputable industry standard monitors across all ColorPro series.



3-Year Warranty

All of our ColorPro Monitors come with standard 3-Year warranty providing long-term peace of mind.

Creative

VP Monitors
VP2788-5K

Mac Companion



VESA CERTIFIED
DisplayHDR™



Colour Accuracy

100% sRGB, 99% DCI-P3
colour coverage &
Delta E<2 colour fidelity



Thunderbolt 4

Ultra-fast 40Gbps data transfer, 100W
of power with a single USB-C cable



Daisy Chain

Multitask & unlock screen space with ease
by daisy-chaining up to two 5K displays

Screen Size	27"
Resolution	5K
sRGB Coverage	100%
DCI-P3 Coverage	99%
HDR	400
Speakers	✓

HDMI
2.1 x1



DP In
x1



USB-A
3.2 x2



USB-C
3.2 x2



Thunderbolt
4 x2*



*Thunderbolt 4 upstream x1 & downstream x1

Creative

VP Monitors

VP2776T-4K

Thunderbolt 4



VESA CERTIFIED
DisplayHDR™



Colour Accuracy

100% sRGB, 98% DCI-P3
colour coverage &
Delta E<2 colour fidelity



Thunderbolt 4

Ultra-fast 40Gbps data transfer, 100W
of power with a single USB-C cable



Daisy Chain

Multitask & unlock screen space with ease
by daisy-chaining up to two 4K displays

Screen Size	27"
Resolution	4K
sRGB Coverage	100%
DCI-P3 Coverage	98%
HDR	400
Speakers	✓



*Thunderbolt 4 upstream x1 & downstream x1

Creative

VP Monitors

VP3256-4K

Large



Colour Accuracy

100% sRGB, 90% DCI-P3 colour coverage & Delta E<2 colour fidelity



Fast USB-C

USB-C 3.2 connectivity allows for fast data transfer & charging with 65W power



Working Modes

More than 30 work modes like CAM/CAD for design & adaptive-sync for game design

Screen Size	32"
Resolution	4K
sRGB Coverage	100%
DCI-P3 Coverage	90%
HDR	10
Speakers	✓

HDMI
2.0 x1



DP
x1



USB-A
3.2 x2



USB-C
3.2 x1



USB-B
3.2 x1



Creative

VP Monitors

VP3881-a

Ultrawide



Colour Accuracy

100% sRGB, 94% DCI-P3 colour coverage & Delta E<2 colour fidelity



Curved 21:9

Peripheral wide format immersion with 2300R curve display at 21:9 aspect ratio



KVM Switch

Connect, control & switch between multiple computers from a single console

Screen Size	38"
Resolution	WQHD+
sRGB Coverage	100%
DCI-P3 Coverage	94%
HDR	10
Speakers	✓



Creative

Comparison



VP2788-5K
Mac Companion



VP2776T-4K
Thunderbolt 4



VP3256-4K
Large



VP3881a
Ultrawide

Sizes	27"		27"		32"		38"	
Resolution	5120 x 2880 5K		3840 x 2160 4K		3840 x 2160 4K		3840 x 1600 WQHD+	
Aspect Ratio	16:9		16:9		16:9		21:9	
Panel Type	IPS		IPS		IPS		IPS	
Refresh Rate	75Hz		60Hz		60Hz		60Hz	
Response Time	5ms		5ms		5ms		5ms	
Delta E<2	✓		✓		✓		✓	
sRGB Coverage	100%		100%		100%		100%	
DCI-P3 Coverage	99%		98%		90%		94%	
HDR	VESA 400		VESA 400		10		10	
Brightness	500 cd/m2		400 cd/m2		350 cd/m2		300 cd/m2	
Curvature	✗		✗		✗		✓	
Connectivity	USB-A 3.2 x2 USB-B 3.2 - USB-C 3.2 x2 Thunderbolt 4 x2 VGA - HDMI 2.1 x1 DisplayPort x1 RJ45 LAN - 3.5mm Audio -		USB-A 3.2 x3 Micro USB x1 USB-C 3.2 x1 Thunderbolt 4 x2 VGA - HDMI 2.1 x2 DisplayPort x1 RJ45 LAN x1 3.5mm Audio x1		USB-A 3.2 x2 USB-B 3.2 x1 USB-C 3.2 x1 Thunderbolt 4 - VGA - HDMI 2.0 x2 DisplayPort x1 RJ45 LAN - 3.5mm Audio -		USB-A 3.2 x2 USB-B 3.2 x1 USB-C 3.2 x1 Thunderbolt 4 - VGA - HDMI 2.0 x2 DisplayPort x1 RJ45 LAN x1 3.5mm Audio x1	
Warranty	3 Years		3 Years		3 Years		3 Years	





Touch Display

Monitors

Why ViewSonic?	98
Compact	100
Minimal	101
Dual Stand	103
Precise Touch	104
Infra-Red	106
Comparison	108

Touch Display Monitors

Why ViewSonic?

ViewSonic offers a range of touch display TD Series monitors perfect for point of sale, public & business use. Choose from 16'- 27" with ergonomic kick-stands.

TD2465



Why Choose our Touch Display Monitors?



Multi-Touch Display

All of our TD series touch displays come with capacitive displays that recognise up to 10 touch points simultaneously



Flicker Free Display

Most of our monitors come with a flicker free display to protect against eye strain and long viewing times.



Eye Protection

Protect your eyes during those long sessions with blue light software protection on all models.



Durable Screen

All of our TD monitors are built with scratch resistant glass at a hardness of 7H for a smooth touch experience

Touch Display

TD Monitors
TD1630-3

Compact



10-Point Touch

Recognises up to 10 touch points simultaneously



Scratch Resistant

Built-In 7H protective glass faceplate for a scratch free touch experience



Ergonomic

adjustable integrated book kick-stand for angled viewing or table top mode

Screen Size 16"

Resolution HD

Refresh Rate (Hz) 60

Response Time 12ms

Touch Points 10

Speakers ✓

HDMI
1.4 x1



3.5mm
x1



VGA
x1



USB-B
2.0 x1



Touch Display

TD Monitors
TD2230

Minimal



10-Point Touch

Recognises up to 10 touch points simultaneously



Minimal Design

Minimal edge-to-edge 3-way frameless design for a contemporary clean touch experience



Ergonomic

adjustable integrated book stand for angled viewing from 20° to 70°

Screen Size	22"
Resolution	Full HD
Refresh Rate (Hz)	60
Response Time	5ms
Touch Points	10
Speakers	✓

HDMI
1.4 x1



DP
x1



VGA
x1



USB-A
3.2 x2



USB-B
3.2 x1



3.5mm
x2



Touch Display

TD Monitors
TD2430

Minimal



10-Point Touch

Recognises up to 10 touch points simultaneously



Scratch Resistant

Built-In 7H protective glass faceplate for a scratch free touch experience



Flicker Free

Seamless content viewing for long periods with no distracting flickering

Screen Size	24"
Resolution	Full HD
Refresh Rate (Hz)	60
Response Time	10ms
Touch Points	10
Speakers	✓

HDMI
1.4 x1



DP
x1



VGA
x1



USB-A
3.2 x2



USB-B
3.2 x1



3.5mm
x2



Touch Display

TD Monitors
TD2760

Dual Stand



10-Point Touch

Recognises up to 10 touch points simultaneously



Flicker Free

Seamless content viewing for long periods with no distracting flickering



Ergonomic

adjustable integrated book stand for angled and flat table top viewing

Screen Size	27"
Resolution	Full HD
Refresh Rate (Hz)	60
Response Time	6ms
Touch Points	10
Speakers	✓

HDMI 1.4 x1	DP x1	RS232 In x1	VGA x1
USB-A 3.2 x2	USB-B 3.2 x1	3.5mm x2	

Touch Display

TD Monitors
TD2465

Precise Touch



PCAP Touch

Advanced touch technology for a paper-like writing experience



Touch Modes

Set to Glove or Wet Hand touch modes* for inobstructive surface interaction



Ergonomic

adjustable integrated book stand for angled viewing from 15° to 70°

Screen Size	24"
Resolution	Full HD
Refresh Rate (Hz)	100Hz
Response Time	7ms
Touch Points	10
Speakers	✓

HDMI
1.4 x1



USB-A
3.2 x2



DP
x1



USB-B
3.2 x1



VGA
x1



3.5mm
x2





Touch Display

TD Monitors
TD2223

Infra-Red



10-Point Touch

Recognises up to 10 touch points simultaneously



Scratch Resistant

Built-In 7H protective glass faceplate for a scratch free touch experience



Ergonomic

adjustable back tilt stand with viewing angles of up to 40-degrees

Screen Size	22"
Resolution	Full HD
Refresh Rate (Hz)	75
Response Time	6.5ms
Touch Points	10
Speakers	✓

HDMI
1.4 x1



VGA
x1



DV-ID
x1



USB-A
2.0 x2



USB-B
2.0 x1



3.5mm
x2



Touch Display

TD Monitors
TD2423

Infra-Red



10-Point Touch

Recognises up to 10 touch points simultaneously



Scratch Resistant

Built-In 7H protective glass faceplate for a scratch free touch experience



Ergonomic

adjustable back tilt stand with viewing angles of up to 40-degrees

Screen Size	24"
Resolution	Full HD
Refresh Rate (Hz)	75
Response Time	7ms
Touch Points	10
Speakers	✓

HDMI
1.4 x1



VGA
x1



DV-ID
x1



USB-A
2.0 x2



USB-B
2.0 x1




3.5mm
x2



Touch Display

Comparison



TD1630-3
Compact



TD2230



TD2430




TD2760
Dual Touch

Sizes	16"	22"	24"	27"
Resolution	1366 x 768 HD	1920 x 1080 Full HD	1920 x 1080 Full HD	1920 x 1080 Full HD
Aspect Ratio	16:9	16:9	16:9	16:9
Panel Type	TN	IPS	VA	VA
Refresh Rate	60Hz	60Hz	60Hz	60Hz
Touch Points	10	10	10	10
Infra-Red Sensor	✗	✗	✗	✗
PCAP	✓	✓	✓	✓
Response Time	1ms	5ms	10ms	6ms
Brightness	190 cd/m2	200 cd/m2	200 cd/m2	250 cd/m2
Connectivity	USB-A 3.2 - USB-B 2.0 x1 USB-C 3.2 - DVI-D - RS232 - DisplayPort - HDMI 1.4 x1 VGA x1 3.5mm Audio x2	USB-A 3.2 x2 USB-B 3.2 x1 USB-C 3.2 - DVI-D - RS232 - DisplayPort x1 HDMI 1.4 x1 VGA x1 3.5mm Audio x2	USB-A 3.2 x2 USB-B 3.2 x1 USB-C 3.2 - DVI-D - RS232 - DisplayPort x1 HDMI 1.4 x1 VGA x1 3.5mm Audio x2	USB-A 3.2 x2 USB-B 3.2 x1 USB-C 3.2 - DVI-D - RS232 x1 DisplayPort x1 HDMI 1.4 x1 VGA x1 3.5mm Audio x2
Warranty	3 Years	3 Years	3 Years	3 Years


See
Product
Page





TD2465

Precise touch



TD2223

Infra Red



TD2423

Sizes	24"		22"		24"	
Resolution	1920 x 1080 Full HD		1920 x 1080 Full HD		1920 x 1080 Full HD	
Aspect Ratio	16:9		16:9		16:9	
Panel Type	VA		VA		VA	
Refresh Rate	100Hz		75Hz		75Hz	
Touch Points	10		10		10	
Infra-Red Sensor	✗		✓		✓	
PCAP	✓		✗		✗	
Response Time	7ms		6.5ms		7ms	
Brightness	250 cd/m2		250 cd/m2		250 cd/m2	
Connectivity	USB-A 3.2	x2	USB-A 2.0	x2	USB-A 2.0	x2
	USB-B 3.2	x1	USB-B 2.0	x1	USB-B 2.0	x1
	USB-C 3.2	-	USB-C 3.2	-	USB-C 3.2	-
	DVI-D	-	DVI-D	x1	DVI-D	x1
	RS232	-	RS232	-	RS232	-
	DisplayPort	x1	DisplayPort	-	DisplayPort	-
	HDMI 1.4	x1	HDMI 1.4	x1	HDMI 1.4	x1
	VGA	x1	VGA	x1	VGA	x1
	3.5mm Audio	x2	3.5mm Audio	x2	3.5mm Audio	x2
Warranty	3 Years		3 Years		3 Years	

See
Product
Page





Gaming

Monitors

Why ViewSonic? **112**

High Refresh Rate	114
G-Sync	115
Curved	116
Ultrawide	118

Comparison **119**

Gaming Monitors

Why ViewSonic?

The VX series is designed for everyday entertainment. Think movies, streaming, casual gaming and vibrant visuals all wrapped in a clean, modern design with built-in audio. For players who want more power, the XG series steps things up with high refresh rates, lightning-fast response times and adaptive sync for smooth, competitive gaming.

XG2737



XG275D1-4K



 NVIDIA
G-SYNC

AMD
FreeSync
Premium

Why Choose our Gaming Monitors?



High Refresh Rate

All of our VX and VG series gaming monitors come equipped with 100Hz panels or higher



Variable Refresh Rate

Most monitors boast variable refresh rates with either AMD Freesync or NVIDIA G-Sync for more efficient graphics processing and reducing screen tear/stuttering.



Fast Response Time

Most monitors deliver minimal input lag with 1ms response time, compatible with high-end gaming peripherals for casual and competitive play.



Flicker Free Display

Immerse yourself in visually rich worlds with HDR10 as standard on most gaming monitors.



Eye Protection

Protect your eyes during those long sessions with blue light protection as standard and Eye Protech+ on most models.

Gaming

VX Monitors
XG2737

High Refresh Rate



1ms

Rapid Input

Ultra fast 1ms response time for high productivity



Colour Accuracy

99% sRGB colour gamut coverage perfect for a truly authentic gaming experience



Variable Refresh

Reduce stuttering and screen tearing with NVIDIA G-Sync & AMD FreeSync Premium

Screen Size	27"
Resolution	Full HD
Refresh Rate (Hz)	520
Response Time	1ms
HDR	10
Speakers	✓



Gaming

VX Monitors
VX27G1-2K

G-sync



1ms

Rapid Input

Ultra fast 1ms response time for high productivity

180Hz

High Refresh

With a fast 180Hz variable refresh rate, experience a truly seamless visual display



Variable Refresh

Reduce stuttering and screen tearing with NVIDIA G-Sync compatible variable refresh rate

Screen Size 27"

Resolution QHD

Refresh Rate (Hz) 180

Response Time 1ms

HDR 10

Speakers ✓



Gaming

VX Monitors
VX3218C-2K

Curved



1ms

Rapid Input

Ultra fast 1ms response time for high productivity



Dark Stabilisation

ViewSonic's Black Stabilisation feature ensures dark scenes are lit up for enhanced visibility



Variable Refresh

Reduce stuttering and screen tearing with AMD FreeSync Premium matching frame output

Screen Size 32"

Resolution QHD

Refresh Rate (Hz) 180

Response Time 1ms

HDR 10

Speakers ✓

HDMI
2.0 x2



3.5mm
x1



DP
x2



Gaming

VX Monitors
VX3218-PC-MHD

Curved



AMD
FreeSync
Premium

1ms

Rapid Input

Ultra fast 1ms response time for high productivity



Dark Stabilisation

ViewSonic's Black Stabilisation feature ensures dark scenes are lit up for enhanced visibility



Variable Refresh

Reduce stuttering and screen tearing with AMD Freesync matching frame output

Screen Size	32"
Resolution	Full HD
Refresh Rate (Hz)	180
Response Time	1ms
HDR	10
Speakers	✓

HDMI
1.4 x2

3.5mm
x1

DP
x1

Gaming

VX Monitors
VX3418C-2K

Ultrawide



1ms

Rapid Input

Ultra fast 1ms response time for high productivity

180Hz

High Refresh

With a fast 180Hz variable refresh rate, experience a truly seamless visual display



Variable Refresh

Reduce stuttering and screen tearing with AMD FreeSync Premium matching frame output

Screen Size	34"
Resolution	UWQHD
Refresh Rate (Hz)	180
Response Time	1ms
HDR	10
Speakers	✓



Gaming Comparison



XG275D1-4K
Energy Efficient



XGG1
Casual

Sizes	27"	24" 27"
Resolution	3840 x 2160 4K	1920 x 1080 Full HD
Aspect Ratio	16:9	16:9
Panel Type	IPS	IPS
Refresh Rate	160-320Hz	180Hz
Sync Technology	Freesync Premium, G-sync	Variable Refresh
Response Time	0.5ms	1ms
sRGB Coverage	99%	×
DCI-P3 Size	94%	×
Curvature	×	×
HDR	10	10
Brightness	300 cd/m2	300 cd/m2
Connectivity	USB-A 3.2 - USB-B 3.2 - USB-C 3.2 x1 Thunderbolt 4 - RJ45 LAN - HDMI 2.1 x2 DisplayPort x1 VGA - 3.5mm Audio x1	USB-A 3.2 - USB-B 3.2 - USB-C 3.2 - Thunderbolt 4 - RJ45 LAN - HDMI 2.0 x2 DisplayPort x1 VGA - 3.5mm Audio x1
Warranty	3 Years	3 Years

See
Product
Page





VX27G1-2K
G-Sync



VX3218C-2K
Curved



VX3218-PC-MHD
Curved



VX3418C-2K
Ultrawide

Sizes	27"	32"	32"	34"
Resolution	2560 x 1440 QHD	2560 x 1440 QHD	1920 x 1080 Full HD	3440 x 1440 UWQHD
Aspect Ratio	16:9	16:9	16:9	21:9
Panel Type	IPS	VA	VA	VA
Refresh Rate	180Hz	180Hz	180Hz	180Hz
Sync Technology	G-sync Compatible	Freesync Premium	Freesync Premium	Freesync Premium
Response Time	1ms	1ms	1ms	1ms
sRGB Coverage	×	×	×	×
DCI-P3 Coverage	×	×	×	×
Curvature	×	✓	✓	✓
HDR	10	10	10	10
Brightness	300 cd/m2	250 cd/m2	300 cd/m2	250 cd/m2
Connectivity	USB-A 3.2 - USB-B 3.2 - USB-C 3.2 - Thunderbolt 4 - RJ45 LAN - HDMI 2.0 x2 DisplayPort x1 VGA - 3.5mm Audio x1	USB-A 3.2 - USB-B 3.2 - USB-C 3.2 - Thunderbolt 4 - RJ45 LAN - HDMI 2.0 x2 DisplayPort x2 VGA - 3.5mm Audio x1	USB-A 3.2 - USB-B 3.2 - USB-C 3.2 - Thunderbolt 4 - RJ45 LAN - HDMI 1.4 x2 DisplayPort x1 VGA - 3.5mm Audio x1	USB-A 3.2 - USB-B 3.2 - USB-C 3.2 - Thunderbolt 4 - RJ45 LAN - HDMI 2.0 x2 DisplayPort x2 VGA - 3.5mm Audio x1
Warranty	3 Years	3 Years	3 Years	3 Years

See
Product
Page







Entertainment

Monitors

Why ViewSonic?	124
4K Resolution	126
High Refresh Rate	127
Balanced	128
Entry Level	129
Comparison	130

Entertainment Monitors

Why ViewSonic?

The ViewSonic Home Entertainment monitors VX76 series are designed for casual domestic use like watching films, media and light gaming. VX monitors are the essential kit for a simple home setup.



Why Choose Our Entertainment Monitors?



Flicker Free Display

Uninterrupted viewing with flicker free display to protect against eye strain and long viewing times



High Dynamic Range

Immerse yourself in visually rich worlds with HDR10 as standard on all home entertainment monitors.



Eye Protection

Protect your eyes during those long sessions with blue light protection as standard and Eye Protech+ on most models.

Entertainment

VX Monitors
VX3276-4K-MHD

4K Resolution



Flicker Free

Seamless content viewing with no distracting flickering



Dynamic Colour

Industry standard HDR10, increasing definition in colour, brightness and contrast levels.



Eye Protection

Eye ProTech+ technology helps to eliminate eye strain in extended viewing periods

Screen Size	32"
Resolution	4K
Refresh Rate (Hz)	60
Response Time	4ms
HDR	10
Speakers	✓



Mini DP
x1



DP
x1



3.5mm
x1



Entertainment

VX Monitors
VX2776-smh

High Refresh Rate



Flicker Free

Seamless content viewing with no distracting flickering



High Refresh

With a fast 100Hz variable refresh rate, experience a truly seamless visual display



Eye Protection

Flicker-Free technology and a Blue Light Filter help to eliminate eye strain from extended periods

Screen Size	27"
Resolution	Full HD
Refresh Rate (Hz)	100
Response Time	4ms
HDR	×
Speakers	✓

HDMI 1.4 x2	VGA x1	3.5mm x2

Entertainment

Balanced

VX Monitors
VX3276-2K-MHD-2



Adaptive Sync

Adaptive Sync reduces screen tear & eliminates choppy frame rates



Dynamic Colour

Industry standard HDR10, increasing definition in colour, brightness and contrast levels.



Eye Protection

Flicker-Free technology & Blue Light Filter helps to eliminate eye strain in extended viewing periods

Screen Size	32"
Resolution	QHD
Refresh Rate (Hz)	75
Response Time	4ms
HDR	10
Speakers	✓

HDMI 1.4 x2	DP x1
Mini DP x1	3.5mm x1

Entertainment

Entry Level

VX Monitors
VX3276-MHD-3



Flicker Free

Seamless content viewing with no distracting flickering



Dynamic Colour

Industry standard HDR10, increasing definition in colour, brightness and contrast levels.



Eye Protection

Flicker-Free technology & Blue Light Filter helps to eliminate eye strain in extended viewing periods

Screen Size	32"
Resolution	Full HD
Refresh Rate (Hz)	75
Response Time	4ms
HDR	10
Speakers	✓

HDMI 1.4 x2	DP x1
VGA x1	3.5mm x2

Entertainment


Comparison



VX3276-4K-MHD
4K Resolution



VX2776-smh
High Refresh Rate



VX3276-2K-MHD-2
Balanced



VX3276-MHD-3
Entry Level

Sizes	32"		27"		32"		32"	
Resolution	3840 x 2160 4K		1920 x 1080 Full HD		2560 x 1440 QHD		1920 x 1080 Full HD	
Aspect Ratio	16:9		16:9		16:9		16:9	
Panel Type	VA		IPS		IPS		IPS	
Refresh Rate	60Hz		100Hz		75Hz		75Hz	
Curvature	✗		✗		✗		✗	
sRGB Size	118%		100%		103%		104%	
DCI-P3 Coverage	✗		✗		✗		✗	
Response Time	4ms		4ms		4ms		4ms	
HDR	10		✗		10		10	
Brightness	300 cd/m2		250 cd/m2		250 cd/m2		250 cd/m2	
Connectivity	USB-A 3.2	-	USB-A 3.2	-	USB-A 3.2	-	USB-A 3.2	-
	USB-B 3.2	-	USB-B 3.2	-	USB-B 3.2	-	USB-B 3.2	-
	USB-C 3.2	-	USB-C 3.2	-	USB-C 3.2	-	USB-C 3.2	-
	Thunderbolt 4	-	Thunderbolt 4	-	Thunderbolt 4	-	Thunderbolt 4	-
	Mini DP	x1	Mini DP	-	Mini DP	x1	Mini DP	-
	HDMI 2.0	x2	HDMI 1.4	x2	HDMI 1.4	x2	HDMI 1.4	x1
	DisplayPort	x1	DisplayPort	-	DisplayPort	x1	DisplayPort	x1
	VGA	-	VGA	x1	VGA	-	VGA	x1
	3.5mm Audio	x1	3.5mm Audio	x1	3.5mm Audio	x1	3.5mm Audio	x1
Warranty	3 Years		3 Years		3 Years		3 Years	





Essential

Monitors

Why ViewSonic?	134
Energy Efficient	136
4K Resolution	138
2K Resolution	140
USB-C Ultrawide	142
Balanced	144
High Refresh Rate	145
Entry Level	146
Speakers	150
Comparison	152

Essential Monitors

Why ViewSonic?

The VA series delivers reliable, budget-friendly monitors for everyday use. With solid visual performance, eye-care features, and a range of sizes, VA monitors are great for home offices, students, and general-purpose computing.



Why Choose Our Essential Monitors?



High Refresh Rate

Most of our VA Essential series monitors are equipped with higher refresh rates ranging from 75Hz-144Hz.



Variable Refresh Rate

Efficiently run your display with frame rates matching the task input available on most display.



Industry Response Time

All monitors come equipped with responsive panels ranging from 5ms-1ms for tasks requiring input precision.



Flicker Free Display

Uninterrupted viewing with flicker free display to protect against eye strain and long viewing times.



Eye Protection

Protect your eyes during those long sessions with blue light protection as standard on all models.

Essential

VA Monitors
VA2408-HDJ

Energy Efficient



Ergonomic Stand

Full adjustability with tilt, height, swivel & pivot for all-day comfort



High Refresh

With a fast 100Hz variable refresh rate, experience a truly seamless visual display



Rapid Input

Low input lag delivers a more responsive user experience, enabling greater efficiency

Screen Size	24"
Resolution	Full HD
Refresh Rate (Hz)	100
Response Time	1ms
HDR	×
Speakers	×

HDMI 1.4 x1 	VGA x1 
3.5mm x1 	DP x1 

Essential

VA Monitors
VA2708-HDJ

Energy Efficient



Ergonomic Stand

Full adjustability with tilt, height, swivel & pivot for all-day comfort



High Refresh

With a fast 100Hz variable refresh rate, experience a truly seamless visual display



Colour Accuracy

99% sRGB colour coverage, SuperClear IPS panel

Screen Size	27"
Resolution	Full HD
Refresh Rate (Hz)	100
Response Time	5ms
HDR	×
Speakers	×

HDMI
1.4 x1



3.5mm
x1



VGA
x1



DP
x1



Essential

VA Monitors
VA2708-4K-HD

4K Resolution



Eco Mode

Energy efficient
Eco Mode reduces
carbon footprint



Dynamic Colour

Industry standard HDR10, increasing definition
in colour, brightness and contrast levels.



Flicker Free

Seamless content viewing for long periods
with no distracting flickering

Screen Size	27"
Resolution	4K
Refresh Rate (Hz)	60
Response Time	4ms
HDR	10
Speakers	×

HDMI 2.0 x2	DP x1	3.5mm x1

Essential

VA Monitors
VA3208-4K-HD

4K Resolution



Eco Mode

Energy efficient
Eco Mode reduces
carbon footprint



Dynamic Colour

Industry standard HDR10, increasing definition
in colour, brightness and contrast levels.



Flicker Free

Seamless content viewing for long periods
with no distracting flickering

Screen Size 32"

Resolution 4K

Refresh Rate (Hz) 60

Response Time 4ms

HDR 10

Speakers x

HDMI
2.0 x2



DP
x1



3.5mm
x1



Essential

VA Monitors
VA2708-2K-HD-2

2K Resolution



Flicker Free

Seamless content viewing with no distracting flickering



Dynamic Colour

Industry standard HDR10, increasing definition in colour, brightness and contrast levels.



Variable Refresh

Reduce stuttering and screen tearing with variable refresh rate panel

Screen Size	27"
Resolution	QHD
Refresh Rate (Hz)	75
Response Time	4ms
HDR	10
Speakers	x

HDMI 2.0 x2	DP x1	3.5mm x1

Essential

VA Monitors
VA3209-2K-MHD

2K Resolution



Flicker Free

Seamless content viewing with no distracting flickering



Dynamic Colour

Industry standard HDR10, increasing definition in colour, brightness and contrast levels.



Variable Refresh

Reduce stuttering and screen tearing with variable refresh rate panel

Screen Size	32"
Resolution	QHD
Refresh Rate (Hz)	75
Response Time	4ms
HDR	10
Speakers	✓



Essential

VA Monitors
VA3420C

USB-C Ultrawide



Colour Accuracy

98% DCI-P3 colour size, SuperClear IPS panel



KVM Switch

Connect, control & switch between multiple computers from a single console



High Refresh

With a fast 120Hz variable refresh rate, experience a truly seamless visual display

Screen Size	34"
Resolution	UWQHD
Refresh Rate (Hz)	120
Response Time	1ms
HDR	10
Speakers	✓

HDMI 2.0 x2	DP x1	3.5mm x1
USB-A 3.2 x2	USB-C 3.2 x1	USB-B 3.2 x1

Essential

VA Monitors
VA3820C

USB-C Ultrawide



Eye
ProTech



Colour Accuracy

98% DCI-P3 size & 100% sRGB colour coverage, SuperClear IPS Panel



KVM Switch

Connect, control & switch between multiple computers from a single console



Dynamic Colour

Industry standard HDR10, increasing definition in colour, brightness and contrast levels.

Screen Size	38"
Resolution	WQHD+
Refresh Rate (Hz)	75
Response Time	4.7ms
HDR	10
Speakers	✓

HDMI
2.0 x2



DP
x1



3.5mm
x1



USB-C
3.2 x1



USB-B
3.2 x1



Essential

VA Monitors
VA2432-H-2

Balanced



1ms

Rapid Input

Ultra fast 1ms response time for high productivity

100Hz

High Refresh

With a fast 100Hz variable refresh rate, experience a truly seamless visual display



Variable Refresh

Reduce stuttering and screen tearing with variable refresh rate panel

Screen Size	24"
Resolution	Full HD
Refresh Rate (Hz)	100
Response Time	1ms
HDR	×
Speakers	×

HDMI
1.4 x1



VGA
x1



Essential

VA Monitors
VA2732-H-2

Balanced



1ms

Rapid Input

Ultra fast 1ms response time for high productivity

100 Hz

High Refresh

With a fast 100Hz variable refresh rate, experience a truly seamless visual display



Variable Refresh

Reduce stuttering and screen tearing with variable refresh rate panel

Screen Size	27"
Resolution	Full HD
Refresh Rate (Hz)	100
Response Time	1ms
HDR	×
Speakers	×

HDMI
1.4 x1



VGA
x1



Essential

VA Monitors
VA24E1-H

High Refresh Rate



Eco Mode

Energy efficient
Eco Mode reduces
carbon footprint



High Refresh

With a fast 120Hz variable refresh rate,
experience a truly seamless visual display



Flicker Free

Seamless content viewing for long periods
with no distracting flickering

Screen Size	24"
Resolution	Full HD
Refresh Rate (Hz)	120
Response Time	5ms
HDR	×
Speakers	×

HDMI 1.4 x1	VGA x1
	

Essential

VA Monitors
VA220-H

Entry Level



1ms

Rapid Input

Ultra fast 1ms response time for high productivity

100Hz

High Refresh

With a fast 100Hz variable refresh rate, experience a truly seamless visual display



Variable Refresh

Reduce stuttering and screen tearing with variable refresh rate panel

Screen Size	22"
Resolution	Full HD
Refresh Rate (Hz)	100
Response Time	1ms
HDR	×
Speakers	×

HDMI
1.4 x1

VGA
x1

Essential

VA Monitors
VA270-H-2

Entry Level



1ms

Rapid Input

Ultra fast 1ms response time for high productivity

100Hz

High Refresh

With a fast 100Hz variable refresh rate, experience a truly seamless visual display



Variable Refresh

Reduce stuttering and screen tearing with variable refresh rate panel

Screen Size	27"
Resolution	Full HD
Refresh Rate (Hz)	100
Response Time	1ms
HDR	×
Speakers	×

HDMI
1.4 x1



VGA
x1



Essential

VA Monitors
VA240-H-2

Entry Level



1ms

Rapid Input

Ultra fast 1ms response time for high productivity



Variable Refresh

Reduce stuttering and screen tearing with variable refresh rate panel



Flicker Free

Seamless content viewing for long periods with no distracting flickering

Screen Size	24"
Resolution	Full HD
Refresh Rate (Hz)	75
Response Time	1ms
HDR	×
Speakers	×

HDMI
1.4 x1

VGA
x1

Essential

VA Monitors
VA2432-MHD-3

Speakers



1ms

Rapid Input

Ultra fast 1ms response time for high productivity

100Hz

High Refresh

With a fast 100Hz variable refresh rate, experience a truly seamless visual display



Variable Refresh

Reduce stuttering and screen tearing with variable refresh rate panel

Screen Size	24"
Resolution	Full HD
Refresh Rate (Hz)	100
Response Time	1ms
HDR	×
Speakers	✓

HDMI
1.4 x1



3.5mm
x1



VGA
x1



DP
x1



Essential

VA Monitors
VA3209-MH

Speakers



Eco Mode

Energy efficient Eco Mode reduces carbon footprint



Flicker Free

Seamless content viewing for long periods with no distracting flickering



Variable Refresh

Reduce stuttering and screen tearing with variable refresh rate panel

Screen Size	27"
Resolution	Full HD
Refresh Rate (Hz)	75
Response Time	4ms
HDR	×
Speakers	✓

VGA
x1



HDMI
1.4 x1



3.5mm
x1



Essential Comparison



VA2708-HDJ



VA2408-HDJ



VA2708-4K-HD



VA3208-4K-HD

Energy Efficient

4K Resolution

Sizes	27"	24"	27"	32"
Resolution	1920 x 1080 Full HD	1920 x 1080 Full HD	3840 x 2160 4K	3840 x 2160 4K
Aspect Ratio	16:9	16:9	16:9	16:9
Panel Type	IPS	IPS	IPS	VA
Refresh Rate	100Hz	100Hz	60Hz	60Hz
Curvature	×	×	×	×
sRGB Coverage	99%	×	×	×
DCI-P3 Size	×	×	×	×
Response Time	5ms	1ms	4ms	4ms
HDR	×	×	10	10
Brightness	250 cd/m2	250 cd/m2	250 cd/m2	300 cd/m2
Connectivity	USB-A 3.2 - USB-B 3.2 - USB-C 3.2 - Thunderbolt 4 - RJ45 LAN - HDMI 1.4 x1 DisplayPort x1 VGA x1 3.5mm Audio x1	USB-A 3.2 - USB-B 3.2 - USB-C 3.2 - Thunderbolt 4 - RJ45 LAN - HDMI 1.4 x1 DisplayPort x1 VGA x1 3.5mm Audio x1	USB-A 3.2 - USB-B 3.2 - USB-C 3.2 - Thunderbolt 4 - RJ45 LAN - HDMI 2.0 x2 DisplayPort x1 VGA - 3.5mm Audio x1	USB-A 3.2 - USB-B 3.2 - USB-C 3.2 - Thunderbolt 4 - RJ45 LAN - HDMI 2.0 x2 DisplayPort x1 VGA - 3.5mm Audio x1
Warranty	3 Years	3 Years	3 Years	3 Years





VA2708-2K-HD-2



VA3209-2K-MHD



VA3420C



VA3820C

2K Resolution

USB-C Ultrawide

Sizes	27"	32"	34"	38"
Resolution	2560 x 1440 QHD	2560 x 1440 QHD	3440 x 1440 UWQHD	3840 x 1600 WQHD+
Aspect Ratio	16:9	16:9	21:9	21:9
Panel Type	IPS	IPS	IPS	IPS
Refresh Rate	75Hz	75Hz	120Hz	75Hz
Curvature	✗	✗	✓	✓
sRGB Coverage	✗	✗	✗	100%
DCI-P3 Size	✗	✗	98%	98%
Response Time	4ms	4ms	1ms	4.7ms
HDR	10	10	10	10
Brightness	300 cd/m2	250 cd/m2	300 cd/m2	300 cd/m2
Connectivity	USB-A 3.2 - USB-B 3.2 - USB-C 3.2 - Thunderbolt 4 - RJ45 LAN - HDMI 2.0 x2 DisplayPort x1 VGA - 3.5mm Audio x1	USB-A 3.2 - USB-B 3.2 - USB-C 3.2 - Thunderbolt 4 - RJ45 LAN - HDMI 1.4 x2 DisplayPort x1 VGA - 3.5mm Audio x1	USB-A 3.2 x2 USB-B 3.2 x1 USB-C 3.2 x1 Thunderbolt 4 - RJ45 LAN - HDMI 2.0 x2 DisplayPort x1 VGA - 3.5mm Audio x1	USB-A 3.2 - USB-B 3.2 x1 USB-C 3.2 x1 Thunderbolt 4 - RJ45 LAN - HDMI 2.0 x2 DisplayPort x1 VGA - 3.5mm Audio x1
Warranty	3 Years	3 Years	3 Years	3 Years



Essential Comparison



VA2432-H-2



VA2732-H-2



VA24E1-H



VA220-H

Balanced

High Refresh Rate

Entry Level

Sizes	24"		27"		24"		22"	
Resolution	1920 x 1080 Full HD		1920 x 1080 Full HD		1920 x 1080 Full HD		1920 x 1080 Full HD	
Aspect Ratio	16:9		16:9		16:9		16:9	
Panel Type	IPS		IPS		IPS		VA	
Refresh Rate	100Hz		100Hz		120Hz		100Hz	
Curvature	✗		✗		✗		✗	
sRGB Coverage	✗		✗		✗		✗	
DCI-P3 Coverage	✗		✗		✗		✗	
Response Time	1ms		1ms		5ms		1ms	
HDR	✗		✗		✗		✗	
Brightness	250 cd/m2		250 cd/m2		250 cd/m2		250 cd/m2	
Connectivity	USB-A 3.2	-	USB-A 3.2	-	USB-A 3.2	-	USB-A 3.2	-
	USB-B 3.2	-	USB-B 3.2	-	USB-B 3.2	-	USB-B 3.2	-
	USB-C 3.2	-	USB-C 3.2	-	USB-C 3.2	-	USB-C 3.2	-
	Thunderbolt 4	-	Thunderbolt 4	-	Thunderbolt 4	-	Thunderbolt 4	-
	RJ45 LAN	-	RJ45 LAN	-	RJ45 LAN	-	RJ45 LAN	-
	HDMI 1.4	x1	HDMI 1.4	x1	HDMI 1.4	x1	HDMI 1.4	x1
	DP	-	DP	-	DP	-	DP	-
	VGA	x1	VGA	x1	VGA	x1	VGA	x1
	3.5mm Audio	-	3.5mm Audio	-	3.5mm Audio	-	3.5mm Audio	-
Warranty	3 Years		3 Years		3 Years		3 Years	





VA270-H-2



VA240-H-2



VA2432-MHD-3



VA3209-MH

Entry Level

Speakers

Sizes	27"		24"		24"		32"	
Resolution	1920 x 1080 Full HD		1920 x 1080 Full HD		1920 x 1080 Full HD		1920 x 1080 Full HD	
Aspect Ratio	16:9		16:9		16:9		16:9	
Panel Type	IPS		IPS		IPS		IPS	
Refresh Rate	100Hz		75Hz		100Hz		75Hz	
Curvature	✕		✕		✕		✕	
sRGB Coverage	✕		✕		✕		✕	
DCI-P3 Coverage	✕		✕		✕		✕	
Response Time	1ms		1ms		1ms		4ms	
HDR	✕		✕		✕		✕	
Brightness	300 cd/m2		250 cd/m2		250 cd/m2		250 cd/m2	
Connectivity	USB-A 3.2	-	USB-A 3.2	-	USB-A 3.2	-	USB-A 3.2	-
	USB-B 3.2	-	USB-B 3.2	-	USB-B 3.2	-	USB-B 3.2	-
	USB-C 3.2	-	USB-C 3.2	-	USB-C 3.2	-	USB-C 3.2	-
	Thunderbolt 4	-	Thunderbolt 4	-	Thunderbolt 4	-	Thunderbolt 4	-
	RJ45 LAN	-	RJ45 LAN	-	RJ45 LAN	-	RJ45 LAN	-
	HDMI 1.4	x1	HDMI 1.4	x1	HDMI 1.4	x1	HDMI 1.4	x1
	DP	-	DP	-	DP	x1	DP	-
	VGA	x1	VGA	x1	VGA	x1	VGA	x1
	3.5mm Audio	-	3.5mm Audio	-	3.5mm Audio	x1	3.5mm Audio	x1
Warranty	3 Years		3 Years		3 Years		3 Years	

See
Product
Page





Portable Monitors

Why ViewSonic?	158
Creative	160
Touch	161
Gaming	162
Business	163
Comparison	164

Portable Monitors

Why ViewSonic?

ViewSonic offers a range of portable monitors delivering niche specialist features to add that extra versatility. Explore our options for creatives, gamers and business users.

VP16-OLED



Why Choose our Portable Monitors?



Compact Design

Our Portable monitors have a low profile and lightweight design for easy on the go activity.



Eco Mode

All Portable monitors come with Eco mode setting so you can efficiently get the most out of your display all day long.



Eye Protection

Protect your eyes during those long sessions with blue light software protection on all models.



Transport Protection

Avoid scratches and travel worry free with a complimentary cover or sleeve for all portable monitors.

USB-C 3.2 connectivity allows for fast data transfer & charging with 40W power

Portable

VP Monitors
VP16-OLED

Creative



Colour Accuracy

100% DCI-P3, 100% sRGB
colour coverage & Delta <2
colour fidelity



OLED Technology

Crisp graphics with true deep blacks and
rich 10 bit colour with an OLED panel



Fast USB-C

USB-C 3.2 connectivity allows for fast data
transfer & charging with 40W power

Screen Size	16"
Resolution	Full HD
Refresh Rate (Hz)	60
Response Time	1ms
Touch Points	×
Speakers	✓



Portable

TD Monitors

TD1655

Touch



10-Point Touch

Recognises up to 10 touch points simultaneously



Stylus Support

Supported with a complimentary passive pen for quick accurate note taking



Fast USB-C

USB-C 3.2 connectivity allows for fast data transfer & charging with 60W power

Screen Size	16"
Resolution	Full HD
Refresh Rate (Hz)	60
Response Time	6.5ms
Touch Points	10
Speakers	✓

Mini
HDMI x1



USB-C
3.2 x2



3.5mm
x1



Portable

VX Monitors

VX1654

Gaming



AMD
FreeSync



14ms

Rapid Input

Fast 4.6ms response time for competitive gaming

144Hz

High Refresh

With a fast 144Hz variable refresh rate, experience a truly seamless visual display



Variable Refresh

Reduce stuttering and screen tearing with AMD FreeSync variable refresh

Screen Size	16"
Resolution	Full HD
Refresh Rate (Hz)	144Hz
Response Time	4.6ms
Touch Points	×
Speakers	✓

USB-C
3.2 x2



Mini
HDMI x2



3.5mm
x1



Portable

VA Monitors

VA1650

Business



Compact Design

13.4mm frame and light weight 0.7kg for easy traveling



Ergonomic

Adjustable integrated kick-stand for angled viewing up to 45° or table top mode



Fast USB-C

USB-C 3.2 connectivity allows for fast data transfer & charging with 65W power

Screen Size	16"
Resolution	Full HD
Refresh Rate (Hz)	60
Response Time	7ms
Touch Points	×
Speakers	✓

HDMI
1.4 x1



USB-C
3.2 x1



3.5mm
x1



Business

Comparison



VP16-OLED
Creative



TD1655
Touch



VX1654
Gaming



VA1650
Business

Sizes	16"		16"		16"		16"	
Resolution	1920 x 1080 Full HD		1920 x 1080 Full HD		1920 x 1080 Full HD		1920 x 1080 Full HD	
Aspect Ratio	16:9		16:9		16:9		16:9	
Panel Type	OLED		IPS		IPS		IPS	
Refresh Rate	60Hz		60Hz		144Hz		60Hz	
Touch Points	✕		10		✕		✕	
Infra-Red Sensor	✕		✕		✕		✕	
PCAP	✕		✕		✕		✕	
Response Time	1ms		6.5ms		4.6ms		7ms	
Brightness	400 cd/m2		250 cd/m2		250 cd/m2		250 cd/m2	
Connectivity	USB-A 3.2	-	USB-A 3.2	-	USB-A 3.2	-	USB-A 3.2	-
	USB-B 3.2	-	USB-B 3.2	-	USB-B 3.2	-	USB-B 3.2	-
	USB-C 3.2	x2	USB-C 3.2	x2	USB-C 3.2	x2	USB-C 3.2	x1
	DP	-	DP	-	DP	-	DP	-
	HDMI 1.4	-	HDMI 1.4	-	HDMI 1.4	-	HDMI 1.4	x1
	Micro HDMI	x1	Micro HDMI	-	Micro HDMI	-	Micro HDMI	-
	Mini HDMI	-	Mini HDMI	x1	Mini HDMI	x1	Mini HDMI	-
	RJ45 LAN	-	RJ45 LAN	-	RJ45 LAN	-	RJ45 LAN	-
	3.5mm Audio	x1	3.5mm Audio	x1	3.5mm Audio	x1	3.5mm Audio	x1
Warranty	3 Years		3 Years		3 Years		3 Years	





Viewsonic

Projectors

Why ViewSonic	168
Large Venue	170
Business/Education	212
Home	224
Portable	234

ViewSonic

Projectors

Why ViewSonic?

ViewSonic offers a comprehensive range of projectors designed to suit every need from home entertainment and business/education presentations to large-venue installations. With a variety of throw ratios, brightness levels, and projection technologies, ViewSonic projectors deliver exceptional performance and adaptability for any space.

Large Venue

Professional grade performance with flexible installation



Business/Education

Long term reliable performance to increase engagement



Home

For cinema lovers, game night gamers and more



Portable

Take the big-screen on the go



Why Choose ViewSonic Projectors?



Options for Every Need

With DLP or 3LCD technologies, laser or LED light sources, and standard, short or ultra-short throw options, ViewSonic has a projector to meet every need.



Low Ownership Cost

Enjoy long-lasting performance with laser and LED light sources offering up to 30,000 hours of lifespan, reducing maintenance at a competitive price.



Warranty & Support

We stand behind our products with a comprehensive warranty programme. With up to 5 years cover on laser models through our warranty extension programme.



Performance & Visuals

ViewSonic projectors provide an outstanding viewing experience with up to 8000 ANSI Lumens brightness and 4K UHD resolution options.



Smart Simple Setup

With intuitive setup options like auto keystone, 4 corner adjustments and more, enjoy a smooth, hassle-free set-up experience with an image that perfectly fit your screen or space.



Large Venue

Projectors

Large Venue Projectors

Why ViewSonic?

ViewSonic large venue projectors deliver powerful brightness, flexible installation, and professional-grade performance for any large-scale venue. Designed for auditoriums, lecture halls, museums, or corporate environments.



Why Choose Our Large Venue Projectors?



Bright Projection

With brightness levels of up to 8,000 ANSI Lumens, ViewSonic installation projectors deliver clear and vivid images even in large or well-lit indoor spaces.



Long-Lifespan Laser

Powered by advanced laser light sources with up to 30,000 hours of maintenance-free operation, eliminating the need for lamp replacements.



Throw Options

With ultra-short throw, short throw and standard throw options, the ViewSonic range offers adaptability to achieve optimal image size and placement in any installation scenario.



Installation Flexibility

Engineered for versatile setups, most installation projectors support 360-degree projection and portrait mode, with advanced features like lens shift, edge blending, warping for a perfect setup.



Warranty & Support

ViewSonic backs its installation projectors with a comprehensive 3 to 5-year warranty, delivering peace of mind and dependable service for long-term professional use.

Large Venue

DLP Projector
LS832WU

Ultra Short Throw



*Laser
DLP*



Bright & Crisp

WUXGA Resolution
5000 ANSI Lumens



24/7 Operation

Advanced cooling design enables 24/7 operation without quality or performance degradation



LAN Control

Compatible with Crestron, AMX, PJ Link, ATEN, and Extron systems for centralised management

Throw Ratio 0.253

Optical Zoom ✕

Warping ✕

Keystone (H,V) ±10°, ±10°

Edge Blending ✕

Lens Shift (H,V) ✕

USB-B
x1



3.5mm
x1



Mic In
x1



LAN
x1



HDMI
2.0 x2



USB-A
x1



RS232
x1



Computer
In x1



Monitor
Out x1



Large Venue

DLP Projector
LS921WU

Short Throw



Laser
DLP

360°
PROJECTION



Bright & Crisp

WUXGA Resolution
6000 ANSI Lumens



Colour Range

SuperColor™ Technology displays a wide colour range in both bright and dark environments



LAN Control

Compatible with Crestron, AMX, PJ Link, ATEN, and Extron systems for centralised management


Throw Ratio	0.81-0.89
Optical Zoom	1.1x
Warping	×
Keystone (H,V)	±40°, ±40°
Edge Blending	×
Lens Shift (H,V)	±23%, ±50%

HDMI 2.0 x1	USB-A x1	Computer In x1	LAN x1	HDBaseT x1
3.5mm x1	RS 232 x1	Composite x1	3D VESA x1	S-Video x1

Large Venue

DLP Projector
LS741HD

Short Throw



Laser
DLP

360°
PROJECTION



Bright
& Crisp

1080p Resolution
5000 ANSI Lumens



24/7 Operation

Advanced cooling design enables 24/7 operation
without quality or performance degradation



LAN Control

Compatible with Crestron, AMX, PJ Link, ATEN,
and Extron systems for centralised management

Throw Ratio	1.4-2.24
Optical Zoom	1.6x
Warping	×
Keystone (H,V)	±30°, ±30°
Edge Blending	×
Lens Shift (H,V)	×

HDMI 1.4 x2 	RS232 x1 	USB-A x1 
USB-B x1 	3.5mm x1 	LAN x1 

Large Venue

DLP Projector
LS901-4K

Standard Throw



Laser
DLP

360°
PROJECTION



Bright & Crisp

4K Resolution
5500 ANSI Lumens



High Contrast

High native contrast ratio powered by a 0.65" DMD chip



LAN Control

Compatible with Crestron, AMX, PJ Link, ATEN, and Extron systems for centralised management

Throw Ratio 1.2-2.04

Optical Zoom 1.7x

Warping ✓

Keystone (H,V) ±30°, ±30°

Edge Blending ✗

Lens Shift (H,V) -21%, 0%

HDMI
2.0 x2



3.5mm
x1



RS 232
x1



USB-A
x1



LAN
x1



Large Venue

DLP Projector
LS901HD

Standard Throw



Bright & Crisp

1080p Resolution
6000 ANSI Lumens



High Contrast

High native contrast ratio powered by a 0.65" DMD chip



LAN Control

Compatible with Crestron, AMX, PJ Link, ATEN, and Extron systems for centralised management

Throw Ratio 1.2-2.04

Optical Zoom 1.7x

Warping ✕

Keystone (H,V) ±30°, ±30°

Edge Blending ✕

Lens Shift (H,V) -21%, 0%

HDMI
1.4 x1



3.5mm
x1



USB-A
x1



HDMI
2.0 x1



RS 232
x1



LAN
x1



Large Venue

3LCD Projector
LSC601WU-ST

Short Throw



Laser
3LCD

360°
PROJECTION



Bright
& Crisp

WUXGA Resolution
6000 ANSI Lumens



HDBaseT

Receive uncompressed high-resolution video and audio over long distances with a Cat.5e/6 cable



LAN Control

Compatible with Crestron, AMX, PJ Link, ATEN, and Extron systems for centralised management

Throw Ratio 0.44

Optical Zoom ✗

Warping ✓

Keystone (H,V) ±15°, ±15°

Edge Blending ✗

Lens Shift (H,V) ✗

HDMI
1.4 x2



3.5mm
AV x1



RS232
x1



3.5mm
x1



Computer
In x1



USB-A
x1



Monitor
Out x1



LAN
x1



USB-B
x1



HDBaseT
x1



Large Venue

3LCD Projector
LSC520WU

Standard Throw



Laser
3LCD

360°
PROJECTION



Bright
& Crisp

WUXGA Resolution
5200 ANSI Lumens



21:9 Aspect Ratio

21:9 aspect ratio, ideal for Microsoft
Teams Rooms



LAN Control

Compatible with Crestron, AMX, PJ Link, ATEN,
and Extron systems for centralised management

Throw Ratio 1.08-1.76

Optical Zoom 1.6x

Warping ✓

Keystone (H,V) ±30°, ±30°

Edge Blending ✗

Lens Shift (H,V) 0%, +45%

HDMI
1.4 x2



RS232
x1



Computer
In x1



Monitor
Out x1



USB-A
x1



USB-B
x1



RCA
R/L x1



3.5mm
x1



LAN
x1



Large Venue

3LCD Projector
LSC521WU

Standard Throw



Laser
3LCD

360°
PROJECTION



Bright
& Crisp

WUXGA Resolution
5200 ANSI Lumens



HDBaseT

Receive uncompressed high-resolution video and audio over long distances with a Cat.5e/6 cable



LAN Control

Compatible with Crestron, AMX, PJ Link, ATEN, and Extron systems for centralised management

Throw Ratio	1.2-2.0
Optical Zoom	1.6x
Warping	✓
Keystone (H,V)	±30°, ±30°
Edge Blending	✗
Lens Shift (H,V)	0%, +60%

RS232 x1	HDMI 1.4 x2	USB-A x1	USB-B x1	
				
3.5mm x1	RCA R/L x1	Composite x1	LAN x1	HDBaseT x1
				

*Computer In x1, Monitor Out x1

Large Venue

3LCD Projector
LSC601WU

Standard Throw



Laser
3LCD

360°
PROJECTION



**Bright
& Crisp**

WUXGA Resolution
6000 ANSI Lumens



HDBaseT

Receive uncompressed high-resolution video and audio over long distances with a Cat.5e/6 cable



LAN Control

Compatible with Crestron, AMX, PJ Link, ATEN, and Extron systems for centralised management

Throw Ratio	1.08-1.76
Optical Zoom	1.6x
Warping	✓
Keystone (H,V)	±30°, ±30°
Edge Blending	✗
Lens Shift (H,V)	+21%, -21% +45%, 0%

HDMI 1.4 x2 	RS232 x1 	Monitor Out x1 	Computer In x1 	
USB-A x1 	3.5mm x1 	USB-B x1 	LAN x1 	HDBaseT x1 

Large Venue

3LCD Projector
LSC731WU

Standard Throw



Laser
3LCD

360°
PROJECTION



Bright
& Crisp

WUXGA Resolution
7300 ANSI Lumens



HDBaseT

Receive uncompressed high-resolution video and audio over long distances with a Cat.5e/6 cable



LAN Control

Compatible with Crestron, AMX, PJ Link, ATEN, and Extron systems for centralised management

Throw Ratio	1.2-2.0
Optical Zoom	1.6x
Warping	✓
Keystone (H,V)	±25°, ±30°
Edge Blending	✓
Lens Shift (H,V)	+29%, -29% +60%, 0%

RS232 x1	Monitor Out x1	Computer In x1	USB-A x1	HDMI 1.4 x2
USB-B x1	3.5mm x1	LAN x1	HDBaseT x1	

Large Venue

Comparison



LS832WU
Ultra Short Throw



LS921WU
Short Throw



LS741HD



LS901-4K
Standard Throw

Brightness (Lumens)	5000 ANSI	6000 ANSI	5000 ANSI	5500 ANSI
Size	80"-170"	60"-200"	30"-300"	30"-300"
Resolution	1920x1200 WUXGA	1920x1200 WUXGA	1920x1080 Full HD	3840x2160 4K
Light Source	Laser	Laser	Laser	Laser
Technology	DLP	DLP	DLP	DLP
Throw Ratio	0.253	0.81-0.89	1.4-2.24	1.2-2.04
Refresh Rate	24-85Hz	23-120Hz	24-120Hz	23-240Hz
Optical Zoom	✕	1.1x	1.6x	1.7x
Keystone	✓	✓	✓	✓
Lens Shift	✕	✓	✕	✓
Warping	✕	✕	✕	✓
Edge Blending	✕	✕	✕	✕
360° Projection	✓	✓	✓	✓
Connectivity	USB-A x1 USB-B x1 HDBaseT - DP - HDMI 2.0 x2 RS232 x1 RJ45 LAN x1 3.5mm Audio x1 Computer In x1 Monitor Out x1 Composite -	USB-A x1 USB-B x1 HDBaseT - DP - HDMI 2.0 x2 RS232 x1 RJ45 LAN x1 3.5mm Audio x1 Computer In x1 Monitor Out x1 Composite x1	USB-A x1 USB-B x1 HDBaseT - DP - HDMI 1.4 x2 RS232 x1 RJ45 LAN x1 3.5mm Audio x1 Computer In - Monitor Out - Composite -	USB-A x1 USB-B - HDBaseT - DP - HDMI 2.0 x2 RS232 x1 RJ45 LAN x1 3.5mm Audio x1 Computer In - Monitor Out - Composite -
Warranty	5 Years*	5 Years*	5 Years*	5 Years*

*3-years standard with 5-year once registered to our website within 90 days





LS901HD

Standard Throw



LSC601WU-ST

Short Throw



LSC520WU

Standard Throw



LSC521WU

Brightness (Lumens)	6000 ANSI	6000 ANSI	5200 ANSI	5200 ANSI
Size	30"-300"	55"- 180"	30"-300"	30"-300"
Resolution	1920x1080 Full HD	1920x1200 WUXGA	1920x1200 WUXGA	1920x1200 WUXGA
Light Source	Laser	Laser	Laser	Laser
Technology	DLP	3LCD	3LCD	3LCD
Throw Ratio	1.2-2.04	0.44	1.08-1.76	1.2-2.01
Refresh Rate	23-120Hz	23-85Hz	23-85Hz	23-85Hz
Optical Zoom	1.7x	×	1.6x	1.6x
Keystone	✓	✓	✓	✓
Lens Shift	✓	×	✓	✓
Warping	×	✓	✓	✓
Edge Blending	×	×	×	×
360° Projection	✓	✓	✓	✓
Connectivity	USB-A x1 USB-B - HDBaseT - DP - HDMI x2 RS232 x1 RJ45 LAN x1 3.5mm Audio x1 Computer In - Monitor Out - Composite -	USB-A x1 USB-B x1 HDBaseT x1 3.5mm AV x1 HDMI 1.4 x2 RS232 x1 RJ45 LAN x1 3.5mm Audio x1 Computer In x1 Monitor Out x1 Composite -	USB-A x1 USB-B x1 HDBaseT - RCA/L x1 HDMI 1.4 x2 RS232 x1 RJ45 LAN x1 3.5mm Audio x1 Computer In x1 Monitor Out x1 Composite -	USB-A x1 USB-B x1 HDBaseT x1 RCA/L x1 HDMI 1.4 x2 RS232 x1 RJ45 LAN x1 3.5mm Audio x1 Computer In x1 Monitor Out x1 Composite x1
Warranty	5 Years*	3 Years	3 Years	3 Years

*3-years standard with 5-year once registered to our website within 90 days

See
Product
Page



Large Venue

Comparison



LSC601WU

LSC731WU

Standard Throw

Brightness (Lumens)	6000 ANSI	7300 ANSI
Size	30"-300"	30"-300"
Resolution	1920x1200 WUXGA	1920x1200 WUXGA
Light Source	Laser	Laser
Technology	3LCD	3LCD
Throw Ratio	1.08-1.76	1.2-2.0
Refresh Rate	24-85Hz	23-85Hz
Optical Zoom	1.6x	1.6x
Keystone	✓	✓
Lens Shift	✓	✓
Warping	✓	✓
Edge Blending	✗	✓
360° Projection	✓	✓
Connectivity	USB-A x1 USB-B x1 HDBaseT x1 DP - HDMI 1.4 x2 RS232 x1 RJ45 LAN x1 3.5mm Audio x1 Computer In x1 Monitor Out x1 Composite -	USB-A x1 USB-B x1 HDBaseT x1 DP - HDMI 1.4 x2 RS232 x1 RJ45 LAN x1 3.5mm Audio x1 Computer In x1 Monitor Out x1 Composite -
Warranty	3 Years	3 Years

See Product Page





Business/Education

Projectors

Business/Education Projectors

ViewSonic business and education projectors are designed to make every presentation and lesson more engaging and impactful. Whether in a boardroom or a classroom, ViewSonic projectors deliver brilliant performance, versatility, and long-term value.



Why Choose our Business/Education Projectors?



Cost-Effective Performance

Outstanding cost efficiency with energy-efficient light sources and minimal maintenance requirements make ViewSonic projectors a smart investment for businesses and schools.



Long-Lasting Laser

Powered by advanced laser light sources with up to 30,000 hours of maintenance-free operation, eliminating the need for lamp replacements.



Throw Options

From short throw models ideal for classrooms and meeting rooms to standard throw projectors for larger spaces, ViewSonic provides options to suit any room layout or presentation need.



Warranty & Support

ViewSonic backs its installation projectors with a comprehensive 3-year warranty, delivering peace of mind and dependable service for long-term professional use.

Business/Education

LED DLP Projector

LSD300W-ST

Short Throw



LED
DLP



Bright & Crisp

WXGA Resolution
3300 ANSI Lumens



LAN Control

Compatible with Crestron, AMX, PJ Link, ATEN, and Extron systems for centralised management



360° Projection

Rotate vertically at any angle plus portrait mode for more creative applications

Throw Ratio	0.49
Optical Zoom	×
Warping	±40°, ±40°
Keystone (H,V)	✓
4-Corner Adjustment	



*Computer In x1, Monitor Out x1

Business/Education

DLP Projector
LSD400HD-ST

Short Throw



Laser
DLP



Bright & Crisp

1080p Resolution
4000 ANSI Lumens



LAN Control

Compatible with Crestron, AMX, PJ Link, ATEN, and Extron systems for centralised management



360° Projection

Rotate vertically at any angle plus portrait mode for more creative applications

Throw Ratio 0.5

Optical Zoom ✕

Warping ±15°, ±15°

Keystone (H,V) ✓

4-Corner Adjustment




Business/Education

DLP Projector

LSD400W

Standard Throw



Laser
DLP



Bright & Crisp

WXGA Resolution
4000 ANSI Lumens



360° Projection

Rotate vertically at any angle plus portrait mode for more creative applications



High Contrast

High native contrast ratio powered by a 0.65" DMD chip

Throw Ratio 1.544-1.72

Optical Zoom 1.1x

Warping ±30°, ±30°

Keystone (H,V) ✓

4-Corner Adjustment

HDMI
1.4 x2



3.5mm
x1



RS232
x1



USB-A
x1



Business/Education

DLP Projector
LSD400HD

Short Throw



Laser
DLP



Bright & Crisp

1080p Resolution
4000 ANSI Lumens



360° Projection

Rotate vertically at any angle plus portrait mode for more creative applications



High Contrast

High native contrast ratio powered by a 0.65" DMD chip

Throw Ratio1.48-1.62

Optical Zoom1.1x

Warping±30°, ±30°

Keystone (H,V)✓

4-Corner Adjustment

HDMI
2.0 x2



3.5mm
x1



RS232
x1



USB-A
x1



Business/Education

DLP Projector

LSD401HD

Standard Throw



Laser
DLP



Bright & Crisp

1080p Resolution
4000 ANSI Lumens



LAN Control

Compatible with Crestron, AMX, PJ Link, ATEN, and Extron systems for centralised management



360° Projection

Rotate vertically at any angle plus portrait mode for more creative applications

Throw Ratio 1.13-1.47

Optical Zoom 1.3x

Warping ±30°, ±30°

Keystone (H,V) ✓

4-Corner Adjustment



RS232
x1



USB-A
x1



3.5mm
x1



LAN
x1



Business/Education

Comparison



LSD300W-ST LSD400HD-ST

Short Throw

Brightness (Lumens)	3300 ANSI	4000 ANSI
Size	60"-300"	40"-300"
Resolution	1280x800 WXGA	1920x1080 Full HD
Light Source	LED	Laser
Technology	DLP	DLP
Throw Ratio	0.49	0.5
Refresh Rate	23-120Hz	24-120Hz
Optical Zoom	×	×
Keystone	✓	✓
4 Corner Adjustment	✓	✓
Warping	×	×
360° Projection	✓	✓
Connectivity	USB-A x1 USB-B - USB-C - HDBaseT - DP - HDMI 1.4 x1 RS232 x1 RJ45 LAN x1 3.5mm Audio x1 Computer In x1 Monitor Out x1	USB-A x1 USB-B - USB-C - Cat5e - DP - HDMI 2.0 x2 RS232 x1 RJ45 LAN x1 3.5mm Audio x1 Computer In - Monitor Out -
Warranty	3 Years	3 Years





LSD400W



LSD400HD



LSD401HD

Standard Throw

Brightness (Lumens)	4000 ANSI		4000 ANSI	4000 ANSI
Size	30"-300"		30"-300"	30"-300"
Resolution	1280x800 WXGA		1920x1080 Full HD	1920x1080 Full HD
Light Source	Laser		Laser	Laser
Technology	DLP		DLP	DLP
Throw Ratio	1.544-1.72		1.48-1.62	1.13-1.47
Refresh Rate	24-120Hz		24-120Hz	24-120Hz
Optical Zoom	1.1x		1.1x	1.3x
Keystone	✓		✓	✓
4 Corner Adjustment	✓		✓	✓
Warping	✗		✗	✗
360° Projection	✓		✓	✓
Connectivity	USB-A x1	USB-B -	USB-A x1	USB-A x1
	USB-B -	USB-C -	USB-B -	USB-B -
	USB-C -	HDBaseT -	USB-C -	USB-C -
	HDBaseT -	DP -	HDBaseT -	HDBaseT -
	DP -	HDMI 2.0 x2	DP -	DP -
	HDMI 1.4 x2	RS232 x1	HDMI 2.0 x2	HDMI 2.0 x2
	RS232 x1	RJ45 LAN -	RS232 x1	RS232 x1
	RJ45 LAN -	3.5mm Audio x1	RJ45 LAN -	RJ45 LAN x1
	3.5mm Audio x1	Computer In -	3.5mm Audio x1	3.5mm Audio x1
	Computer In -	Monitor Out -	Computer In -	Computer In -
	Monitor Out -		Monitor Out -	Monitor Out -
Warranty	3 Years		3 Years	3 Years

See
Product
Page





Home

Projectors

Home Projectors

Why ViewSonic?

Transform your living room into a true cinema experience with ViewSonic's line of home entertainment projectors. Designed for movie lovers, gamers, and families. We deliver exceptional visuals, convenience and style.



SOUND BY
harman/kardon

 **Google TV**

Why Choose our Home Projectors?



Budget & Lifestyle

From affordable Full HD to premium 4K with built-in Harman Kardon speakers options, we bring the cinematic experience to every home and budget.



Smart Connectivity

Enjoy effortless streaming and sharing with built-in Google TV, Wi-Fi, and Bluetooth on select models. Alternatively, connect ViewSonic wireless dongle for quick, cable-free screen mirroring.



Fast Refresh Rate

Designed for entertainment lovers, experience smooth blur-free motion for Sports, Movies, and Gaming with high refresh rate on most of our home projectors.



Warranty & Support

ViewSonic backs its installation projectors with a comprehensive 3 -year warranty, delivering peace of mind and dependable service for long-term use.

Home

LED Projector

X1-4KE Pro

Gaming



LED
DLP



SOUND BY
harman/kardon

Google TV



Dynamic Image

4K HDR Resolution
3300 LED Lumens



High Refresh Rate

Experience fast 240Hz @1080p or balanced 120Hz @1440p with fast 4.2ms response time



Wireless Casting

Cast or mirror content from your devices and connect to your Bluetooth headphones

Throw Ratio	1.15-1.5
Optical Zoom	1.3x
Keystone (H,V)	±40°, ±40°
4 Corner Adjustment	✓
Smart Connectivity*	Google TV



Home

LED Projector X2-4KE Pro

Gaming



LED
DLP



SOUND BY
harman / kardon

Google TV



Bright & Crisp

4K HDR Resolution
3700 ANSI Lumens



High Refresh Rate

Experience fast 240Hz @1080p or balanced
120Hz @1440p with fast 4.2ms response time



Wireless Casting

Cast or mirror content from your devices and
connect to your Bluetooth headphones

Throw Ratio 0.69-0.83

Optical Zoom 1.2x

Keystone (H,V) $\pm 40^\circ$, $\pm 40^\circ$

4 Corner Adjustment ✓

Smart Connectivity* Google TV



Home

LED Projector

LX60HDE

Google TV



LED
1LCD

Google TV



Dynamic
Image

1080 Resolution
630 ANSI Lumens



Auto Focus

Instant and accurate distance ranging on any surface with (ToF) technology



Smart Adjust

Auto obstacle avoidance, auto screen fit feature and auto keystone 4 corner adjustment

Throw Ratio	1.2
Optical Zoom	×
Keystone (H,V)	±40°, ±40°
4 Corner Adjustment	✓
Smart Connectivity*	Google TV

HDMI 1.4 x1	USB-A x2	3.5mm AV x1	3.5mm x1

Home

DLP Lamp Projector PX701-4K

Entertainment



Lamp
DLP



Dynamic Image

4K HDR Resolution
3200 ANSI Lumens



Colour Range

SuperColor™ Technology displays a wide colour range in both bright and dark environments



High Refresh Rate

Experience up to 240hz @1080p with 4.2 ms response time for a flexible home setup

Throw Ratio 1.5-1.65

Optical Zoom 1.1x

Keystone (H,V) ±40°, ±40°

4 Corner Adjustment ✓

Smart Connectivity* ✗

HDMI
2.0 x2



USB-A
x1



RS232
x1



3.5mm
x1



*Compatible with ViewSonic ViewShare. Find on p.229 (sold separately)

Home

Comparison



X1-4KE Pro



X2-4KE Pro



LX60HDE

Google TV



PX701-4K

Entertainment

Gaming

Brightness (Lumens)	3300 LED		3300 LED		630 ANSI		3200 ANSI	
Size	60"-150"		60"-120"		50"-140"		30"-300"	
Resolution	3840x2160 4K		3840x2160 4K		1920x1080 Full HD		3840x2160 4K	
Light Source	LED		LED		LED		Lamp	
Technology	DLP		DLP		1LCD		DLP	
Throw Ratio	1.15-1.5		0.69-0.83		1.2		1.5-1.65	
Keystone	✓		✓		✓		✓	
4 Corner Adjustment	✓		✓		✓		✓	
360° Projection	✓		✓		✓		✓	
Built-in Google TV	✓		✓		✓		✗	
Smart Connectivity	Wifi Bluetooth		Wifi Bluetooth		Wifi Bluetooth		ViewShare	
Optical Zoom	1.3x		1.2x		1.1x		1.1x	
Connectivity	USB-A	x1	USB-A	x1	USB-A	x2	USB-A	x1
	USB-B	-	USB-B	-	USB-B	-	USB-B	-
	USB-C	x1	USB-C	x1	USB-C	-	USB-C	-
	HDBaseT	-	HDBaseT	-	HDBaseT	-	HDBaseT	-
	DP	-	DP	-	3.5mm AV	x1	DP	-
	HDMI 2.0	x2	HDMI 2.0	x2	HDMI 1.4	x1	HDMI 2.0	x2
	RS232	x1	RS232	x1	RS232	-	RS232	x1
	RJ45 LAN	-	RJ45 LAN	-	RJ45 LAN	-	RJ45 LAN	-
	3.5mm Audio	x1	3.5mm Audio	x1	3.5mm Audio	x1	3.5mm Audio	x1
Refresh Rate	23-240Hz		23-240Hz		23-240Hz		23-240Hz	
Warranty	3 Years		3 Years		3 Years		3 Years	





Portable

Projectors

Portable Projectors

Why ViewSonic?

Perfect for entertainment on the go, ViewSonic portable projectors bring big-screen experiences wherever you are. Move them easily from room to room at home, or take them on your travels to transform your hotel room, camper van, or outdoor setup into your own personal cinema.



— SOUND BY —
harman/kardon

 **Google TV**

Why Choose our Portable Projectors?



Wireless Connectivity

Go wireless with built-in Wi-Fi, Bluetooth and cast or mirror view anywhere. Stream anywhere with the M1E Max featuring built-in Google TV.



Smart Simple Setup

Built-in smart functions to setup easily on the go with keystone, 4 corner adjustment and auto focus on the M1E Max.



Compact Design

Our Portable Projectors have a low profile and lightweight design under 1 kg for easy on the go activity.



360° Flexibility

Featuring an innovative 360-degree stand, our award winning design let's you project on walls, ceilings, or any flat surface.



Battery On-the-Go

Built-in battery that supports hours of playtime and 45W USB-C charging with power bank compatibility for extended use.

Portable

LED Projector

M1XE

Essential



LED



SOUND BY
harman/kardon



Dynamic Image

WVGA Resolution
360 LED Lumens



Wireless Casting

cast or mirror content from your devices and connect to your Bluetooth headphones



USB-C Charging

Charge and Stream via USB-C with 45W output power bank compatibility

Edge Blending	×
Warping	×
Throw Ratio	1.2
Optical Zoom	×
Keystone (H,V)	±40°, ±40°
Lens Shift (V,H)	×

HDMI 1.4 x1	USB-A x1	USB-C x1	3.5mm x1

Portable

LED Projector

M1E Max

Google TV



LED



Google TV

SOUND BY
harman/kardon



Dynamic Image

1080p Resolution
500 LED Lumens



Auto Focus

Accurate focus on any surface with (ToF) technology & auto keystone 4 corner adjustment



USB-C Charging

Charge and Stream via USB-C with 45W output power bank compatibility

Edge Blending	×
Warping	×
Throw Ratio	1.2
Optical Zoom	×
Keystone (H,V)	±40°, ±40°
Lens Shift (V,H)	×

HDMI 1.4 x1	USB-A x1	USB-C x1	3.5mm x1

Portable

Comparison



M1XE
Essential



M1E MAX
Google TV

Brightness (Lumens)	360 LED	500 LED
Size	24"-100"	40"-100"
Resolution	854x480 WVGA	1920x1080 Full HD
Light Source	LED	LED
Technology	DLP	DLP
Throw Ratio	1.2	1.2
Keystone	✓	✓
4 Corner Adjustment	✓	✓
360° Projection	✓	✓
Built-in Google TV	✓	✓
Smart Connectivity	Wifi Bluetooth	Wifi Bluetooth
Weight	0.8kg	0.96kg
Dimensions	355 x 244 x 121mm	355 x 251 x 121mm
Connectivity	USB-A x1 USB-B - USB-C x1 HDBaseT - DP - HDMI 1.4 x1 RS232 - RJ45 LAN - 3.5mm Audio x1	USB-A x1 USB-B - USB-C x1 HDBaseT - DP - HDMI 1.4 x1 RS232 - RJ45 LAN - 3.5mm Audio x1
Battery Life	2.5 hours	1.5 hours
Warranty	3 Years	3 Years

See Product Page





Software

Large Format Displays



ViewSonic Software ensures seamless cross-device compatibility, delivering a consistent interactive experience no matter the space.



Manager

AirSync

220



myViewBoard

Create inclusive, productive presentations with software that's adaptable to all styles and levels. myViewBoard provides powerful collaboration and whiteboarding tools that bring materials to life and foster engagement and interaction.

Manager

Reduce IT admin workload and enhance resource allocation with Manager, a centralised platform that streamlines device and app management, troubleshooting and campus communication across ViewSonic displays.

AirSync

Cast to your ViewSonic ViewBoards and non-touch displays from up to 10 devices (varying per model), including Macbook, iPad, Windows laptop, or Android tablets and devices. Make use of built-in support for AirPlay, Miracast, and Google Cast.



Accessories

For Display Solutions

TeamJoin™

Conference Solution

Delivering certified Microsoft Teams Rooms integration, intuitive touch control, intelligent video and audio. TeamJoin transforms any space into a seamless hybrid meeting environment.



Touch Console & Computing Engine



Connect Instantly

Seamlessly manage Teams meetings through the touch console



Cable Management


The integrated cable management streamlines the setup, simplifying maintenance for IT staff.



Advanced Security

An integrated Trusted Platform Module (TPM) 2.0 ensures safer, more secure computing

Video Bar System



Wide Lens

Capture all participants with the 117.8° lens



8-Metre Mic Range

6-Microphone array that cover an 8-metre range



DOA Voice Tracking

Automatically locks camera on the person speaking

Camera & Accessories

All-in-One Camera, Mic & Mount

Delivering 4K UHD clarity, a 121° wide-angle lens, and intelligent voice tracking, this all-in-one conference camera ensures every voice is heard. The built-in 4 mic-array with 4 metre range and acoustic echo cancellation, noise suppression and automatic gain control for crystal-clear audio.



Wide Lens

Capture all participants with the 121° lens



Live Mosaic View

Creates a mosaic of up to 8 participants live



Auto Narrator Lock

Automatically locks camera on the narrator

Speakers

Stereo

Microphone

4-Array

Resolution

4K UHD

Digital Zoom

x5



VB-MIC-201

Mic Extension

Extends Mic Range by 2 Metres

Camera Mount

Secures Camera Above Display*



VB-WMK-002

ViewShare

Wireless Casting Kit

WPD-900

Supporting over 90% of devices, it enables seamless casting via peer-to-peer connection, Miracast, and iOS/macOS screen mirroring, providing exceptional flexibility. Connect and charge their devices simultaneously via USB-C with 60W capacity.



Secure Wireless

Peer-to-Peer network connection with no Wi-Fi or app required



Presenter Switch

Switch between 8 participants with one click



Mirror or Extend

Miracast, Windows/iOS/macOS mirroring or extend

Resolution

1080p

Range

30m

Charge Through

60W USB-C

DRM Compatible



Compatibility*

ViewBoard | CDE | All-in-One LED | Monitor | Projector



Slot-in-PCs



	VPC37-W53-G1	VPC35-W53-G1	VPCF5-W55-G1-2A
OS Version	Windows 11 Pro	Windows 11 Pro	Windows 11 Pro
CPU	Intel i7 Gen 12	Intel i5 Gen 12	Intel i5 Gen 12
EDLA	×	×	×
Storage	256GB SSD	256GB SSD	512GB SSD
RAM	16GB DDR4	16GB DDR4	16GB DDR4

See
Product
Page



	VPC11-C33-G1	VPC13-C33-G1	VPC15-C53-G1
OS Version	Chrome	Chrome	Chrome
CPU	Intel Celeron 7350E	Intel i3 Gen 13	Intel i5 Gen 13
EDLA	×	×	×
Storage	256GB SSD	256GB SSD	256GB SSD
RAM	8GB DDR4	8GB DDR4	16GB DDR4

See
Product
Page





UEFI SHELL

VPC-A31-01

VPCF5-S55-G1-2A

OS Version	Android 13	UEFI Shell
CPU	MediaTek MT8195	Intel i5 Gen 12
EDLA	✓	✗
Storage	128GB SSD	512GB SSD
RAM	8GB DDR4	16GB DDR4

See
Product
Page



ViewBoard Pens

Passive

Active

VB-PEN 002



- Dual pen tips
- 3mm & 9mm
- Changeable pen tips
- Magnetic material
- Antibacterial coating

Compatible with:

- All Viewboards except IFP33-G



VB-PEN 009



- Dual pen tips
- 3mm & 9mm
- Changeable pen tips
- Magnetic material

Compatible with:

- All ViewBoards



VB-PEN 010



- Multi-colour pen
- Dual pen tips
- 10 day battery life


Compatible with:

- IFP53






Floor Stands



VB-STND-104

Motorised & Height adjustable

Size Support	55"-86"
Max Weight	75kg
Vesa Mount	800 x 600mm
Tilt	×
Adjustment Range	650mm
Compatibility	ViewBoard & CDE



VE-MT-001


Optional Mobile Kit for VB-STND-104



VB-STND-009

Low Profile Trolley


Size Support	55"-105"
Max Weight	120kg
Vesa Mount	1000 x 600mm
Tilt	×
Compatibility	ViewBoard & CDE



VB-STND-001-2C

Platform Trolley

Size Support	55"-98"
Max Weight	100kg
Vesa Mount	400 x 200-900 x 600mm
Tilt	×
Compatibility	ViewBoard & CDE




LD-STND-009

All-in-One LED Trolley


Size Support	136"-163"
Max Weight	180kg
Dimensions	2349 x 2043 x 825mm
Tilt	×
Compatibility	LED Displays

Wall Mounts




VB-WMK-001-2C

Supported Sizes	55"-98"
Max Weight	125kg
Vesa Mount	900 x 600mm
Dimensions	960 x 650 x 51.7mm
Compatibility	ViewBoard & CDE



VB-WMK-003

Supported Sizes	65"-105"
Max Weight	150kg
Vesa Mount	1000 x 600mm
Dimensions	1260 x 650 x 45mm
Compatibility	ViewBoard & CDE



VB-WMK-004

Supported Sizes	75"-110"
Max Weight	360kg
Vesa Mount	1000 x 800mm
Dimensions	1110 x 885.8 x 43.5mm
Compatibility	ViewBoard & CDE



Recycling Scheme

ViewSonic®

We're WEEE Compliant

We follow the European regulations for waste electrical and electronic equipment (WEEE). This means we'll collect your old tech for free so it can be recycled and disposed of safely, saving you time and money, as well as working towards a greener planet.

Our Product Recyclability

ViewSonic achieves a remarkable rate of 70% product reuse and recyclables and 80% product recovery across product ranges. This puts us on track to greatly exceed the European Union's WEEE goal for 65% of e-waste to be recycled by 2030.



Eco Packaging

97% of packaging is fully recyclable & 67% is made from recycled material.



Recyclable Material

Most ViewSonic products have over 90% recyclability, including IFP8633 with 99%.



WEEE Compliant

We participate in recycling schemes in 12 European countries.

Ready to Recycle Your Old Tech?

Complete our simple online form to request a collection for your old tech.

Got questions?
Contact sales-uk@viewsonic.com



Request a Collection



IFP8633



ViewSonic®

Miles Yard
10 Miles Street
London
SW8 1GX
United Kingdom

+44 20 7382 8250
sales-uk@viewsonic.com

Visit Us



www.viewsonic.com/uk

Lifespan and power consumption may vary based on actual usage and other factors. Specifications and availability are subject to change without written notice.
Corporate names and trademarks are the property of their respective companies. All Images are for illustrative purpose only.

Copyright © 2025, ViewSonic Europe Ltd. All rights reserved.