

# ViewSonic Accessibility Conformance Report

EN 301 549 Edition

(Based on VPAT® Version 2.5Rev)

## Name of Product / Version:

UMS301T

**Report Date:** September 2025

## Product Description:

The ViewSonic UMS301T is an enterprise-grade speakerphone purpose-built for scalable, high-performance audio in modern hybrid workspaces. Certified for Microsoft Teams Rooms (MTR), it delivers 360° voice pickup, AI-powered noise suppression, and crystal-clear full-duplex audio, ideal for medium to large conference rooms, training spaces, and large conference and meeting rooms.

**Contact Information:** ViewSonic Europe Limited

EPREL@viewsoniceurope.com; +31 (0) 650608655

# Applicable Standards/Guidelines

This report covers the degree of conformance for the following accessibility standard/guidelines:

Standard/Guideline	Included In Report
<a href="#">Web Content Accessibility Guidelines 2.0</a>	Level A (No) Level AA (No) Level AAA (No)
<a href="#">Web Content Accessibility Guidelines 2.1</a>	Level A (No) Level AA (No) Level AAA (No)
<a href="#">EN 301 549 Accessibility requirements for ICT products and services - V3.1.1 (2019-11) AND EN 301 549 Accessibility requirements for ICT products and services - V3.2.1 (2021-03)</a>	Yes

## Terms

The terms used in the Conformance Level information are defined as follows:

- **Supports:** The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.
- **Partially Supports:** Some functionality of the product does not meet the criterion.
- **Does Not Support:** The majority of product functionality does not meet the criterion.
- **Not Applicable:** The criterion is not relevant to the product.
- **Not Evaluated:** The product has not been evaluated against the criterion. This can only be used in WCAG Level AAA criteria.

# EN 301 549 Report

## Clause 4: Functional Performance Statements (FPS)

Criteria	Conformance Level	Remarks and Explanations
<b>4.2.1 Usage without vision</b> Where ICT provides visual modes of operation, the ICT provides at least one mode of operation that does not require vision. This is essential for users without vision and benefits many more users in different situations.	Partially Supports	The speakerphone provides touch-sensitive keys for power, mute, and volume. Each activation is confirmed with a system beep, supporting non-visual operation through position memory and auditory feedback. Since all keys have a similar shape and sound, operation without vision may rely on the device maintaining its orientation on the table.
<b>4.2.2 Usage with limited vision</b> Where ICT provides visual modes of operation, the ICT provides features that enable users to make better use of their limited vision. This is essential for users with limited vision and benefits many more users in different situations.	Supports	The speakerphone provides clear LED indicators for connection and mute status, with a simple control layout that supports users with limited vision.
<b>4.2.3 Usage without perception of colour</b> Where ICT provides visual modes of operation, the ICT provides a visual mode of operation that does not require user perception of colour. This is essential for users with limited colour perception and benefits many more users in different situations.	Supports	The speakerphone uses LED indicators to display connection and mute status. These functions are also supported by auditory feedback, including a voice prompt when connected and system beep tones for key activations. As a result, the speakerphone does not rely solely on colour perception for operation.
<b>4.2.4 Usage without hearing</b> Where ICT provides auditory modes of operation, the ICT provides at least one mode of operation that does not require hearing. This	Does Not Support	The speakerphone is an audio communication device designed primarily for transmitting and reproducing sound. While LED indicators provide visual feedback for functions such as mute and

Criteria	Conformance Level	Remarks and Explanations
is essential for users without hearing and benefits many more users in different situations.		connection status, the core functionality depends on hearing. For users without hearing, accessibility features such as live captions or visual meeting controls are available through conferencing platforms commonly used with the speakerphone.
<p><b>4.2.5 Usage with limited hearing</b></p> <p>Where ICT provides auditory modes of operation, the ICT provides enhanced audio features. This is essential for users with limited hearing and benefits many more users in different situations.</p>	Partially Supports	<p>The speakerphone provides adjustable volume, wideband audio, and audio processing features such as echo cancellation and noise reduction to enhance clarity for users with limited hearing. Visual LED indicators also support awareness of mute and connection status. However, the speakerphone does not include direct compatibility with hearing aids or provide real-time captioning or transcription features, which are instead offered through conferencing platforms.</p>
<p><b>4.2.6 Usage with no or limited vocal capability</b></p> <p>Where ICT requires vocal input from users, the ICT provides at least one mode of operation that does not require them to generate vocal output. This is essential users with no or limited vocal capability and benefits many more users in different situations.</p>	Supports	<p>The speakerphone does not require voice input for operation. All core functions, including mute, volume adjustment, and power, can be controlled through touch keys on the speakerphone or through conferencing platform controls.</p>
<p><b>4.2.7 Usage with limited manipulation or strength</b></p> <p>Where ICT requires manual actions, the ICT provides features that enable users to make use of the ICT through alternative actions not requiring manipulation, simultaneous action or hand strength.</p>	Supports	<p>The speakerphone uses light-touch keys that require minimal pressure for activation and does not require simultaneous actions. In addition, all functions can be controlled through conferencing</p>

Criteria	Conformance Level	Remarks and Explanations
This is essential for users with limited manipulation or strength and benefits many more users in different situations.		platform software, allowing full operation without the need for manual actions on the device.
<p><b>4.2.8 Usage with limited reach</b></p> <p>Where ICT products are free-standing or installed, all the elements required for operation will need to be within reach of all users. This is essential for users with limited reach and benefits many more users in different situations.</p>	Supports	The speakerphone is a tabletop device, with all controls accessible within arm's reach during normal use. In addition, all functions can be operated through conferencing platform software, ensuring full accessibility for users with limited reach.
<p><b>4.2.9 Minimize photosensitive seizure triggers</b></p> <p>Where ICT provides visual modes of operation, the ICT provides at least one mode of operation that minimizes the potential for triggering photosensitive seizures. This is essential for users with photosensitive seizure triggers.</p>	Supports	The speakerphone uses only simple LED indicators to display status such as connection and mute. LEDs are steady or use slow transitions, and do not flash at frequencies that could trigger photosensitive seizures.
<p><b>4.2.10 Usage with limited cognition, language or learning</b></p> <p>The ICT provides features and/or presentation that makes it simpler and easier to understand, operate and use. This is essential for users with limited cognition, language or learning, and benefits many more users in different situations.</p>	Supports	The speakerphone is designed with a simple and intuitive interface, providing only a small number of core controls such as volume and mute. Visual LED indicators, auditory confirmations, and straightforward voice prompts assist in understanding device status. The speakerphone also supports plug-and-play operation and can be managed through common conferencing platforms, helping users with limited cognition, language, or learning abilities operate it more easily.
<p><b>4.2.11 Privacy</b></p>	Supports	The speakerphone does not provide separate accessibility features that affect privacy differently from other users. All functions, such as mute,

<b>Criteria</b>	<b>Conformance Level</b>	<b>Remarks and Explanations</b>
Where ICT provides features for accessibility, the ICT maintains the privacy of users of these features at the same level as other users.		volume, and connection status, operate at the same privacy level as all users. Protection of meeting content and accessibility services such as live captions is managed by the conferencing platform used with the speakerphone.

## Clause 5: [Generic Requirements](#)

Criteria	Conformance Level	Remarks and Explanations
<b>5.1 Closed functionality</b>	Heading cell – no response required	Heading cell – no response required
<b>5.1.2 General</b>	Heading cell – no response required	Heading cell – no response required
<b>5.1.2.1 Closed functionality</b>	See 5.2 through 13	See information in 5.2 through 13
<b>5.1.2.2 Assistive technology</b>	See 5.1.3 through 5.1.6	See information in 5.1.3 through 5.1.6
<b>5.1.3 Non-visual access</b>	Heading cell – no response required	Heading cell – no response required
<p><b>5.1.3.1 Audio output of visual information</b></p> <p>Where visual information is needed to enable the use of those functions of ICT that are closed to assistive technologies for screen reading, ICT shall provide at least one mode of operation using non-visual access to enable the use of those functions.</p>	Supports	The speakerphone does not include a display screen. Visual information is limited to LED indicators for functions such as mute and connection status, which are also supported by auditory confirmations (system beeps and a voice prompt when connected). This ensures non-visual access is available where visual indicators are used.
<p><b>5.1.3.2 Auditory output delivery including speech</b></p> <p>Where auditory output is provided as non-visual access to closed functionality, the auditory output shall be delivered:</p> <ul style="list-style-type: none"> <li>a) either directly by a mechanism included in or provided with the ICT; or</li> <li>b) by a personal headset that can be connected through a 3,5 mm audio jack, or an industry standard connection, without requiring the use of vision.</li> </ul>	Supports	The speakerphone provides auditory output directly through its built-in loudspeakers, enabling non-visual access without requiring additional equipment. It does not include a 3.5 mm headset port, but personal audio can be managed through the connected conferencing platform or host device.
<p><b>5.1.3.3 Auditory output correlation</b></p> <p>Where auditory output is provided as non-visual access to closed functionality, and where information is displayed on the screen, the ICT should provide auditory information that allows the user to correlate the audio with the information displayed on the screen.</p>	Not Applicable	The speakerphone does not include a display screen. Therefore, no correlation between auditory output and on-screen information is required.

Criteria	Conformance Level	Remarks and Explanations
<p><b>5.1.3.4 Speech output user control</b></p> <p>Where speech output is provided as non-visual access to closed functionality, the speech output shall be capable of being interrupted and repeated when requested by the user, where permitted by security requirements.</p>	Does Not Support	<p>The speakerphone provides limited speech output, such as a voice prompt when connected. However, these prompts cannot be interrupted or repeated on demand by the user. Speech output is only played automatically when the corresponding event occurs.</p>
<p><b>5.1.3.5 Speech output automatic interruption</b></p> <p>Where speech output is provided as non-visual access to closed functionality, the ICT shall interrupt current speech output when a user action occurs and when new speech output begins.</p>	Not Applicable	<p>The speakerphone provides only limited and brief speech output, such as a connection prompt. There are no overlapping speech outputs, so automatic interruption is not applicable.</p>
<p><b>5.1.3.6 Speech output for non-text content</b></p> <p>Where ICT presents non-text content, the alternative for non-text content shall be presented to users via speech output unless the non-text content is pure decoration or is used only for visual formatting. The speech output for non-text content shall follow the guidance for "text alternative" described in WCAG 2.1 [5] Success Criterion 1.1.1.</p>	Not Applicable	<p>The speakerphone does not include a display screen or present non-text content in software. Physical buttons on the device are marked with simple icons, and their activation is confirmed by LED indicators and auditory feedback, so this requirement does not apply.</p>
<p><b>5.1.3.7 Speech output for video information</b></p> <p>Where pre-recorded video content is needed to enable the use of closed functions of ICT and where speech output is provided as non-visual access to closed functionality, the speech output shall present equivalent information for the pre-recorded video content.</p>	Not applicable	<p>The speakerphone does not include a display or provide pre-recorded video content. Therefore, this requirement is not applicable.</p>

Criteria	Conformance Level	Remarks and Explanations
<p><b>5.1.3.8 Masked entry</b></p> <p>Where auditory output is provided as non-visual access to closed functionality, and the characters displayed are masking characters, the auditory output shall not be a spoken version of the characters entered unless the auditory output is known to be delivered only to a mechanism for private listening, or the user explicitly chooses to allow non-private auditory output.</p>	Not applicable	The speakerphone does not require text or password entry. Therefore, masked character handling is not applicable.
<p><b>5.1.3.9 Private access to personal data</b></p> <p>Where auditory output is provided as non-visual access to closed functionality, and the output contains data that is considered to be private according to the applicable privacy policy, the corresponding auditory output shall only be delivered through a mechanism for private listening that can be connected without requiring the use of vision, or through any other mechanism explicitly chosen by the user.</p>	Not applicable	The speakerphone does not output personal or sensitive information via speech. Voice prompts are limited to general device status such as connection confirmation, so private auditory access is not applicable.
<p><b>5.1.3.10 Non-interfering audio output</b></p> <p>Where auditory output is provided as non-visual access to closed functionality, the ICT shall not automatically play, at the same time, any interfering audible output that lasts longer than three seconds.</p>	Supports	The speakerphone provides only short voice prompts and beep tones for status confirmation. These do not overlap with other audio outputs longer than three seconds, ensuring non-visual speech feedback is not interfered with.
<p><b>5.1.3.11 Private listening volume</b></p> <p>Where auditory output is provided as non-visual access to closed functionality and is delivered through a mechanism for private listening, ICT shall provide at least one non-visual mode of operation for controlling the volume.</p>	Not applicable	The speakerphone does not provide a private listening mechanism such as a headset output. Voice prompts are played through the built-in speakers only, so this requirement is not applicable.

Criteria	Conformance Level	Remarks and Explanations
<p><b>5.1.3.12 Speaker volume</b></p> <p>Where auditory output is provided as non-visual access to closed functionality and is delivered through speakers on ICT, a non-visual incremental volume control shall be provided with output amplification up to a level of at least 65 dBA (-29 dBPaA).</p>	Supports	The speakerphone provides incremental volume adjustment through non-visual touch keys. The built-in speakers deliver sufficient output amplification above the minimum requirement for accessible use.
<p><b>5.1.3.13 Volume reset</b></p> <p>Where auditory output is provided as non-visual access to closed functionality, a function that resets the volume to be at a level of 65 dBA or less after every use, shall be provided, unless the ICT is dedicated to a single user.</p>	Does Not Support	The speakerphone retains the last user-selected volume level between uses and does not automatically reset to 65 dBA or lower after each session. This behavior is consistent with typical speakerphone design, allowing users to maintain preferred audio levels across meetings.
<p><b>5.1.3.14 Spoken languages</b></p> <p>Where speech output is provided as non-visual access to closed functionality, speech output shall be in the same human language as the displayed content provided, except:</p> <ul style="list-style-type: none"> <li>a) for proper names, technical terms, words of indeterminate language, and words or phrases that have become part of the vernacular of the immediately surrounding text;</li> <li>b) where the content is generated externally and not under the control of the ICT vendor, the present clause shall not be required to apply for languages not supported by the ICT's speech synthesizer;</li> <li>c) for displayed languages that cannot be selected using non-visual access;</li> </ul>	Not Applicable	The speakerphone does not include a display screen or provide displayed content. Therefore, requirements regarding alignment of spoken and displayed languages are not applicable.

Criteria	Conformance Level	Remarks and Explanations
d) where the user explicitly selects a speech language that is different from the language of the displayed content.		
<p><b>5.1.3.15 Non-visual error identification</b></p> <p>Where speech output is provided as non-visual access to closed functionality and an input error is automatically detected, speech output shall identify and describe the item that is in error.</p>	Not Applicable	The speakerphone does not require text or data entry and therefore does not generate input errors that would require non-visual identification.
<p><b>5.1.3.16 Receipts, tickets, and transactional outputs</b></p> <p>Where ICT is closed to visual access and provides receipts, tickets or other outputs as a result of a self-service transaction, speech output shall be provided which shall include all information necessary to complete or verify the transaction. In the case of ticketing machines, printed copies of itineraries and maps shall not be required to be audible.</p>	Not applicable	The speakerphone does not perform transactions or generate receipts, tickets, or other transactional outputs. Therefore, this requirement is not applicable.
<p><b>5.1.4 Functionality closed to text enlargement</b></p> <p>Where any functionality of ICT is closed to the text enlargement features of platform or assistive technology, the ICT shall provide a mode of operation where the text and images of text necessary for all functionality is displayed in such a way that a non-accented capital "H" subtends an angle of at least 0,7 degrees at a viewing distance specified by the supplier.</p> <p>The subtended angle, in degrees, may be calculated from:</p> $\Psi = (180 \times H) / (\pi \times D)$ <p>Where:</p> <ul style="list-style-type: none"> <li>• <math>\psi</math> is the subtended angle in degrees</li> <li>• H is the height of the text</li> <li>• D is the viewing distance</li> <li>• D and H are expressed in the same units</li> </ul>	Not Applicable	The speakerphone does not include a display or present text content. Therefore, requirements related to text enlargement are not applicable.

Criteria	Conformance Level	Remarks and Explanations
<p><b>5.1.5 Visual output for auditory information</b></p> <p>Where auditory information is needed to enable the use of closed functions of ICT, the ICT shall provide visual information that is equivalent to the auditory output.</p>	Supports	The speakerphone provides auditory feedback such as beeps for key activations and voice prompts for connection status. Equivalent visual feedback is provided through LED indicators for functions including mute, connection, and volume adjustments, ensuring accessibility for users who cannot rely on auditory information.
<p><b>5.1.6 Operation without keyboard interface</b></p>	Heading cell – no response required	
<p><b>5.1.6.1 Closed functionality</b></p>	See 5.1.3.1 through 5.1.3.16	
<p><b>5.1.6.2 Input focus</b></p> <p>Where ICT functionality is closed to keyboards or keyboard interfaces and where input focus can be moved to a user interface element, it shall be possible to move the input focus away from that element using the same mechanism, in order to avoid trapping the input focus.</p>	Not applicable	The speakerphone does not include a display or user interface elements that require input focus. Therefore, this requirement is not applicable.
<p><b>5.1.7 Access without speech</b></p> <p>Where speech is needed to operate closed functions of ICT, the ICT shall provide at least one mode of operation using an alternative input mechanism that does not require speech.</p>	Not applicable	The speakerphone does not require speech input for operation. All functions can be controlled through touch keys on the device or conferencing platform software, so this requirement is not applicable.
<p><b>5.2 Activation of accessibility features</b></p> <p>Where ICT has documented accessibility features, it shall be possible to activate those documented accessibility features that</p>	Not applicable	The speakerphone does not include separate documented accessibility features that require activation. Its functions are available through simple

Criteria	Conformance Level	Remarks and Explanations
are required to meet a specific need without relying on a method that does not support that need.		touch controls and conferencing platform software without the need for special activation methods.
<b>5.3 Biometrics</b> Where ICT uses biological characteristics, it shall not rely on the use of a particular biological characteristic as the only means of user identification or for control of ICT.	Not applicable	The speakerphone does not use biometric characteristics for identification or control. Therefore, this requirement is not applicable.
<b>5.4 Preservation of accessibility information during conversion</b> Where ICT converts information or communication it shall preserve all documented non-proprietary information that is provided for accessibility, to the extent that such information can be contained in or supported by the destination format.	Not applicable	The speakerphone does not convert information or communication formats. Therefore, requirements related to preservation of accessibility information during conversion are not applicable.
<b>5.5 Operable parts</b>	Heading cell – no response required	
<b>5.5.1 Means of operation</b> Where ICT has operable parts that require grasping, pinching, or twisting of the wrist to operate, an accessible alternative means of operation that does not require these actions shall be provided.	Supports	The speakerphone uses simple touch controls that do not require grasping, pinching, or wrist twisting. All functions can also be controlled through conferencing platform software, providing accessible alternatives for operation.
<b>5.5.2 Operable parts discernibility</b> Where ICT has operable parts, it shall provide a means to discern each operable part, without requiring vision and without performing the action associated with the operable part.	Supports	The speakerphone's touch keys are clearly defined in location and function. Each control is supported by LED indicators and auditory feedback, enabling users to identify operations without relying solely on vision.

Criteria	Conformance Level	Remarks and Explanations
<b>5.6 Locking or toggle controls</b>	Heading cell – no response required	Heading cell – no response required
<b>5.6.1 Tactile or auditory status</b> Where ICT has a locking or toggle control and the status of that control is visually presented to the user, the ICT shall provide at least one mode of operation where the status of the control can be determined either through touch or sound without operating the control.	Supports	The speakerphone includes a mute toggle function. Its status is indicated visually by an LED and confirmed with an audible beep when activated or deactivated, ensuring the state can be determined without relying on vision alone.
<b>5.6.2 Visual status</b> Where ICT has a locking or toggle control and the status of the control is non-visually presented to the user, the ICT shall provide at least one mode of operation where the status of the control can be visually determined when the control is presented.	Supports	LED indicators provide clear visual confirmation of toggle states such as mute and connection status.
<b>5.7 Key repeat</b> Where ICT has a key repeat function that cannot be turned off: <ul style="list-style-type: none"> <li>a) the delay before the key repeat shall be adjustable to at least 2 seconds; and</li> <li>b) the key repeat rate shall be adjustable down to one character per 2 seconds.</li> </ul>	Not applicable	The speakerphone does not include a keyboard or key repeat function.
<b>5.8 Double-strike key acceptance</b> Where ICT has a keyboard or keypad, the delay after any keystroke, during which an additional key-press will not be accepted if it is identical to the previous keystroke, shall be adjustable up to at least 0,5 seconds.	Not applicable	The speakerphone does not include a keyboard or text entry function, so double-strike key acceptance is not applicable.
<b>5.9 Simultaneous user actions</b> Where ICT has a mode of operation requiring simultaneous user actions for its operation, such ICT shall provide at least one mode	Supports	The speakerphone does not require simultaneous actions for operation. All functions can be performed through

<b>Criteria</b>	<b>Conformance Level</b>	<b>Remarks and Explanations</b>
of operation that does not require simultaneous user actions to operate the ICT.		single key touches or via conferencing platform software.

## Clause [8: Hardware](#)

Criteria	Conformance Level	Remarks and Explanations
<b>8.1.1 Generic requirements</b>	Heading cell – no response required	Heading cell – no response required
<b>8.1.2 Standard connections</b> Where an ICT provides user input or output device connection points, the ICT shall provide at least one input and/or output connection that conforms to an industry standard non-proprietary format, directly or through the use of commercially available adapters.	Supports	The speakerphone provides standard, non-proprietary connections including USB-C and RJ45. These ensure compatibility with common conferencing devices and platforms.
<b>8.1.3 Colour</b> Where the ICT has hardware aspects that use colour, colour shall not be used as the only visual means of conveying information, indicating an action, prompting a response, or distinguishing a visual element.	Supports	The speakerphone uses LED color indicators for status such as mute and connection. These are also supported by auditory feedback (beeps and voice prompts), so color is not the only means of conveying information.
<b>8.2 Hardware products with speech output</b>	Heading cell – no response required	
<b>8.2.1.1 Speech volume range</b> Where ICT hardware has speech output, it shall provide a means to adjust the speech output volume level over a range of at least 18 dB.	Supports	The speakerphone provides incremental volume adjustment through touch keys. The available adjustment range is sufficient to meet accessibility requirements.
<b>8.2.1.2 Incremental volume control</b> Where ICT hardware has speech output and its volume control is incremental, it shall provide at least one intermediate step of 12 dB gain above the lowest volume setting.	Supports	The speakerphone offers incremental volume control with multiple levels, allowing adjustment above the minimum in steps exceeding 12 dB.
<b>8.2.2.1 Fixed-line devices</b> Where ICT hardware is a fixed-line communication device with speech output and which is normally held to the ear, it shall	Not applicable	The speakerphone is not a fixed-line device and is not intended to be held to the ear.

Criteria	Conformance Level	Remarks and Explanations
provide a means of magnetic coupling which meets the requirements of ETSI ES 200 381-1 [2] and shall carry the "T" symbol specified in ETSI ETS 300 381.		
<b>8.2.2.2 Wireless communication devices</b> Where ICT hardware is a wireless communication device with speech output which is normally held to the ear, it shall provide a means of magnetic coupling to hearing technologies which meets the requirements of ETSI ES 200 381-2.	Not applicable	The speakerphone is a tabletop conferencing device and is not intended for use as a handheld wireless ear device.
<b>8.3 Stationary ICT</b>	Heading cell – no response required	Heading cell – no response required
<b>8.3.2.1 Unobstructed high forward reach</b> Where no part of the stationary ICT obstructs the forward reach, at least one of each type of operable part shall be located no higher than 1220 mm (48 inches) above the floor of the access space. This is shown in Figure 2.	Not applicable	Not applicable
<b>8.3.2.2 Unobstructed low forward reach</b> Where no part of the stationary ICT obstructs the forward reach, at least one of each type of operable part shall be located no lower than 380 mm (15 inches) above the floor of the access space. This is shown in Figure 2.	Not applicable	Not applicable
<b>8.3.2.3.1 Clear space</b> Where an obstruction is an integral part of the stationary ICT and hinders the access to any type of operable part, the ICT shall provide a clear space which extends beneath the obstructing element for a distance not less than the required reach depth over the obstruction.	Not applicable	Not applicable
<b>8.3.2.3.2 Obstructed (&lt; 510 mm) forward reach</b>	Not applicable	Not applicable

Criteria	Conformance Level	Remarks and Explanations
<p>Where the stationary ICT has an obstruction which is an integral part of the ICT and which is less than 510 mm (20 inches), the forward reach to at least one of each type of operable part shall be no higher than 1220 mm (48 inches) above the floor contact of the ICT.</p> <p>This is shown in Figure 3 (a).</p>		
<p><b>8.3.2.3.3 Obstructed (&lt; 635 mm) forward reach</b></p> <p>Where the stationary ICT has an obstruction which is an integral part of the ICT and which is not less than 510 mm (20 inches) but is less than 635 mm (25 inches) maximum, the forward reach to at least one of each type of operable part shall be no higher than 1120 mm (44 inches) above the floor contact of the ICT.</p> <p>This is shown in Figure 3 (b).</p>	Not applicable	Not applicable
<p><b>8.3.2.4 Knee and toe clearance width</b></p> <p>Where the space under an obstacle that is an integral part of the stationary ICT is part of access space, the clearance shall be at least 760 mm (30 inches) wide.</p>	Not applicable	Not applicable
<p><b>8.3.2.5 Toe clearance</b></p> <p>Where an obstacle is an integral part of the stationary ICT, a space under the obstacle that is less than 230 mm (9 inches) above the floor is considered toe clearance and shall:</p> <ul style="list-style-type: none"> <li>a) extend 635 mm (25 inches) maximum under the whole obstacle;</li> <li>b) provide a space at least 430 mm (17 inches) deep and 230 mm (9 inches) above the floor under the obstacle;</li> <li>c) extend no more than 150 mm (6 inches) beyond any obstruction at 230 mm (9 inches) above the floor.</li> </ul>	Not applicable	Not applicable

Criteria	Conformance Level	Remarks and Explanations
This is shown in Figure 4.		
<p><b>8.3.2.6 Knee clearance</b></p> <p>Where an obstacle is an integral part of the stationary ICT, the space under the obstacle that is between 230 mm (9 inches) and 685 mm (25 inches) above the floor is considered knee clearance and shall:</p> <ul style="list-style-type: none"> <li>a) extend no more than 635 mm (25 inches) under the obstacle at a height of 230 mm (9 inches) above the floor;</li> <li>b) extend at least 280 mm (11 inches) under the obstacle at a height of 230 mm (9 inches) above the floor;</li> <li>c) extend at least 205 mm (8 inches) under the obstacle at a height of 685 mm (27 inches) above the floor;</li> <li>d) be permitted to be reduced in depth at a rate of 25 mm (1 inch) for each 150 mm (6 inches) in height.</li> </ul> <p>This is shown in Figure 5.</p>	Not applicable	Not applicable
<p><b>8.3.3.1 Unobstructed high side reach</b></p> <p>Where the side reach is unobstructed or obstructed by an element that is an integral part of the stationary ICT and which is less than 255 mm (10 inches), at least one of each type of operable part shall be within a high side reach which is less than or equal to 1220 mm (48 inches) above the floor of the access space.</p> <p>This is shown in Figure 6.</p>	Not applicable	Not applicable
<p><b>8.3.3.2 Unobstructed low side reach</b></p> <p>Where the side reach is unobstructed or obstructed by an element that is an integral part of the stationary ICT and which is less than 255 mm (10 inches), at least one of each type of operable part</p>	Not applicable	Not applicable

Criteria	Conformance Level	Remarks and Explanations
<p>shall be within a low side reach which is greater than or equal to 380 mm (15 inches) above the floor of the access space.</p> <p>This is shown in Figure 6.</p>		
<p><b>8.3.3.3.1 Obstructed (<math>\leq 255</math> mm) side reach</b></p> <p>Where stationary ICT has an obstruction which is an integral part of the ICT, the height of the obstruction shall be less than 865 mm (34 inches). Where the depth of the obstruction is less than or equal to 255 mm (10 inches), the high side reach to at least one of each type of operable part shall be no higher than 1220 mm (48 inches) above the floor of the access space.</p> <p>This is shown in Figure 7 (a).</p>	Not applicable	Not applicable
<p><b>8.3.3.3.2 Obstructed (<math>\leq 610</math> mm) side reach</b></p> <p>Where stationary ICT has an obstruction which is an integral part of the ICT, the height of the obstruction shall be less than 865 mm (34 inches). Where the depth of the obstruction is greater than 255 mm (10 inches) with a maximum depth of 610 mm (24 inches), the high side reach to at least one of each type of operable part shall be no higher than 1 170 mm (46 inches) above the floor of the access space.</p> <p>This is shown in Figure 7 (b).</p>	Not applicable	Not applicable
<p><b>8.3.4.1 Change in level</b></p> <p>Where stationary ICT has a floor within it, then any change of floor level within it or entering it shall be ramped with a slope no steeper than 1:48. Exceptions: a) If the change in floor level is less than or equal to 6,4 mm (<math>\frac{1}{4}</math> inch) the change may be vertical as shown in Figure 8. b) If the change in floor level is less than or equal to 13</p>	Not applicable	Not applicable

Criteria	Conformance Level	Remarks and Explanations
mm (½ inch) the change may have a slope not steeper than 1:2 as shown in Figure 9.		
<p><b>8.3.4.2 Clear floor or ground space</b></p> <p>Where stationary ICT has an operating area within it, it shall provide a clear floor area that has the minimum dimensions of 760 mm (30 inches) by 1 220 mm (48 inches) from which to operate the ICT.</p> <p>This is shown in Figure 10.</p>	Not applicable	Not applicable
<p><b>8.3.4.3.2 Forward approach</b></p> <p>Where the operating area is inside an alcove within the stationary ICT, the alcove is deeper than 610 mm (24 inches), and where a forward approach is necessary, the dimension of the access space shall be a minimum of 915 mm (36 inches) wide.</p> <p>This is shown in Figure 11.</p>	Not applicable	Not applicable
<p><b>8.3.4.3.3 Parallel approach</b></p> <p>Where the operating area is inside an alcove within the stationary ICT, the alcove is deeper than 380 mm (15 inches), and where a parallel approach is possible, the dimension of the access space shall be a minimum of 1 525 mm (60 inches) wide.</p> <p>This is shown in Figure 12.</p>	Not applicable	Not applicable
<p><b>8.3.5 Visibility</b></p> <p>Where stationary ICT provides one or more display screens, at least one of each type of display screen shall be positioned such that the information on the screen is legible from a point located 1015 mm (40 inches) above the centre of the floor of the operating area).</p>	Not applicable	Not applicable
<p><b>8.3.6 Installation instructions</b></p>	Not applicable	Not applicable

Criteria	Conformance Level	Remarks and Explanations
<p>Installation instructions shall be made available for all stationary ICT. These instructions shall give guidance on how to install the ICT in a manner that takes into account applicable requirements for accessibility of the built environment as they apply to the installation of the ICT. Where there are no such requirements the instructions should require that the dimensions of the installed ICT conform to clauses 8.3.2 to 8.3.5 of the present document.</p>		
<p><b>8.4 Mechanically Operable parts</b></p>	<p>Heading cell – no response required</p>	<p>Heading cell – no response required</p>
<p><b>8.4.1 Numeric keys</b></p> <p>Where provided, physical numeric keys arranged in a rectangular keypad layout shall have the number five key tactilely distinct from the other keys of the keypad.</p>	<p>Not applicable</p>	<p>Not applicable</p>
<p><b>8.4.2.1 Means of operation of mechanical parts</b></p> <p>Where a control requires grasping, pinching, or twisting of the wrist to operate it, an accessible alternative means of operation that does not require these actions shall be provided.</p>	<p>Supports</p>	<p>The speakerphone uses simple touch-sensitive controls that do not require grasping, pinching, or wrist twisting.</p>
<p><b>8.4.2.2 Force of operation of mechanical parts</b></p> <p>Where a control requires a force greater than 22,2 N to operate it, an accessible alternative means of operation that requires a force less than 22,2 N shall be provided.</p>	<p>Supports</p>	<p>The speakerphone's touch controls require minimal pressure well below 22.2 N, ensuring ease of operation.</p>
<p><b>8.4.3 Keys, tickets and fare cards</b></p> <p>Where ICT provides keys, tickets or fare cards, and their orientation is important for further use, they shall have an orientation that is tactilely discernible.</p>	<p>Not applicable</p>	<p>Not applicable</p>
<p><b>8.5 Tactile indication of speech mode</b></p>	<p>Not applicable</p>	<p>The speakerphone is a shared-use device and provides limited voice prompts, but it does not include a</p>

<b>Criteria</b>	<b>Conformance Level</b>	<b>Remarks and Explanations</b>
Where ICT is designed for shared use and speech output is available, a tactile indication of the means to initiate the speech mode of operation shall be provided.		separate speech mode that requires tactile initiation. Therefore, this requirement is not applicable.

## Clause 12: Documentation and Support Services

Criteria	Conformance Level	Remarks and Explanations
<b>12.1 Product documentation</b>	Heading cell – no response required	Heading cell – no response required
<p><b>12.1.1 Accessibility and compatibility features</b></p> <p>Product documentation provided with the ICT whether provided separately or integrated within the ICT shall list and explain how to use the accessibility and compatibility features of the ICT.</p>	Supports	<p>ViewSonic provides product related documents on product websites and an official Support &amp; service web page, provides advisors with information on accessibility and compatibility features.</p> <p>User can visit ViewSonic official website for Service support at: <a href="https://www.viewsonic.com/global/support/">https://www.viewsonic.com/global/support/</a></p>
<p><b>12.1.2 Accessible documentation</b></p> <p>Product documentation provided with the ICT shall be made available in at least one of the following electronic formats:</p> <ul style="list-style-type: none"> <li>a) a Web format that conforms to the requirements of clause 9; or</li> <li>b) a non-web format that conforms to the requirements of clause 10.</li> </ul>	See <a href="#">WCAG 2.1</a> section	See information in WCAG 2.1 section
<b>12.2 Support Services</b>	Heading cell – no response required	Heading cell – no response required
<p><b>12.2.2 Information on accessibility and compatibility features</b></p> <p>ICT support services shall provide information on the accessibility and compatibility features that are mentioned in the product documentation.</p>	Supports	<p>ViewSonic provides product related documents on product websites and an official Support &amp; service web page, provides advisors with information on accessibility and compatibility features.</p> <p>User can visit ViewSonic official website for Service support at:</p>

		<a href="https://www.viewsonic.com/global/support/">https://www.viewsonic.com/global/support/</a>
<p><b>12.2.3 Effective communication</b></p> <p>ICT support services shall accommodate the communication needs of individuals with disabilities either directly or through a referral point.</p>	Supports	<p>ViewSonic provides product related documents on product websites and an official Support &amp; service web page, provides advisors with information on accessibility and compatibility features.</p> <p>User can visit ViewSonic official website for Service support at: <a href="https://www.viewsonic.com/global/support/">https://www.viewsonic.com/global/support/</a></p>
<p><b>12.2.4 Accessible documentation</b></p> <p>Documentation provided by support services shall be made available in at least one of the following electronic formats:</p> <ul style="list-style-type: none"> <li>a) a Web format that conforms to clause 9; or</li> <li>b) a non-web format that conforms to clause 10.</li> </ul>	See <a href="#">WCAG 2.1</a> section	See information in WCAG 2.1 section

## Legal Disclaimer (Company)

*This Conformance Report is provided by ViewSonic Corporation for informational purposes only. It outlines the product's accessibility features based on evaluations conducted as of the report's publication date. This document does not serve as a legally binding assurance of compliance with any accessibility laws or standards.*

*The report reflects internal assessments and product specifications available at the time of testing. Accessibility performance may vary depending on software versions, device configurations, operating environments, and assistive technologies used.*

*While ViewSonic strives to maintain accessibility across its products, the information provided here may become outdated due to future updates or changes. Customizations or modifications made by users, integrators, or third parties may affect accessibility and could render portions of this report inaccurate or no longer applicable.*

*This document is not intended to replace independent assessments by users or institutions. Customers are encouraged to conduct their own evaluations to determine whether the product meets their accessibility and compliance requirements.*

*ViewSonic is not responsible for the accessibility or accuracy of any third-party content or services that may be integrated into or used in conjunction with ViewSonic products. Responsibility for such content remains with the original provider, including the management of privacy or consent requirements.*

*Unless otherwise specified in a written agreement, ViewSonic products and related services are provided "as is." No warranties are expressed or implied, including but not limited to warranties of merchantability, fitness for a particular purpose, non-infringement, or uninterrupted operation.*

*To the extent allowed by law, ViewSonic will not be liable for any indirect, incidental, special, or consequential damages resulting from the use of or inability to use the product, including but not limited to loss of business, revenue, data, or productivity, even if previously advised of the possibility of such damages.*